

Australian/New Zealand Standard™

**Thermal insulation materials for
buildings**

Part 2: Design



AS/NZS 4859.2:2018

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee BD-058, Thermal Insulation. It was approved on behalf of the Council of Standards Australia on 8 October 2018 and by the New Zealand Standards Approval Board on 6 November 2018.

This Standard was published on 19 November 2018.

The following are represented on Committee BD-058:

Aluminium Foil Insulation Association
Australian Building Codes Board
Australian Cellulose Insulation Manufacturers Association
Australian Institute of Refrigeration Air Conditioning and Heating
Australian Professional Thermography Association
AWTA Product Testing
Building Research Association of New Zealand
Consumers Federation of Australia
CSIRO
Engineers Australia
Housing Industry Association
Insulation Association of New Zealand
Insulation Australasia
Insulation Council of Australia and New Zealand
Master Builders Australia
Master Plumbers Australia
National Electrical and Communications Association
New Zealand Metal Roofing Manufacturers
Pliable Membranes Association of Australia and New Zealand
Roofing Association of New Zealand
Roofing Tile Association of Australia
Thermal Insulation Contractors Association of Australia, NSW

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com or Standards New Zealand web site at www.standards.govt.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of Standards Australia or the New Zealand Standards Executive at the address shown on the back cover.

This Standard was issued in draft form for comment as DR AS/NZS 4859.2:2017.

Australian/New Zealand Standard™

Thermal insulation materials for buildings

Part 2: Design

Originated in Australia as part of AS 2352—1980, AS 2461—1981, AS 2462—1981, AS 2463—1981, AS 2464.1—1981, AS 2464.2—1981, AS 2464.3—1983, AS 2464.4—1981, AS 2464.5—1985, AS 2464.6—1983, AS 2464.7—1990 and AS 3742—1990.

Originated in New Zealand as part of NZS 1340:1959.

Previous edition part of AS/NZS 4859.1:2002.

Jointly revised in part and redesignated as AS/NZS 4859.2:2018.

COPYRIGHT

© Standards Australia Limited

© The Crown in right of New Zealand, administered by the New Zealand Standards Executive

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, PO Box 1473, Wellington 6140.

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee BD-058, Thermal Insulation, to supersede, in part, AS/NZS 4859.1:2002 (in particular Appendix K).

The objective of this Standard is to provide clear and concise requirements for determination and reporting of total R-values and system R-values to promote greater consistency of these calculations within the Australian and New Zealand marketplaces.

This Standard covers the following:

- (a) Standard assumptions for the calculation of system and total thermal resistance of insulation products used in thermal calculations.
- (b) A prescriptive calculation methodology for determining the thermal resistance of airspaces with parallel bounding surfaces of varying emissivity.
- (c) A range of conversion coefficients for multiple insulation types.
- (d) Prescriptive reporting requirements for demonstrating total R-value and system R-value calculations.

In this Standard, notes to the main text are for information and guidance only.

Statements expressed in mandatory terms in notes to tables are deemed to be requirements of this Standard.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

Standards Australia thanks the Australian Institute of Refrigeration, Air Conditioning and Heating (AIRAH) for permission to reproduce content from the AIRAH Handbook 2013. This content remains the copyright of AIRAH. All rights reserved.

Standards Australia thanks the International Organization for Standardization (ISO) for permission to reproduce tables and text from ISO documents in this Standard. These tables and text are copyright of ISO, Geneva, Switzerland. All rights reserved.

CONTENTS

	Page
1 SCOPE.....	4
2 APPLICATION.....	4
3 NORMATIVE REFERENCES	4
4 DEFINITIONS.....	4
5 STANDARD ASSUMPTIONS	5
6 CALCULATION OF THERMAL RESISTANCE OF AIRSPACES WITH PARALLEL BOUNDING SURFACES OF VARYING EMITTANCE	11
7 AIRSPACES GREATER THAN 300 mm AND AIRSPACES THAT HAVE NON-PARALLEL BOUNDING SURFACES	14
8 AIR FILMS.....	14
9 THERMAL RESISTANCE OF FLOORS	15
10 TOTAL R-VALUE CALCULATION.....	16
11 TOTAL R-VALUE AND SYSTEM R-VALUE CALCULATION REPORTING REQUIREMENTS.....	17
 APPENDICES	
A SPREADSHEET REPRESENTATION	19
B SUMMARY OF ISO 6946:2007 REPRODUCED AND MODIFIED TEXT	21
 BIBLIOGRAPHY	 23

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard
Thermal insulation materials for buildings

Part 2: Design

1 SCOPE

This Standard specifies the assumptions to be used in calculating the system R-values and total R-values of building constructions, which include IR reflective or IR non-reflective airspaces, for the purposes of designing building components to be used in thermal insulation systems.

2 APPLICATION

The calculations performed in accordance with this Standard shall not be used for the purposes of labelling.

Where declared material R-values are required for these calculations, they shall be determined in accordance with AS/NZS 4859.1.

NOTE: Labelling requirements are specified in AS/NZS 4859.1.

3 NORMATIVE REFERENCES

The following are the normative documents referenced in this Standard:

AS/NZS

4200 Pliable building membranes and underlays

4200.1 Part 1: Materials

4859 Materials for the thermal insulation of buildings

4859.1 Part 1: General criteria and technical provisions

NZS

4214 Methods of determining the total thermal resistance of parts of buildings

ASTM

C1371 Standard Test Method for Determination of Emittance of Materials Near Room Temperature Using Portable Emitters

E408 Standard Test Methods for Total Normal Emittance of Surfaces Using Inspection-Meter Techniques

AIRAH

AIRAH Handbook, Fifth Edition (2013)

4 DEFINITIONS**4.1 Material thermal resistance (R_m)**

A resistance associated with a material, specified as a material, R . Excludes surface film resistances (see conductance, film and surface coefficient) declared in accordance with AS/NZS 4859.1. [Unit: (m².K)/W]