

Australian/New Zealand Standard™

Buried corrugated metal structures

Part 1: Design methods



AS/NZS 2041.1:2011

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee CE-025, Corrugated metal Drainage Pipes and Arches. It was approved on behalf of the Council of Standards Australia on 12 July 2011 and by the New Zealand Standards Approval Board on 15 July 2011.
This Standard was published on 5 August 2011.

The following are represented on Committee CE-025:

AUSTROADS

Australasian Railway Association
Australian Chamber of Commerce and Industry
Australian Industry Group
Galvanizers Association of Australia
Main Roads Department Queensland
New Zealand Heavy Engineering Research Association
University of Queensland

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com or Standards New Zealand web site at www.standards.govt.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of Standards Australia or the New Zealand Standards Executive at the address shown on the back cover.

This Standard was issued in draft form for comment as DR 10015.

Australian/New Zealand Standard™

Buried corrugated metal structures

Part 1: Design methods

Originated in Australia as AS A128—1962.
Subsequent Editions AS 2041—1984 and AS 2042—1984.
AS 2041—1984 and AS 2042—1984 jointly revised, amalgamated and designated AS/NZS 2041:1998.
AS/NZS 2041:1998 revised, in part, and designated AS/NZS 2041.1:2011.
Reissued incorporating Amendment No. 1 (September 2018).

COPYRIGHT

© Standards Australia Limited

© The Crown in right of New Zealand, administered by the New Zealand Standards Executive

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, PO Box 1473, Wellington 6140.

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee CE-025, Corrugated Metal Drainage Pipes and Arches, to supersede, in part, AS/NZS 2041:1998, *Buried corrugated metal structures*, AS 1762—1984, *Helical lock-seam corrugated steel pipes—Design and installation*, AS 3703.2—1989, *Long-span corrugated steel structures, Part 2: Design and installation*.

This Standard incorporates Amendment No. 1 (September 2018). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.

The objective of this Standard is to provide designers, manufacturers and installers of buried corrugated metal structures with requirements for the structural design of such structures for use in earthworks, primarily as drainage culverts or access ways.

This Standard is Part 1 of the AS/NZS 2041 series, *Buried corrugated metal structures*, which comprises the following parts:

AS/NZS

- 2041 Buried corrugated metal structures
- 2041.1 Part 1: Design methods (this Standard)
- 2041.2 Part 2: Installation
- 2041.4 Part 4: Helically formed sinusoidal pipes
- 2041.6 Part 6: Bolted plate structures

Other parts of the series being proposed include the following:

- Part 3: Assessment of existing structures
- Part 5: Helically formed ribbed pipes
- Part 7: Bolted plate structures with transverse stiffeners
- Part 8: Metal box structures

This Edition includes the following changes:

- (a) The design methods are now applicable to any of the products in the AS/NZS 2041 series of Standards.
- (b) Installation requirements have been moved to AS/NZS 2041.2.
- (b) Design criteria for aluminium included.
- (c) Clearer presentation of the design model.
- (d) Limit state method included (harmonized with the Canadian Highway Bridge Design Code).
- (e) Current Australian, New Zealand and selected overseas design loads, including earthquake loads.
- (f) Greater comprehensive discussion of durability issues.
- (g) Method included for approval of profiles other than sinusoidal profiles.
- (h) Notations have been brought in line with ISO 3898, Bases for design of structures—Notation—General symbols.
- (i) Background material guidance on the requirements of various clauses in the Standard included (Appendix B and Appendix E).

Design requirements are based on empirical formulae established by full scale testing. Details of the methods for full size testing to determine properties are also included.

In this document, the words ‘this Standard’ indicates AS/NZS 2041.1.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

Statements expressed in mandatory terms in notes to Tables and Figures are deemed to be an integral part of the Standard. Notes to the text contain information and guidance and are not considered to be integral parts of the Standard.

CONTENTS

	<i>Page</i>
FOREWORD.....	6
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE.....	8
1.2 EXCLUSIONS.....	9
1.3 APPLICATION	9
1.4 NORMATIVE REFERENCES	9
1.5 DEFINITIONS.....	10
1.6 NOTATION.....	13
1.7 MARKING	24
1.8 ALTERNATIVE DESIGN METHODS AND MATERIALS	24
SECTION 2 GENERAL REQUIREMENTS	
2.1 DESIGN PROCESS.....	25
2.2 DESIGN INSTRUCTIONS	26
2.3 DESIGN CONSIDERATIONS.....	26
2.4 STRUCTURE CLASSIFICATION AND DESIGN WORKING LIFE	27
2.5 MINIMUM COVER	27
2.6 MINIMUM SPACING BETWEEN STRUCTURES	29
2.7 MINIMUM EXTENT OF STRUCTURAL SELECT FILL—STRUCTURAL BACKFILL.....	31
2.8 DESIGN METHODS.....	34
SECTION 3 DURABILITY	
3.1 SCOPE OF SECTION	36
3.2 BACKGROUND	36
3.3 COATINGS	37
3.4 CORRUGATED METAL STRUCTURES—MATERIALS	37
3.5 DURABILITY DESIGN—STRUCTURE TYPES	39
3.6 DURABILITY DESIGN—SIMPLIFIED PROCEDURE.....	39
3.7 DURABILITY DESIGN—DETAILED PROCEDURE.....	40
SECTION 4 DESIGN ACTIONS	
4.1 SCOPE OF SECTION	45
4.2 PERMANENT ACTIONS (<i>G</i>).....	45
4.3 IMPOSED ACTIONS (<i>Q</i>)	45
4.4 IMPOSED PRESSURE AT DEPTH.....	48
4.5 EARTHQUAKE	49
SECTION 5 LIMIT STATE METHOD (EXCLUDING METAL BOX STRUCTURES)	
5.1 GENERAL.....	53
5.2 LIMIT STATES.....	53
5.3 COMBINATIONS OF ACTIONS	53
5.4 MATERIAL RESISTANCE FACTORS AND DESIGN PROPERTIES	54
5.5 ACTIONS.....	55
5.6 DESIGN VERIFICATION	61

	<i>Page</i>
5.7 MINIMUM STRUCTURAL BASE METAL WALL THICKNESS	66
5.8 TRANSVERSE STIFFENERS	66
5.9 FOOTINGS.....	67
5.10 ARCH FOOTING FORCES	67
5.11 PIPE-ARCH SHAPES	69
 SECTION 6 LIMIT STATE METHOD FOR METAL BOX STRUCTURES	
6.1 GENERAL.....	72
6.2 SIMPLIFIED DESIGN METHOD.....	72
6.3 RIGOROUS METHOD	80
 SECTION 7 RING COMPRESSION METHOD	
7.1 GENERAL.....	82
7.2 RING COMPRESSION DESIGN PHILOSOPHY	82
7.3 LOADS.....	82
7.4 DESIGN SOIL COMPACTION AND SOIL TYPE FOR SELECT FILL.....	82
7.5 DESIGN PRESSURE	83
7.6 PIPE-ARCH SHAPES	84
7.7 RING COMPRESSION	86
7.8 PROPERTIES FOR DESIGN	86
7.9 BOLTED SEAM STRENGTH FOR BOLTED PLATE STRUCTURES.....	86
7.10 ULTIMATE COMPRESSIVE WALL STRESS	87
7.11 ALLOWABLE WALL STRESS AND STRUCTURAL BASE METAL WALL THICKNESS	88
7.12 MINIMUM STRUCTURAL BASE METAL WALL THICKNESS	89
7.13 HANDLING AND INSTALLATION STIFFNESS	89
7.14 RIB STIFFENING	90
7.15 ARCH FOOTING FORCES	90
 SECTION 8 END TREATMENT	
8.1 GENERAL.....	92
8.2 END STIFFENING RING BEAMS.....	92
8.3 BATTER PROTECTION, HEADWALLS AND CUT-OFF WALLS.....	94
 SECTION 9 INVERT LINING	
	97
 APPENDICES	
A GUIDELINES FOR DESIGN INFORMATION FOR SUPPLY AND INSTALLATION	99
B BACKGROUND MATERIAL AND GUIDANCE ON THE REQUIREMENTS OF THE AS/NZS 2041 SERIES OF STANDARDS	103
C DESIGN FLOW CHARTS	109
D COMPARISON OF LOADINGS.....	114
E GUIDANCE ON DURABILITY DESIGN AND PROTECTIVE SYSTEMS.....	119
F GUIDANCE ON EARTHQUAKE DESIGN	123
G METHODS FOR DETERMINING DESIGN PROPERTIES OF PROFILES.....	129
H TEST PROCEDURE FOR ESTABLISHING FLEXIBILITY FOR BURIED CORRUGATED METAL PIPES.....	130
I NUMERICAL MODELLING.....	133
 BIBLIOGRAPHY.....	
	135

FOREWORD

Buried corrugated metal structures are flexible members that rely on soil-structure interaction. Manufacture, design and installation to this series of Standards (AS/NZS 2041) should ensure such interaction occurs. This Foreword is intended to introduce the series, give information on the interaction of the various parts of AS 2041 series, background on how the Parts interact and emphasize the most important considerations for these buried corrugated metal structures.

The series is composed of a design Standard (AS/NZS 2041.1), an installation Standard (AS/NZS 2041.2), and product Standards (see Preface for a list of Parts). The product Standards describe a range of products from simple round helical pipes to bolted plate structures of varying shape (round, arched, elliptical, etc.).

The design Standard (AS/NZS 2041.1) covers the determination of the structural base metal wall thickness (by structural analysis) taking into account durability and other considerations.

Correct installation is essential to performance. Adequate compaction of selected appropriate fill material *must* be carried out in order to meet the design assumptions for strength. This is covered by the requirements of the installation Standard.

Design and construction following good engineering practice would include the following aspects:

- (a) Adequate investigation of the site conditions (soil, soil acidity, drainage, flow, foundations).
- (b) Expected life of the structure (structure size or significance, aggressivity of environment).
- (c) Appropriate material selection (metal durability, backfill properties, coating systems).
- (d) Structural design method appropriate for the structure size (e.g., small diameter pipe versus large span arch).
- (e) Design of any foundations or geotechnical considerations.
- (f) Manufacture of the metal structure (materials, fabrication and quality).
- (g) Material supply and assembly (supply of backfill, handling of flexible metal structure, transport, bolting together).
- (h) Methods and equipment for installation, backfilling and compaction (hand-held compactor versus heavy machinery).
- (i) Construction loads (heavy trucks or equipment).

This Standard (AS/NZS 2041.1) includes Appendices that give guidance on some of the above items.

The various product Standards describe the different products and refer to AS/NZS 2041.1 and AS/NZS 2041.2 for design and installation. These products are considered to perform satisfactorily when designed and installed using this series. The design method may not be appropriate for use with other profiles unless performance is confirmed by experimental investigation, as given in this Part (AS/NZS 2041.1). The products covered include the following:

- (i) *Various corrugation types*—sinusoidal corrugations with pitches ranging from 38 mm to 400 mm, and ribbed corrugations of various profiles.
- (ii) *Various metal types*—galvanized steel, and aluminium and polymer-coated steel.

- (iii) *Various manufacturing types*—helically wound pipes with a mechanically folded seam, plates (of standard size but varying curvature) bolted together to form a predetermined shape.

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard
Buried corrugated metal structures

Part 1: Design methods

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard specifies structural design methods for buried corrugated metal structures of circular or other shape installed under a flexible pavement.

Buried corrugated metal structures are primarily intended for use in stormwater drainage and access tunnels, and for the support of roadway and railway and other loadings. Construction consists of corrugated section shapes buried in an embankment or in a trench situation. Correct installation in a soil envelope is essential to the performance of the structure.

The design methods in this Standard are intended to apply to the products described in the other parts of this AS/NZS 2041 series with profiles that satisfy the following criteria:

- (a) $\frac{p}{H_c} \leq 8$
- (b) $\frac{p}{w_r} \leq 5$

where

- p = pitch of corrugation, in millimetres
- H_c = height of corrugation rib, in millimetres
- w_r = width of corrugation rib, in millimetres

These products range from small pipes to large arch-type structures, from off-the-shelf systems to significant long-span structures.

NOTES:

- 1 Guidelines on information that should be supplied by the designer and/or owner to the manufacturer and installer are given in Appendix A.
- 2 This Standard is intended to cover buried structures comprising a flexible corrugated metal wall and a soil envelope governed by soil-structure interaction. It must be recognized that both soil and metal structure play a vital part in the structural design; therefore proper installation is essential for the final performance. Background on the Standard material, including the ring compression theory, is given in Appendix B.
- 3 In order to ensure good performance, general design procedures should include site investigation, backfill material selection, flow design, durability assessment, structural design, handling and laying and, backfill compaction.
- 4 For non-flexible pavements, specialist advice should be sought.