



ANSI/NEMA C82.4-2002

---

American National  
Standard for Ballasts  
for High-Intensity  
Discharge and Low-  
Pressure Sodium (LPS)  
Lamps (Multiple-  
Supply Type)



**National Electrical Manufacturers Association**  
**1300 North 17th Street, Suite 900 • Rosslyn, VA 22209**  
**[www.NEMA.org](http://www.NEMA.org)**



# American National Standard

Approved June 6, 2002

Secretariat: ANSLG National Electrical Manufacturers Association

## For Lamp Ballasts-- Ballasts For High-Intensity-Discharge and Low- Pressure Sodium Lamps (Multiple-Supply Type)

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. It is intended as a guide to aid the manufacturer, the consumer, and the general public. The existence of an American National Standard does not in any respect preclude anyone, whether he has approved the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards. Users are cautioned to obtain the latest editions.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

## American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer. An American National Standard implies a consensus of those substantially concerned with its scope and provisions. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution. The existence of an American National Standard does not in any respect preclude anyone, whether s/he has approved the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards. It is intended as a guide to aid the manufacturer, the consumer, and the general public.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the Committee Secretariat referred to on the title page.

**CAUTION NOTICE:** This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

*Printed and distributed by:*

Information Handling Services/Global Engineering Documents  
15 Inverness Way East, Englewood, CO 80112-5776  
Under Contract with National Electrical Manufacturers Association

Copyright © 2002 by American National Standard Lighting Group  
In Affiliation with National Electrical Manufacturers Association  
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

Printed in the United States of America

**Foreword** (This Foreword is not part of ANSI C82.4-2002.)

Suggestions for improvement of this standard should be submitted to the Secretariat C82, American National Lighting Group of the National Electrical Manufacturers Association, 1300 North 17th Street, Suite 1847, Rosslyn, VA 22209. This standard was processed and approved by Accredited Standards Committee on Lamp Ballasts, C82, and its Work Group, C82-2. Committee approval of the standard does not necessarily imply that all committee members voted for that approval.

Information concerning the approval of this standard is based on the documents listed in the table below:

<b>Amendment / Change</b>	<b>CDV</b>	<b>RV</b>
Revision of ANSI C82.4-1992	82(2)/m670	82(2)/m671v2

At the time it approved this standard, the ASC 82 Committee had the following members:

**Howard Wolfman, Chair ASC 82**

**Allan Brown, Technical Coordinator**

**Randolph N. Roy, Secretariat and Coordinating Editor**

**Ken Denton, Consulting Editor**

**Organization Represented:****Name of Representative:**

Advance Transformer Company.....	Robert Erhardt
Cooper Lighting (NEMA Delegate) .....	Donald Miletich
Edison Electric Institute (Delegate).....	Al Maguire
GE Lighting .....	Edward Yandek
	Edward Hammer
	Selmar Dorsey
GE Lighting Systems .....	Michael Owens
	Rebecca Lancaster
Holophane Lighting Company .....	Michael Tanner
Hubbell Lighting, Inc. (NEMA Delegate) .....	William E. Buckson
InterTek Testing Services .....	David Edwards
	David Ellis
Lithonia/Hi-Tek Lighting (NEMA Delegate) .....	Fred Carpenter
MagneTek Lighting Products Group .....	Bill Brosius
	Michael Stein
OSRAM SYLVANIA .....	Howard Wolfman
	Joe Parisella
Philips Lighting Company .....	Al Rousseau
Underwriters Laboratories, Inc.....	John Marshall
	David Belt

At the time it approved this standard, the C82-2 Work Group had the following members:

**Michael Minarczyk, Chair, C82-2**

**Randolph N. Roy, Secretariat**

<b><i>Organization Represented:</i></b>	<b><i>Name of Representative:</i></b>
Advance Transformer Company .....	Al Reinken Robert Erhardt Chacko Oommen
Aromat Corporation .....	Dail Swanson
Cooper Lighting .....	Kenneth Simms J. C. Johnson
Daybrite .....	Bill Busch
Edison Electric Institute (Delegate) .....	Al Maguire
GE Lighting .....	Edward M. Yandek Selmar Dorsey
GE Lighting Systems .....	Rebecca Lancaster Michael Owens
Genlyte Thomas .....	Kurt Christensen
Holophane Lighting .....	Michael Tanner
Howard Industries Inc. ....	Wayne Causey Jason Cook
Hubbell Lighting Inc.....	Ike Flory IV
Industrias Sola Basic.....	Emilio Catan G. Antonio Salas
INNOVA Inc.....	Ahmad Shishegar
InterTek Testing Services .....	David Edwards
Lithonia/Hi-Tek Lighting .....	Fred Carpenter
MagneTek Lighting Products Group.....	Bob Boydston Bill Brosius
Manufacturera De Reactores .....	Garcia Azcue
OSRAM SYLVANIA INC. ....	Howard Wolfman Suping Lou
Philips Lighting Company.....	Sarah Carleton Bill Simpson
Thomas & Betts—American Electric .....	Greg Steinman
Underwriters Laboratories, Inc. ....	John Marshall
Venture Lighting International .....	Thomas Harding Dennis Bradley
Venture Power Systems.....	Allan Brown Glenn Garbowicz

## Table of Contents

Foreword.....	iii
1 Scope .....	1
2 Normative references .....	1
3 Definitions.....	2
4 Ratings .....	2
4.1 Rated supply voltage .....	2
4.2 Rated supply voltage range.....	2
4.3 Load .....	2
4.4 Lamp starting temperature .....	3
4.5 Ballast/external starting-aid capacitive load rating.....	3
5 Ballast performance.....	3
5.1 General.....	3
5.2 Lamp operating position .....	3
5.3 Starting voltage.....	3
5.4 Starting current.....	4
5.5 Additional starting and sustaining requirements .....	4
5.6 Lamp operating power.....	4
5.7 Regulation .....	4
5.8 Lamp dropout voltage (high-pressure sodium lamps only).....	5
5.9 Operating current.....	5
5.10 Current waveshape .....	6
5.11 Extinction voltage .....	6
5.12 Ballast safety .....	6
6 Ballast temperature .....	6
6.1 External starting-aid.....	6
6.2 Application note.....	7
7 Basic impulse insulation requirements .....	7
8 Audible sound level .....	7
9 Ballast marking .....	8
9.1 Permanent marking .....	8
9.2 Rated supply voltage designation.....	8
9.3 Lamp types.....	9
9.4 Ballast marking for matching ballast capacitors .....	9
Annex 1.....	A-3
Table 1 Reference lamp wattage ranges.....	4
Table 2 Minimum basic insulation level .....	7

This Page  
Intentionally  
Left Blank

---

# AMERICAN NATIONAL STANDARD

---

## For Lamp Ballasts— Ballasts For High-Intensity-Discharge and Low- Pressure Sodium Lamps (Multiple-Supply Type)

### 1 Scope

This standard provides specifications for and operating characteristics of ballasts for mercury, metal-halide, high-pressure sodium (HPS), and low-pressure sodium (LPS) lamps. The ballasts operate from multiple-supply sources of 600 volts maximum at a frequency of 60 hertz. They may be designed for operation under either indoor or outdoor conditions.

The following types of ballasts are excluded from this standard:

- (1) Ballasts consisting of resistance only
- (2) Transformers for constant current (series) operation of mercury lamps (see American National Standard for Mercury Lamp Transformers - Constant Current (Series) Supply Type, ANSI C82.7-1983 (R1988))
- (3) All ballasts that use semiconductors to control the lamp power.

### 2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this American National Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this American National Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below.

ANSI C78.40 - 1998	<i>Specifications for Mercury Lamps</i>
ANSI C78.41 - 1995	<i>Guidelines for Low Pressure Sodium Lamps</i>
ANSI C78.42 - 1995	<i>High Pressure Sodium Lamps</i>
ANSI C78.1372 - 1996	<i>70 Watt M98 Metal-Halide Lamp</i>
ANSI C78.1374 - 1996	<i>50 Watt M110 Metal-Halide Lamp</i>
ANSI C78.1375 - 1996	<i>400 Watt M59 Metal-Halide Lamp</i>
ANSI C78.1376 - 1996	<i>1000 Watt M47 Metal-Halide Lamp</i>
ANSI C78.1377 - 1996	<i>175 Watt M57 Metal-Halide Lamp</i>
ANSI C78.1378 - 1996	<i>250 Watt M58 Metal-Halide Lamp</i>