

NEMA Standards Publication

ANSI C12.19-2008

---

# American National Standard for Utility Industry End Device Data Tables

National Electrical Manufacturers Association





**ANSI C12.19-2008**

**American National Standard**

**For Utility Industry  
End Device  
Data Tables**





**ANSI C12.19-2008**

**American National Standard**

**For Utility Industry  
End Device  
Data Tables**

Secretariat:

**National Electrical Manufacturers Association**

IEEE Number: 1377-2009

Measurement Canada Number: MC1219-2009

Approved February 24, 2009

**American National Standards Institute, Inc.**

## **NOTICE AND DISCLAIMER**

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

NEMA standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While NEMA administers the process and establishes rules to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no guaranty or warranty, express or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

# **AMERICAN NATIONAL STANDARD**

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

Caution Notice: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by

**National Electrical Manufacturers Association  
1300 North 17th Street, Rosslyn, VA 22209**

© Copyright 2008 by National Electrical Manufacturers Association

All rights reserved including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American Copyright Conventions.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed in the United States of America

**This page intentionally left blank.**

# Contents

	Page
<b>1 SCOPE</b> .....	<b>1</b>
<b>2 REFERENCES</b> .....	<b>1</b>
2.1 NORMATIVE.....	1
2.2 OTHER.....	2
<b>3 DEFINITIONS</b> .....	<b>3</b>
3.1 ACT.....	3
3.2 ADDRESS.....	3
3.3 ADVANCED METERING INFRASTRUCTURE (AMI).....	3
3.4 ALIAS.....	3
3.5 ARRAY.....	3
3.6 BIT FIELD (BFLD).....	3
3.7 BLOCK.....	3
3.8 CHANNEL.....	3
3.9 CLOCK.....	3
3.10 COUNT.....	3
3.11 CUMULATIVE DEMAND.....	3
3.12 CUSTOMER.....	4
3.13 DATA ENCRYPTION.....	4
3.14 DECADE.....	4
3.15 DEFAULT SET.....	4
3.16 DEMAND.....	4
3.17 DEMAND, BLOCK.....	4
3.18 DEMAND, MAXIMUM.....	4
3.19 DEMAND, MINIMUM.....	4
3.20 DEMAND, PRESENT.....	4
3.21 DEMAND, SLIDING WINDOW (ROLLING-INTERVAL).....	4
3.22 DEPRECATED.....	4
3.23 DIM.....	4
3.24 DOCUMENT TYPE DEFINITION (DTD).....	4
3.25 ELEMENT.....	4
3.26 ELEMENT, ATOMIC.....	5
3.27 ELEMENT, FINAL.....	5
3.28 ELEMENT, VOLATILE.....	5
3.29 ELEMENT-COUNT.....	5
3.30 END DEVICE.....	5
3.31 END DEVICE AGENT.....	5
3.32 EVENT.....	5
3.33 EVENT INSTANCE.....	5
3.34 EVENT LOGGER DATA.....	5
3.35 EVENT LOGGER RECORD.....	5
3.36 EVENT, CALL.....	6
3.37 EVENT, CHANGE.....	6
3.38 EVENT, SIGNAL.....	6
3.39 EVENT, TIME.....	6
3.40 EXCHANGE DATA LANGUAGE (EDL).....	6
3.41 EXTENSIBLE MARKUP LANGUAGE (XML).....	6
3.42 INDEX.....	6
3.43 INTERHARMONICS.....	6



3.44 LOAD PROFILE .....	6
3.45 METER .....	6
3.46 METROLOGICAL ADJUSTMENT .....	6
3.47 MODE, FACTORY .....	7
3.48 MODE, METER SHOP .....	7
3.49 MODE, METERING .....	7
3.50 MODE, TEST .....	7
3.51 OBJECT .....	7
3.52 OBJECT, ELEMENT .....	7
3.53 OBJECT, TABLE .....	7
3.54 OCTET .....	7
3.55 OFFSET .....	7
3.56 OVERRIDE .....	7
3.57 PACKED RECORD .....	7
3.58 PROCEDURE .....	7
3.59 PROCEDURE, MANUFACTURER .....	7
3.60 PROCEDURE, METROLOGICAL .....	7
3.61 PROCEDURE, STANDARD .....	8
3.62 QUADRANT .....	8
3.63 REDEFINE .....	8
3.64 REGISTER .....	8
3.65 REGISTER, SECURED .....	9
3.66 REPLACE .....	9
3.67 RESERVED .....	9
3.68 SEAL .....	9
3.69 SEAL, LOGICAL (EVENT LOGGABLE) .....	9
3.70 SEAL, PHYSICAL .....	9
3.71 SEALABLE PARAMETER .....	9
3.72 SEASON .....	9
3.73 SECURED READ .....	9
3.74 SELF-READ .....	10
3.75 SET .....	10
3.76 SIGNATURE .....	10
3.77 STRICT .....	10
3.78 STRING .....	10
3.79 SUB-ELEMENT .....	10
3.80 TABLE .....	10
3.81 TABLE DEFINITION LANGUAGE (TDL) .....	10
3.82 TABLE, EXTENDED USER-DEFINED (EUDT) .....	10
3.83 TABLE, FUNCTION LIMITING CONTROL (FLC) .....	10
3.84 TABLE, MANUFACTURER .....	10
3.85 TABLE, METROLOGICAL .....	10
3.86 TABLE, PENDING .....	10
3.87 TABLE, PROGRAM .....	11
3.88 TABLE, SECURED .....	11
3.89 TABLE, STANDARD .....	11
3.90 TABLE, USER-DEFINED (UDT) .....	11
3.91 TARIFF .....	11
3.92 TIER .....	11
3.93 TIME-OF-USE (TOU) METERING .....	11
3.94 UNDEFINED .....	11
3.95 UTILITY .....	11
<b>4 GENERAL .....</b>	<b>12</b>
4.1 STANDARD TABLES .....	12

4.1.1	Standard Tables Grouping .....	12
4.1.2	Standard Tables Properties .....	12
4.1.3	Standard Procedure Properties .....	13
4.2	MANUFACTURER TABLES .....	14
4.2.1	Manufacturer Tables Grouping.....	14
4.2.2	Manufacturer Tables Properties .....	14
4.2.3	Manufacturer Procedure Properties.....	14
4.3	PACKED RECORD, BIT FIELD AND ELEMENT PROPERTIES .....	15
4.4	EXTENDED USER-DEFINED TABLES PROPERTIES.....	15
5	SYNTAX.....	16
5.1	DESCRIPTIVE SYNTAX .....	16
6	SPECIAL DATA TYPES.....	16
6.1	CHARACTER SET SELECTION .....	16
6.2	NON-INTEGER FORMATS .....	17
6.2.1	STRING Numbers .....	18
6.3	DATE AND TIME FORMATS.....	19
6.3.1	HTIME_DATE, LTIME_DATE, STIME_DATE, TIME, STIME, HTIME types .....	20
6.3.2	RDATE type.....	25
6.3.3	DATE Type .....	26
6.4	COMMON TABLE OR PROCEDURE IDENTIFIER FORMATS .....	27
6.4.1	TABLE_IDA_BFLD bit field.....	27
6.4.2	TABLE_IDB_BFLD bit field.....	28
6.4.3	TABLE_IDC_BFLD bit field.....	29
6.4.4	SOURCE_SEL_RCD .....	30
7	COMPLIANCE & COMPATIBILITY .....	31
7.1	COMPLIANCE.....	31
7.2	BACKWARD AND FORWARD COMPATIBILITY .....	31
8	TABLE TRANSPORTATION ISSUES .....	33
8.1	MINIMUM SERVICES AND PARAMETERS .....	33
8.1.1	Read Service.....	33
8.1.2	Write Service.....	34
8.1.3	Partial Table Access Using the Index/element-count Method.....	36
8.1.4	Partial Table Access Using the Offset/octet-count Method.....	38
8.1.5	Index Count Access Method Examples .....	39
8.2	PENDING EVENT DESCRIPTION .....	39
8.3	LIST MANAGEMENT DESCRIPTION.....	42
9	TABLES.....	44
9.1	DECADE 0: GENERAL CONFIGURATION TABLES .....	44
9.1.1	Table 00 General Configuration Table .....	44
9.1.2	Table 01 General Manufacturer Identification Table.....	51
9.1.3	Table 02 Device Nameplate Table.....	53
9.1.4	Table 03 End Device Mode Status Table.....	61
9.1.5	Table 04 Pending Status Table .....	64
9.1.6	Table 05 Device Identification Table .....	67
9.1.7	Table 06 Utility Information Table.....	68
9.1.8	Table 07 Procedure Initiate Table .....	71
9.1.9	Table 08 Procedure Response Table .....	76
9.1.10	Standard Procedures .....	81
9.1.10.1	Procedure 00 Cold Start.....	81
9.1.10.2	Procedure 01 Warm Start.....	81

9.1.10.3	Procedure 02 Save Configuration .....	81
9.1.10.4	Procedure 03 Clear Data .....	81
9.1.10.5	Procedure 04 Reset List Pointers .....	81
9.1.10.6	Procedure 05 Update Last Read Entry .....	82
9.1.10.7	Procedure 06 Change End Device Mode .....	83
9.1.10.8	Procedure 07 Clear Standard Status Flags .....	84
9.1.10.9	Procedure 08 Clear Manufacturer Status Flags .....	84
9.1.10.10	Procedure 09 Remote Reset .....	85
9.1.10.11	Procedure 10 Set Date and/or Time .....	86
9.1.10.12	Procedure 11 Execute Diagnostics Procedure .....	88
9.1.10.13	Procedure 12 Activate All Pending Tables .....	88
9.1.10.14	Procedure 13 Activate Specific Pending Table(s) .....	88
9.1.10.15	Procedure 14 Clear All Pending Tables .....	89
9.1.10.16	Procedure 15 Clear Specific Pending Table(s) .....	89
9.1.10.17	Procedure 16 Start Load Profile .....	89
9.1.10.18	Procedure 17 Stop Load Profile .....	90
9.1.10.19	Procedure 18 Log In .....	90
9.1.10.20	Procedure 19 Log Out .....	90
9.1.10.21	Procedure 20 Initiate an Immediate Call .....	91
9.1.10.22	Procedure 21 Direct Load Control .....	91
9.1.10.23	Procedure 22 Modify Credit .....	92
9.1.10.24	Procedure 23 Reserved .....	93
9.1.10.25	Procedure 24 Reserved .....	93
9.1.10.26	Procedure 25 Reserved .....	93
9.1.10.27	Procedure 26 Reserved .....	93
9.1.10.28	Procedure 27 Clear Pending Call Status .....	93
9.1.10.29	Procedure 28 Start Quality-of-service Monitors .....	93
9.1.10.30	Procedure 29 Stop Quality-of-service Monitors .....	93
9.1.10.31	Procedure 30 Start Secured Register .....	94
9.1.10.32	Procedure 31 Stop Secured Register .....	95
9.1.10.33	Procedure 32 Set Precision Date and/or Time .....	96
9.2	DECADE 1: DATA SOURCE TABLES .....	98
9.2.1	Table 10 Data Source Dimension Limits Table .....	99
9.2.2	Table 11 Actual Data Sources Limiting Table .....	102
9.2.3	Table 12 Units of Measure Entry Table .....	104
9.2.4	Table 13 Demand Control Table .....	113
9.2.5	Table 14 Data Control Table .....	115
9.2.6	Table 15 Constants Table .....	116
9.2.7	Table 16 Source Definition Table .....	123
9.2.8	Table 17 Transformer Loss Compensation Table .....	125
9.3	DECADE 2: REGISTER TABLES .....	127
9.3.1	Table 20 Register Dimension Limits Table .....	127
9.3.2	Table 21 Actual Register Limiting Table .....	131
9.3.3	Table 22 Data Selection Table .....	134
9.3.4	Table 23 Current Register Data Table .....	135
9.3.5	Table 24 Previous Season Data Table .....	137
9.3.6	Table 25 Previous Demand Reset Data Table .....	138
9.3.7	Table 26 Self-read Data Table .....	139
9.3.8	Table 27 Present Register Selection Table .....	141
9.3.9	Table 28 Present Register Data Table .....	142
9.4	DECADE 3: LOCAL DISPLAY TABLES .....	143
9.4.1	Table 30 Display Dimension Limits Table .....	143
9.4.2	Table 31 Actual Display Limiting Table .....	145
9.4.3	Table 32 Display Source Table .....	147
9.4.4	Table 33 Primary Display List Table .....	148
9.4.5	Table 34 Secondary Display List Table .....	150
9.5	DECADE 4: SECURITY TABLES .....	152
9.5.1	Table 40 Security Dimension Limits Table .....	152

9.5.2	Table 41 Actual Security Limiting Table .....	154
9.5.3	Table 42 Security Table .....	155
9.5.4	Table 43 Default Access Control Table.....	157
9.5.5	Table 44 Access Control Table .....	159
9.5.6	Table 45 Key Table .....	161
9.5.7	Table 46 Reserved.....	162
9.5.8	Table 47 Reserved.....	162
9.6	DECADE 5: TIME-OF-USE TABLES .....	163
9.6.1	Table 50 Time and TOU Dimension Limits Table .....	165
9.6.2	Table 51 Actual Time and TOU Limiting Table .....	168
9.6.3	Table 52 Clock Table.....	171
9.6.4	Table 53 Time Offset Table.....	173
9.6.5	Table 54 Calendar Table .....	174
9.6.6	Table 55 Clock State Table .....	180
9.6.7	Table 56 Time Remaining Table.....	182
9.6.8	Table 57 Precision Clock State Table.....	182
9.7	DECADE 6: LOAD PROFILE TABLES .....	184
9.7.1	Table 60 Load Profile Dimension Limits Table.....	184
9.7.2	Table 61 Actual Load Profile Limiting Table.....	190
9.7.3	Table 62 Load Profile Control Table.....	194
9.7.4	Table 63 Load Profile Status Table.....	197
9.7.5	Table 64 Load Profile Data Set One Table .....	200
9.7.6	Table 65 Load Profile Data Set Two Table .....	205
9.7.7	Table 66 Load Profile Data Set Three Table .....	208
9.7.8	Table 67 Load Profile Data Set Four Table .....	211
9.8	DECADE 7: HISTORY & EVENT LOGS.....	214
9.8.1	Table 70 Log Dimension Limits Table.....	216
9.8.2	Table 71 Actual Log Limiting Table.....	219
9.8.3	Table 72 Events Identification Table .....	222
9.8.4	Table 73 History Log Control Table.....	223
9.8.5	Table 74 History Log Data Table.....	225
9.8.6	Table 75 Event Log Control Table .....	228
9.8.7	Table 76 Event Log Data Table .....	230
9.8.8	Table 77 Event Log and Signatures Enable Table .....	233
9.8.9	Table 78 End Device Program State Table .....	236
9.8.10	Table 79 Event Counters Table.....	240
9.9	DECADE 8: USER-DEFINED TABLES.....	241
9.9.1	Table 80 User-defined Tables Dimension Limits Table.....	241
9.9.2	Table 81 Actual User-defined Tables Limiting Table.....	244
9.9.3	Table 82 User-defined Tables List Table.....	246
9.9.4	Table 83 User-defined Tables Selections Table.....	248
9.9.5	Table 84 User-defined Table Zero.....	249
9.9.6	Table 85 User-defined Table One .....	250
9.9.7	Table 86 User-defined Table Two .....	251
9.9.8	Table 87 User-defined Table Three.....	252
9.9.9	Table 88 User-defined Table Four .....	253
9.9.10	Table 89 User-defined Table Five .....	254
9.10	DECADE 9: TELEPHONE CONTROL TABLES.....	255
9.10.1	Table 90 Telephone Dimension Limits Table .....	255
9.10.2	Table 91 Actual Telephone Table .....	258
9.10.3	Table 92 Telephone Global Parameters Table .....	260
9.10.4	Table 93 Telephone Call Originate Parameters Table .....	262
9.10.5	Table 94 Telephone Call Originate Schedule Table.....	265
9.10.6	Table 95 Telephone Call Answer Parameters .....	268
9.10.7	Table 96 Originating Telephone Call Purpose .....	270

9.10.8	Table 97 Last Telephone Call Status.....	272
9.10.9	Table 98 Telephone Call Originate Status .....	274
9.11	DECADE 10: UNASSIGNED .....	276
9.12	DECADE 11: LOAD CONTROL AND PRICING TABLES.....	277
9.12.1	Table 110 Load Control Dimension Limits Table.....	278
9.12.2	Table 111 Actual Load Control Limiting Table.....	281
9.12.3	Table 112 Load Control Status .....	283
9.12.4	Table 113 Load Control Configuration.....	285
9.12.5	Table 114 Load Control Schedule .....	287
9.12.6	Table 115 Load Control Conditions.....	290
9.12.7	Table 116 Prepayment Status .....	294
9.12.8	Table 117 Prepayment Control.....	296
9.12.9	Table 118 Billing Control .....	297
9.13	DECADE 12: RESERVED.....	300
9.14	DECADE 13: RESERVED.....	301
9.15	DECADE 14: EXTENDED USER-DEFINED TABLES.....	302
9.15.1	Table 140 Extended User-defined Tables Function Limiting Table .....	303
9.15.2	Table 141 Extended User-defined Tables Actual Limits Table.....	305
9.15.3	Table 142 Extended User-defined Selections Table.....	307
9.15.4	Table 143 Extended User-defined Constants Table .....	315
9.16	DECADE 15: QUALITY-OF-SERVICE.....	316
9.16.1	Table 150 Quality-of-service Dimension Limits Table.....	319
9.16.2	Table 151 Actual Quality-of-Service Limiting Table .....	329
9.16.3	Table 152 Quality-of-service Control Table .....	337
9.16.4	Table 153 Quality-of-service Incidents Table .....	352
9.16.5	Table 154 Quality-of-service Log Table .....	355
9.16.6	Table 155 Asynchronous Time-Domain Waveforms Table.....	357
9.16.7	Table 156 Asynchronous Frequency-Domain Spectrum Table.....	360
9.16.8	Table 157 Periodic Time Domain Waveforms Table .....	364
9.16.9	Table 158 Periodic Frequency-Domain Spectrum Table.....	367
9.17	DECADE 16: ONE-WAY DEVICES .....	370
9.17.1	Table 160 Dimension One-way .....	370
9.17.2	Table 161 actual One-way table.....	374
9.17.3	Table 162 One-way Control Table.....	377
9.17.4	Table 163 One-way Data Table.....	380
9.17.5	Table 164 One-way Commands/Responses/Extended User-defined Tables Table ..	383
<b>ANNEX A: RESERVED CLASSES FOR METER EQUIPMENT MANUFACTURERS IMPLEMENTING ANSI C12.19-1997 DEVICES.....</b>		<b>385</b>
<b>ANNEX B: HISTORY &amp; EVENT LOG CODES .....</b>		<b>386</b>
B.1	CODES .....	386
B.2	LOGGER ARGUMENTS IMPLEMENTATION DETAILS.....	388
B.3	LOGGER CODES INTERPRETATION DETAILS.....	392
<b>ANNEX C: DEFAULT SETS FOR DECADE TABLES .....</b>		<b>397</b>
<b>ANNEX D: INDICES FOR PARTIAL TABLE READ/WRITE ACCESS .....</b>		<b>404</b>
<b>ANNEX E: EVENT LOGGER IMPLEMENTATION.....</b>		<b>406</b>
E.1	BACKGROUND.....	406
E.2	SIGNATURE ALGORITHM.....	407
<b>ANNEX F: TRANSFORMER LOSSES COMPENSATION.....</b>		<b>409</b>
F.1	TRANSFORMER LOSSES CONSIDERATION.....	409

F.1.1 No-Load Loss and Exciting Current .....	409
F.1.2 Load Loss .....	409
F.1.3 Transformer Losses Compensation .....	409
F.2 TRANSFORMER LOSS COMPENSATION CALCULATIONS [ACPTLC : 1998] .....	410
F.3 TRANSFORMER LOSS COMPENSATION CALCULATION EXAMPLE .....	410
<b>ANNEX G: DOCUMENT-FORM DESCRIPTIVE SYNTAX .....</b>	<b>412</b>
G.1 GENERAL NOTES ON SYMBOLS, RULES AND THEIR MEANING BELOW: .....	412
G.2 EXTENDED BNF SYMBOLS AND MEANING .....	412
G.3 FLOW OF INFORMATION .....	419
G.4 IDENTIFIERS .....	419
G.5 BASIC DATA TYPES .....	425
G.5.1 Basic data type definitions .....	427
G.5.2 Data type handling .....	429
G.5.2.1 Signed integers .....	429
G.5.2.2 Characters and Strings .....	430
G.5.2.3 Non-integer numbers .....	430
G.5.2.4 Date and time formats .....	430
G.6 REFERENCES TO TYPES, CONSTANTS AND VALUES .....	430
G.6.1 Scoping Rules .....	431
G.6.1.1 Predefined STD and TDL Scopes .....	431
G.6.1.2 Container scopes .....	432
G.6.2 References to values .....	434
G.6.3 Value .....	437
G.7 CONDITIONALS .....	439
G.7.1 IF statements .....	439
G.7.2 SWITCH statements .....	440
G.8 BIT FIELD .....	440
G.9 SET .....	441
G.10 ARRAY .....	442
G.11 PACKED RECORD .....	442
G.12 CONSTANTS .....	443
G.13 TABLES .....	444
G.14 PROCEDURES .....	444
G.15 SINGLE LINE MATH EXPRESSIONS .....	446
G.16 PROPERTIES .....	448
G.17 DOCUMENT FORM STARTING PRODUCTION RULE .....	449
<b>ANNEX H: DATE-TIME ELEMENTS CONVERSION ALGORITHM (TM_FORMAT=3 AND TM_FORMAT=4) .....</b>	<b>450</b>
<b>ANNEX I: XML FILE FORMAT OF TDL AND EDL FILES .....</b>	<b>451</b>
I.1 OVERVIEW OF THE TDL/EDL XML DOCUMENT FRAMEWORK .....	451
I.1.1 TDL/EDL Files and Terminology .....	451
I.2 TDL XML FILE FORMAT OF THE TDL DOCUMENT .....	455
I.2.1 <tdl> Root Element .....	456
I.2.1.1 <tdl> DTD .....	456
I.2.1.2 <tdl> Attributes .....	456
I.2.1.3 <tdl> Document Form .....	457
I.2.2 <description> element .....	457
I.2.2.1 <description> DTD .....	457
I.2.2.2 <description> Attributes .....	458
I.2.2.3 <description> Child Elements .....	458
I.2.2.4 <description> Child DTDs .....	458
I.2.2.5 <description> Child Elements Summary .....	460
I.2.2.6 <p> Attributes .....	461

1.2.2.7 <blockquote> Attributes .....	461
1.2.2.8 <ol> Attributes .....	461
1.2.2.9 <ul> Attributes .....	461
1.2.2.10 <ol> and <ul> sub-element usage.....	461
1.2.2.11 <dt> and <dd> sub-element usage of <dl>.....	462
1.2.2.12 <description> Document Form .....	462
1.2.2.13 <extension> Element .....	463
1.2.2.14 <extension> DTD .....	463
1.2.2.15 <extension> Attributes.....	463
1.2.2.16 <extension> Document Form .....	463
1.2.3 <assert> Element .....	463
1.2.3.1 <assert> DTD (named) .....	463
1.2.3.2 <assert> Attributes.....	463
1.2.4 <enumerator> Element.....	464
1.2.4.1 <enumerator> DTD (named) .....	464
1.2.4.2 <enumerator> Attributes (named).....	464
1.2.4.3 <enumerator> Document Form (named).....	467
1.2.5 <positional> element of <enumerator> (named) .....	468
1.2.5.1 <positional> DTD.....	468
1.2.5.2 <enumerator> DTD (un-named).....	468
1.2.5.3 <positional> Document Form.....	468
1.2.6 <enum> Element (Child of <enumerator>) .....	468
1.2.6.1 <enum> DTD .....	469
1.2.6.2 <enum> Attributes.....	469
1.2.6.3 <enum> Document Form .....	469
1.2.7 <default> element (Child of <enumerator> element) .....	470
1.2.7.1 <default> DTD .....	470
1.2.7.2 <default> Attributes .....	471
1.2.7.3 <default> Document Form.....	471
1.2.8 <packedRecord> Element.....	471
1.2.8.1 <packedRecord> DTD .....	471
1.2.8.2 <packedRecord> Attributes.....	471
1.2.8.3 <packedRecord> Document Form .....	474
1.2.9 <element> Element (Child of <packedRecord>).....	474
1.2.9.1 <element> DTD .....	475
1.2.9.2 <element> Attributes.....	475
1.2.9.3 <element> Document Form .....	476
1.2.10 <array> Element (Child of <packedRecord>).....	477
1.2.10.1 <array> DTD .....	477
1.2.10.2 <array> Attributes.....	477
1.2.10.3 <array> Document Form .....	479
1.2.11 <set> Element (Child of <packedRecord> element).....	479
1.2.11.1 <set> DTD .....	479
1.2.11.2 <set> Attributes .....	480
1.2.11.3 <set> Document Form .....	481
1.2.12 <if> Element (Child of <packedRecord>) .....	481
1.2.12.1 <if> DTD (Child of <packedRecord>) .....	482
1.2.12.2 <if> Attributes (Child of <packedRecord>).....	482
1.2.12.3 <if> Document Form .....	482
1.2.12.4 <then> Element (Child of <packedRecord>/<if>).....	482
1.2.12.5 <then> DTD .....	482
1.2.12.6 <then> Attributes.....	482
1.2.12.7 <then> Document Form .....	482
1.2.13 <else> Element (Child of <packedRecord>/<if>).....	482
1.2.13.1 <else> DTD.....	482
1.2.13.2 <else> Attributes .....	482
1.2.13.3 <else> Document Form.....	483
1.2.14 <switch> Element (Child of <packedRecord>) .....	484
1.2.14.1 <switch> DTD .....	484

I.2.14.2 <switch> Attributes .....	484
I.2.14.3 <switch> Document Form .....	484
I.2.14.4 <case> Element (Child of <packedRecord>/<switch>) .....	485
I.2.14.5 <case> DTD .....	485
I.2.14.6 <case> Attributes .....	485
I.2.14.7 <case> Document Form .....	485
I.2.14.8 <default> element (Child of <packedRecord>/<switch>) .....	485
I.2.14.9 <default> DTD .....	485
I.2.14.10 <default> Attributes .....	485
I.2.14.11 <default> Document Form .....	485
<b>I.2.15 &lt;bitField&gt; element .....</b>	<b>487</b>
I.2.15.1 <bitField> DTD .....	487
I.2.15.2 <bitField> Attributes .....	487
I.2.15.3 <bitField> Document Form .....	490
<b>I.2.16 &lt;subElement&gt; Element (Child of &lt;bitField&gt;) .....</b>	<b>491</b>
I.2.16.1 <subElement> DTD .....	491
I.2.16.2 <subElement> Attributes .....	491
I.2.16.3 <subElement> Document Form Equivalent .....	493
<b>I.2.17 &lt;if&gt; Element (Child of &lt;bitField&gt;) .....</b>	<b>493</b>
I.2.17.1 <if> DTD .....	493
I.2.17.2 <if> Attributes .....	493
I.2.17.3 <if> Document Form .....	493
<b>I.2.18 &lt;then&gt; Element (Child of &lt;bitField&gt;/&lt;if&gt;) .....</b>	<b>494</b>
I.2.18.1 <then> DTD .....	494
I.2.18.2 Attributes .....	494
I.2.18.3 <then> Document Form .....	494
<b>I.2.19 &lt;else&gt; Element (Child of &lt;bitField&gt;/&lt;if&gt;) .....</b>	<b>494</b>
I.2.19.1 <else> DTD definition .....	494
I.2.19.2 <else> Attributes .....	494
I.2.19.3 <else> Document Form .....	494
<b>I.2.20 &lt;switch&gt; Element (Child of &lt;bitField&gt;) .....</b>	<b>494</b>
I.2.20.1 <switch> DTD .....	495
I.2.20.2 <switch> Attributes .....	495
I.2.20.3 <switch> Document Form .....	495
<b>I.2.21 &lt;case&gt; Element (Child of &lt;bitField&gt;/&lt;switch&gt;) .....</b>	<b>495</b>
I.2.21.1 <case> DTD .....	495
I.2.21.2 <case> Attributes .....	495
I.2.21.3 <case> Document Form .....	495
<b>I.2.22 &lt;default&gt; Element (Child of &lt;bitField&gt;/&lt;switch&gt;) .....</b>	<b>495</b>
I.2.22.1 <default> DTD .....	496
I.2.22.2 <default> Attributes .....	496
I.2.22.3 <default> Document Form .....	496
<b>I.2.23 &lt;decade&gt; Element (Child of &lt;tdl&gt;) .....</b>	<b>496</b>
I.2.23.1 <decade> DTD .....	496
I.2.23.2 <decade> Attributes .....	496
I.2.23.3 <decade> Document Form .....	497
<b>I.2.24 &lt;table&gt; Element (Child of &lt;tdl&gt; or &lt;decade&gt;) .....</b>	<b>497</b>
I.2.24.1 <table> DTD .....	497
I.2.24.2 <table> Attributes .....	498
I.2.24.3 <table> Document Form .....	500
<b>I.2.25 &lt;procedure&gt; Element (Child of &lt;tdl&gt; or &lt;decade&gt;) .....</b>	<b>502</b>
I.2.25.1 <procedure> DTD .....	502
I.2.25.2 <procedure> Attributes .....	502
I.2.25.3 <procedure> Document Form .....	504
<b>I.2.26 &lt;extend&gt; Element (Child of &lt;procedure&gt;) .....</b>	<b>505</b>
I.2.26.1 <extend> DTD definition .....	505
I.2.26.2 <extend> Attributes .....	505
I.2.26.3 <extend> Document Form .....	506
<b>I.2.27 &lt;qualify&gt; Element (Child of &lt;tdl&gt;) .....</b>	<b>506</b>



1.2.27.1 <qualify> DTD .....	506
1.2.27.2 <qualify> Attributes.....	506
1.2.27.3 <qualify> Document Form .....	506
1.2.28 <table> element (Child of <qualify> element) .....	506
1.2.28.1 <table> DTD definition .....	507
1.2.28.2 <table> Attributes .....	507
1.2.29 <procedure> Element (Child of <qualify>) .....	507
1.2.29.1 <procedure> DTD .....	508
1.2.29.2 <procedure> Attributes.....	508
1.2.30 <element> Element (Child of <qualify>) .....	508
1.2.30.1 <element> DTD .....	508
1.2.30.2 <element> Attributes.....	509
1.2.31 <packedRecord> Element (Child of <qualify>).....	509
1.2.31.1 <packedRecord> DTD .....	509
1.2.31.2 Attributes .....	509
1.2.32 <bitField> Element (Child of <qualify>) .....	510
1.2.32.1 <bitField> DTD .....	510
1.2.32.2 <bitField> Attributes .....	510
1.2.33 <assert> Element (Child of <qualify>) .....	510
1.2.33.1 <assert> DTD .....	510
1.2.33.2 <assert> Attributes.....	510
1.3 EDL XML FORMAT .....	511
1.3.1 Overview .....	511
1.3.2 <edl> Root Element .....	511
1.3.2.1 <edl> DTD .....	512
1.3.2.2 <edl> Attributes .....	512
1.3.2.3 <edl> Document Form .....	513
1.3.3 <description> Element (Child of <edl>).....	513
1.3.3.1 <description> DTD .....	513
1.3.3.2 <description> Document Form .....	513
1.3.4 Pseudo Element Names .....	513
1.3.5 Resolving Second Edition XML Schema Constraints.....	514
1.3.5.1 The Schema Constraints Problem.....	514
1.3.5.2 Resolution of The Schema Constraints Problem .....	515
1.3.6 <\${if-switch-clause}> Element.....	515
1.3.6.1 <\${if-switch-clause}> DTD .....	515
1.3.7 <defaultSet> Element (Child of <edl>).....	516
1.3.7.1 <defaultSet> DTD .....	516
1.3.7.2 <defaultSet> Attributes .....	516
1.3.7.3 <defaultSet> Document Form .....	516
1.3.8 <\${limitingTableName}> Element (Child of <defaultSet>).....	518
1.3.8.1 <\${limitingTableName}> DTD .....	518
1.3.8.2 <\${limitingTableName}> Attributes.....	519
1.3.8.3 <\${limitingTableName}> Document Form .....	519
1.3.9 <data> Element (Child of <edl>).....	519
1.3.9.1 <data> DTD .....	519
1.3.9.2 <data> Document Form .....	519
1.3.10 <\${tableName}> Element.....	519
1.3.10.1 <\${tableName}> DTD .....	519
1.3.10.2 <\${tableName}> Attributes .....	520
1.3.10.3 <\${tableName}>Document Form.....	520
1.3.11 <\${elementName}> Element .....	520
1.3.11.1 <\${elementName}> DTD.....	520
1.3.11.2 <\${elementName}> Attributes .....	520
1.3.11.3 <\${elementName}> Document Form.....	521
1.3.12 <entry> Element .....	522
1.3.12.1 <entry> DTD .....	522
1.3.12.2 <entry> Attributes .....	522

I.3.12.3 <entry> Document Form .....	523
I.3.13 <pendingHeader> element .....	524
I.3.13.1 <pendingHeader> DTD .....	524
I.3.13.2 <pendingHeader> Document Form .....	524
I.4 EDL XML FORM ENCODING OF FINAL ELEMENT VALUES .....	525
<b>ANNEX J: UNIVERSAL IDENTIFIER .....</b>	<b>527</b>
<b>ANNEX K: ALGORITHMS FOR THE CONVERSION OF TABLE ELEMENT VALUES TO ENGINEERING UNITS .....</b>	<b>528</b>
K.1 LOCATING CONVERSION FACTORS FROM DECADE 1 .....	528
K.2 DE-NORMALIZING INTERVAL DATA ELEMENTS .....	531
K.3 CONVERTING TO ENGINEERING UNITS AT THE POINT OF METERING .....	532
K.4 CONVERTING TO ENGINEERING UNITS AT THE POINT OF DELIVERY .....	534
K.5 ASSIGNING ENGINEERING UNITS .....	534
K.6 ASSIGNING FUNDAMENTAL ENGINEERING UNITS .....	534
K.7 TABLE VALUE TO ENGINEERING UNITS CONVERSION: AN EXAMPLE .....	535
VALUE .....	535
COMMENT .....	535
<b>ANNEX L: REGISTERING OR UPDATING DEVICE CLASS OID .....</b>	<b>538</b>
L.1 END DEVICES REFERENCING THE STANDARD'S DEVICE CLASS .....	541
L.2 PRACTICAL EXAMPLES AND USE-CASES .....	541
L.2.1 Examples: Initial Registration Condition—an Empty TDL .....	541
L.2.1.1 Case 1: Exposing Manufacturer's Content .....	541
L.2.1.2 Case 2: Changing End Device Behavior .....	545
L.2.2 Examples: Initial Registration Conditions—Non-empty TDL .....	547
L.2.2.1 Case 1: Appending a New Element to an Existing Table .....	549
L.2.2.2 Case 2: Inserting a New Element to an Existing Table .....	550
L.2.2.3 Case 3: Modifying an Element of an Existing Table .....	551
L.2.2.4 Case 4: Modifying a Constant Element in a Table .....	552
L.2.2.5 Case 5: Adding a New Table to an End Device .....	554
<b>ANNEX M: HISTORICAL BACKGROUND .....</b>	<b>556</b>
M.1 FOREWORD OF AMERICAN NATIONAL STANDARD C12.19-1997 .....	556

**Foreword** (This Foreword is not part of American National Standard C12.19-2008.)

The ANSI C12.19 standard provides a common data structure for use in transferring data to and from utility End Devices, typically meters. It has been approved after considerable cooperative effort among utilities, meter manufacturers, automated meter reading service companies, ANSI, Measurement Canada (for Industry Canada), NEMA, IEEE, Utilimetrics, and other interested parties.

The standard data structure is defined as sets of tables. The tables are grouped together into sections called decades. Each decade pertains to a particular feature-set and related function such as Time-of-use, Load Profile, etc. Table data is transferred from or to the End Device by reading from or writing to a particular table or portion of a table.

The second release of the standard represents a philosophical departure from the first release. This release of the standard is intended to accommodate the concept of an advanced metering infrastructure such as that identified by the Office of Electricity Delivery and Energy Reliability of the U.S. Department of Energy; the Smart Metering Initiative of the Ontario Ministry of Energy (Canada) and the stated requirements of Measurement Canada for the approval of a metering device for use in Canada.

This standard covers a broader range of functionality relative to its previous version; however, it does not follow that implementations of this standard need to be large or complex. Implementers are encouraged to choose an appropriate subset that is suitable for their needs. Therefore, it is very unlikely for any one End Device to embed all tables or even the majority of the tables described herein. Thereby, implementers are encouraged to deploy their desired functionalities using complete and consistent suites of standard tables from standard decades to the largest extent practical.

Readers that are acquainted with ANSI C12.19-1997 will discover that the new version contains many changes. The changes may be categorized as follows:

1. Additions of new features or new functionality through the introduction of new tables, decades, or syntax.
2. Extensions or improvements to pre-existing functionality in support of contemporary and anticipated industry needs.
3. Corrections of errors and provision of clarifications that address known deficiencies and documentation of the accepted or anticipated industry practice.
4. Introduction of XML-based table description language (TDL/EDL) and documentation of services supporting the needs expressed by initiatives such as Smart Metering, Advanced Metering Infrastructure and alike.
5. Removal of features that were found undesirable.
6. Provision of guidelines for implementers of this standard and developers of future versions of the standard on backward compatibility and planned phase-out of obsolete features.

Some of the many new features introduced in this revision of the standard include:

- Addition of new data types in support of high-precision sub-second time stamps, such as HTIME\_DATE and HTIME.
- Creation of new syntax for the aggregation of transmitted characters into strings, STRING.
- Creation of new syntax for the aggregation of transmitted octets into opaque blobs, BINARY.
- Addition of new Decade 9, Telephone tables. This decade imports and supersedes the tables and syntax defined in ANSI C12.21.
- Creation of new Decade 11, Load Control and Pricing Tables. This decade provides for demand-side management capabilities, including load control, demand response, prepayment and direct customer billing functions.
- Creation of Decade 14, Extended User-defined Tables. This decade provides capability for transmitting and receiving a contiguous stream of element and sub-element data. The data are referenced methodically to the legitimate and formal C12.19 data element.

- Creation of Decade 15, Quality-of-service Tables. This decade provides control, capture and logging of high-precision Quality-of-service performance indicators, such as power quality, and the inclusion of detailed waveforms, power spectra and related information.
- Creation of Decade 16, One-way Devices Tables. This decade provides control and management tables in support of one-way (talk-only) End Devices.

Some extensions or improvements to pre-existing functionality include:

- Table 0, General Configuration Table, retains its original form and it is backward compatible with ANSI C12.19-1997. However, a few notable control elements were modified:
  - i. Extended CHAR\_FORMAT to support UTF-8.
  - ii. Replaced MANUFACTURER element with DEVICE\_CLASS element to facilitate a more dynamic End Device data model recognition.
  - iii. Extended TM\_FORMAT in support of high-precision, sub-second, time stamps.
- Changed all data source selections in all tables (e.g., Table 22) from UINT8 to SOURCE\_SELECT\_RCD. This form is backward and forward compatible with ANSI C12.19-1997 when MODEL\_SELECT is 0.
- Table 3, End Device Mode Status Table, incorporates the changes proposed in ANSI C12.21.
- Table 7, Procedure Initiate Table, and Table 8, Procedure Response Table, were updated and extended to provide procedures in support of new functionality that is needed by:
  - i. Decade 7, History and Event Log Tables;
  - ii. Decade 9, Telephone Control Tables;
  - iii. Decade 11, Load Control and Pricing Tables;
  - iv. Decade 12, Network Control Tables and
  - v. Decade 15 Quality-of-service Tables.
- Table 12, Unit of Measure Entry table, was expanded with new UOMs.
- Table 17, Transformer Loss Compensation, was added to Decade 1.
- Extended the event log tables to provide a new capability to manage and detect program changes through the life of the End Device.
- Extended the event log tables to provide a new capability to manage, authenticate and verify the integrity of data read from an End Device service point by any receiving client application that may reside across any communication system.
- Extended the table type that can be transmitted to include up to 2040 extended-user-defined tables via TABLE\_IDA\_BFLD. Also introduced a new Decade 14, Extended User-defined Tables, to manage the collation of table elements, down to the bit level, into extended-user-defined tables.

Major corrections of errors and provision of clarifications include:

- Section 7.0, Compliance, was updated to reduce variations in the implementation of the standard.
- Section 8.0, Table Transportation Issues, was updated to include the “Errata to ANSI Standard C12.19-1997, Utility Industry Data Tables” published in 2001. It also updated to harmonize this standard with ANSI C12.18, ANSI C12.21 and ANSI C12.22.
- Table 7, Procedure Initiate Table, and Table 8, Procedure Response Table, indices calculations were completely rewritten in order to eliminate a fatal error in the production of unique indices for procedure parameters when using index/count access methods.

Removal of features that were found undesirable include:

- Section 5.0, Syntax, no longer supports two-dimensional arrays. Appropriate corrections were applied wherever this syntax was used. This does not impact the offset/count data access methods.

The reader is encouraged to review the descriptive text as it brings significant clarifications and examples of use where appropriate.

Suggestions for improvement to this Standard are welcome. They should be sent to:

National Electrical Manufacturers Association  
Vice President, Technical Services  
1300 North 17th Street  
Suite 1752  
Rosslyn, VA 22209

The Secretariat of the Accredited Standards Committee on Electricity Metering, C12, is held by the National Electrical Manufacturers Association (NEMA) and the National Institute of Standards and Technology. At the time this standard was processed and approved, the C12 Committee had the following members:

**Tom Nelson, Chairman**

Paul Orr, Secretary

*Organization Represented:*

Georgia Power  
Underwriters Laboratories, Inc.  
Itron, Inc.  
GE Energy  
Florida Power & Light Co.  
Public Service Electric & Gas  
Radian Research, Inc.  
Milbank Manufacturing  
Technology for Energy Corporation  
Schweitzer Engineering Labs, Inc.  
Oncor Group  
Center for Neighborhood Technology  
Austin Energy  
Future DOS R&D  
Duke Energy Company  
Natl Inst. of Standards & Technology  
Pacific Gas & Electric Company

Xcel Energy EMC  
Plexus  
EnerNex Corporation  
Sensus Metering  
Baltimore Gas & Electric Company  
Tucker Engineering  
Trilliant Networks, Inc.  
Landis+Gyr  
Watthour Engineering Co.

*Name of Representative:*

Larry Barto  
Ron Breschini  
Brent Cain  
Curt Crittenden  
Jim DeMars  
David Ellis  
Tim Everidge  
Shawn Glasgow  
Bill Hardy  
Bob Hughes  
Brad Johnson  
Lawrence Kotewa  
Herman Millican  
Avygdor Moise  
Tim Morgan  
Tom Nelson  
D. Young Nguyen

Dan Nordell  
Dave Scott  
Aaron Snyder  
George Steiner  
Jim Thurber  
Richard Tucker  
Michel Veillette  
John Voisine  
H.A. Wall

The following members of Working Group 2 of Subcommittee 17 worked on the development of this revision of the standard since its first publication:

**Avygdor Moise, Chairman**

Michael Anderson, Past Chairman  
Richard D. Tucker, Vice Chairman  
Terry L. Penn, Editor  
Paul Orr, Secretary

*Organizations Represented:**Name of Representative:*

American Innovations Ltd.	John Taylor
Austin International, Inc.	William Beverly
Badger Meter	Greg Gomez
Center for Neighborhood Technology	Larry Kotewa
C-MAC	Raymond Gaudreault
Consultant for Itron, Inc.	William Buckley
Datamatic Energy Systems	Robert McMichael
Distribution Control Systems, Inc.	Mark Iacoviello
	Peter Martin
Duke Energy Corp.	David Wiseman
	Wesley Ray
Elster Electricity, LLC	Edward J. Beroset
Future DOS R&D, Inc.	Avygdor Moise
General Electric	Virginia Zinkowski
	Jack Pazdon
Hexagram, Inc.	Kendall Smith
Hydro-Québec	Jean Joly
Hypertek Inc. for EPRI	Martin Burns
IGT	William Rush
IntraLynx Canada	Ron Begley
Invensys Metering Systems	William Mazza
Itron, Inc.	Don Grundhauser
	Aaron Snyder
	Chris Schafer
	Janice Jennings
	Ken Gilmer
Landis+Gyr Inc.	Bin Qiu
	Michael Anderson
Lucent Technologies, Bell Labs	Stuart Garland
Main Street Networks	Thomas Chen
Measurement Canada	Vuong Nguyen
Northern States Power Co.	Dan Nordell,
	Shawn Bagley
Ontario Hydro Services Co.	Alex Lunycz
Open University	John Newbury
Power Measurement	Richard Stetler
Rochester Instrument Systems	Gregory Bray
Schlumberger	Brian Seal
	Marc Purc
Sensus Metering Systems	Norbert Balko
Southern Company	Terry L. Penn
Tantalus Systems Corp.	Keith Martin
Terasen Gas	David Taylor
THY Consulting, Inc.	Ted York
Trilliant Networks	Michel Veillette
	Paul Aubin
Tucker Engineering Associates Inc.	Richard D. Tucker

**This page intentionally left blank.**

**Utility Industry End Device Data Tables****1 Scope**

This Standard defines a Table structure for utility application data to be passed between an End Device and any other device. It neither defines device design criteria nor specifies the language or protocol used to transport that data.

**2 References****2.1 Normative**

- |                               |  |
|-------------------------------|--|
| ANSI C12.10-2004              | American National Standard for Physical Aspects of Watthour Meters—Safety Standard, (or latest version).                               |
| ANSI X9.31-1998               | Public Key Cryptography Using Reversible Algorithms for the Financial Services Industry (rDSA), 1998.                                  |
| ANSI/IEEE 100-2000            | The Authoritative Dictionary of IEEE Standards Terms, Seventh Edition (New York, New York, IEEE Press, 2000, ISBN 0-7381-2601-2).      |
| AS 4140-1995                  | Australian Standard, Metering and Utility Information Exchange—Glossary of Terms.  |
| CAN/CSA ISO/IEC-10118-1: 2000 | Information Technology—Security Techniques—Hash-functions—Part 1: General.   |
| CAN/CSA ISO/IEC-10118-2: 2000 | Information Technology—Security Techniques—Hash-functions—Part 2: Hash-Functions Using an n-bit Block Cipher.                          |
| ECMA 94 (1996)                | 8-Bit Single-Byte Coded Graphic Character Sets—Latin Alphabets No. 1 to No. 4-2nd Edition.   |
| IEEE Std 519-1992             | IEEE Recommended Practices and Requirements for Harmonic Control in Electrical Power Systems.  |
| IEEE Std 754-1985             | IEEE Standard for Binary Floating-Point Arithmetic.  |
| IEEE Std 1159-1995 (R2001)    | IEEE Recommended Practice for Monitoring Electric Power Quality.   |
| IEEE Std C57.123-2002         | IEEE Guide for Transformer Loss Measurement.   |
| IEC 62053-23 (2003-01)        | Electricity Metering Equipment (a.c.)—Particular Requirements—Part 23: Static Meters for Reactive Energy (classes 2 and 3).            |
| IEC/TR 61000-2-1 (1990-05)    | Electromagnetic Compatibility (EMC)—Part 2: Environment—Section 1: Description of the Environment—Electromagnetic Environment for Low- |