



ANSI/NEMA Z535.2-2011 (R2017)

American National Standard for Environmental and Facility Safety Signs



National Electrical Manufacturers Association
1300 North 17th Street, Suite 900 • Rosslyn, VA 22209
www.NEMA.org





ANSI Z535.2-2011 (R2017)
Reaffirmation of
ANSI Z535.2-2011

*American National Standard for
Environmental and Facility Safety Signs*

Secretariat:

National Electrical Manufacturers Association

Approved October 20, 2017

American National Standards Institute, Inc.

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

ANSI standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While NEMA administers the process to promote fairness in the development of consensus, it does not write the document, and it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no guaranty or warranty, expressed or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health- or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by The American National Standards Institute, Inc. (ANSI) that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer. An American National Standard implies a consensus of those substantially concerned with its scope and provisions. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly, and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered and that a concerted effort be made toward their resolution.

The existence of an American National Standard does not in any respect preclude anyone, whether s/he has approved the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards. It is intended as a guide to aid the manufacturer, the consumer, and the general public.

The American National Standards Institute, Inc., does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute, Inc. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on this title page.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute, Inc. require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute, Inc.

Published by

**National Electrical Manufacturers Association
1300 North 17th Street, Suite 900
Rosslyn, VA 22209**

©2017 National Electrical Manufacturers Association

All rights reserved including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American Copyright Conventions.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed in the United States of America

< This page left blank intentionally. >

CONTENTS

| | |
|---|-----|
| Foreword | vii |
| 1 Introduction | 1 |
| 2 Scope and purpose | 1 |
| 2.1 Scope | 1 |
| 2.2 Purpose | 1 |
| 2.2.1 Existing American National Standards | 1 |
| 3 Application and exceptions | 1 |
| 3.1 Application | 1 |
| 3.2 Exceptions | 1 |
| 4 Definitions | 2 |
| 5 Use of signal words | 4 |
| 5.1 Hazard classification | 4 |
| 5.2 Signal word selection | 4 |
| 5.3 Multiple hazard signs | 4 |
| 5.3.1 One sign | 4 |
| 5.3.2 Signal word for multiple hazard signs | 4 |
| 6 Sign format | 4 |
| 6.1 Panels | 4 |
| 6.2 Panel arrangement | 4 |
| 6.2.1 Panel format | 4 |
| 6.2.2 Panel placement | 4 |
| 6.3 Safety alert symbol | 5 |
| 6.4 Word message | 5 |
| 6.4.1 Multiple messages | 5 |
| 7 Safety sign colors | 5 |
| 7.1 Standard colors | 5 |
| 7.2 Signal word panel colors | 5 |
| 7.2.1 DANGER | 5 |
| 7.2.2 WARNING | 5 |
| 7.2.3 CAUTION | 5 |
| 7.2.4 NOTICE | 5 |
| 7.2.5 SAFETY INSTRUCTIONS | 5 |
| 7.2.6 Safety equipment location signs | 5 |
| 7.2.7 Fire equipment location signs | 5 |
| 7.2.8 Safety alert symbol | 5 |

| | | |
|-------|---|---|
| 7.3 | Message panel colors | 6 |
| 7.3.1 | Hazard alerting signs, safety notice signs, and safety instruction signs..... | 6 |
| 7.3.2 | Safety equipment location signs | 6 |
| 7.3.3 | Fire safety equipment location signs | 6 |
| 7.4 | Symbol panel colors..... | 6 |
| 7.4.1 | Hazard alerting signs, safety notice signs, and safety instruction signs..... | 6 |
| 7.4.2 | Safety equipment location signs | 6 |
| 7.4.3 | Fire equipment location signs | 6 |
| 8 | Letter style and size | 6 |
| 8.1 | Letter style..... | 6 |
| 8.1.1 | Signal words..... | 6 |
| 8.1.2 | Message panel lettering | 6 |
| 8.2 | Letter size for hazard alerting signs | 6 |
| 8.2.1 | Lettering | 6 |
| 8.2.2 | Determination of safe viewing distance | 6 |
| 8.2.3 | Signal word letter height | 7 |
| 8.3 | Letter size for safety notice, safety instruction, safety equipment location, and fire equipment location signs | 7 |
| 8.3.1 | Lettering | 7 |
| 8.3.2 | Signal word letter height for safety notice and safety instruction signs | 7 |
| 9 | Safety symbols..... | 7 |
| 9.1 | Conveyed message | 7 |
| 9.2 | Use with and without corresponding word messages..... | 7 |
| 10 | Sign materials, expected life, and maintenance | 7 |
| 10.1 | Sign materials | 7 |
| 10.2 | Expected life..... | 7 |
| 10.3 | Maintenance..... | 7 |
| 10.4 | Replacement..... | 7 |
| 11 | Sign placement | 8 |
| 11.1 | Hazard alerting signs | 8 |
| 11.2 | Safety signs—placement requirements | 8 |
| 11.3 | Safety signs—placement prohibitions..... | 8 |
| 11.4 | Environmental/facility safety signs | 8 |
| 12 | Illumination | 8 |
| 13 | Normative references..... | 8 |
| 13.1 | General | 8 |
| 13.2 | American National Standards | 8 |

Tables

Table B1 Examples of Word Message Letter Heights and Minimum Safe Viewing Distances 24

Figures

Figure 1 The Safety Alert Symbol 2

Figure 2 Examples of Use of Color 10

Figure 3 Three Panel Sign in Vertical Format..... 11

Figure 4 Two Panel Sign in Vertical Format 11

Figure 5 Three Panel Sign in Horizontal Format..... 11

Figure 6 Two Panel Sign in Horizontal Format 11

Figure 7 Two Panel Sign in Shortened Signal Word Panel Format..... 11

Figure 8 Two Panel Sign in Side-by-Side Format..... 12

Figure 10 Three Panel Sign in Horizontal Format with Message Panel and Symbol Panel Separated by Line 12

Figure 11 Three Panel Sign in Horizontal Format with Message Panel and Symbol Panel Separated by White Space 12

Figure 13 Safety Sign Incorporating a Safety Instruction Panel 13

Figure 14 Additional Safety Sign Formats that may be Used for Safety Equipment and Fire Equipment Location Signs 13

Figure B1 Examples of Correct Signal Word and Safety Alert Symbol Placement 17

Figure B2 Examples of Incorrect Signal Word and Safety Alert Symbol Placement..... 17

Figure B3 Word Message with Hazard Description First 18

Figure B4 Word Message with Hazard Avoidance Message First..... 18

Figure B5 Headline Style Message..... 18

Figure B6 Non-Headline Style Message..... 18

Figure B7 Examples of Action Statements 19

Figure B8 Examples of Concise Hazard Description Statements..... 19

Figure B9 Examples of Consequence Statements 19

Figure B10 Examples of Active Voice vs. Passive Voice Messages..... 20

Figure B11 Examples of Prepositional and Non-Prepositional Phrases..... 20

Figure B12 Examples of Ways to Emphasize Portions of a Word Message 20

Figure B13 Outline Format..... 21

Figure B14 Outline with Bullet Format 21

Figure B15 Continuous Format..... 21

Figure B16 Left Aligned Ragged Right Text 21

Figure B17 Centered Text..... 21

Figure B18 Justified Text 21

| | |
|--|----|
| Figure B19 Mixed Case Lettering | 22 |
| Figure B20 All Upper Case | 22 |
| Figure B21 Selective Use of Upper Case | 22 |
| Figure B22 Examples of Correct and Incorrect Type Spacing..... | 22 |
| Figure B23 Examples of Type Color Choice..... | 23 |
| Figure B24 Long Message, Vertical Format | 25 |
| Figure B25 Long Message, Horizontal Format | 25 |
| Figure B26 Short Message Format..... | 25 |
| Figure B27 Multiple Symbols on Top..... | 26 |
| Figure B28 Multiple Symbols on Left | 26 |
| Figure B29 Two-Symbol Alternative Format..... | 26 |
| Figure B30 Symbols on Left..... | 26 |
| Figure B31 Symbols on Right | 26 |
| Figure B32 Example of Safety Instruction Sign | 27 |
| Figure B33 Example of Safety Instruction Sign as Part of Hazard Alerting Sign..... | 27 |
| Figure D1 Model of the Possible Results of a Hazardous Situation | 30 |
| Figure D2 Signal Word Selection Process..... | 33 |

Annexes

| | | |
|---|---|----|
| A | Guidelines for Increasing Recognition of Safety Sign Components | 15 |
| B | Principles and Guidelines for the Design of Environmental and Facility Safety Signs | 17 |
| C | Previous Formats for Signal Word Panels..... | 28 |
| D | Risk Estimation and Signal Word Selection..... | 29 |
| E | Informative References | 34 |

Foreword

In 1979, the ANSI Z535 Committee on Safety Colors was combined with the ANSI Z535 Committee on Safety Signs to form the ANSI Z535 Committee on Safety Signs and Colors. The Z535 Committee has the following scope:

To develop standards for the design, application, and use of signs, colors, and symbols intended to identify and warn against specific hazards and for other accident prevention purposes.

While the basic mission and fundamental purpose of the ANSI Z535 Committee is to develop, refine, and promote a single, uniform graphic system used for communicating safety and accident prevention information, the Z535 Committee recognizes that this information can also be effectively communicated using other graphic systems.

The Z535 Committee created subcommittees to update the Z53 and Z35 standards and to write new standards. To date, the following six standards comprise the ANSI Z535 series:

- ANSI Z535.1 *Safety Colors* [ANSI Z53.1-1979 was updated and combined into this standard in 1991]
- ANSI Z535.2 *Environmental and Facility Safety Signs* [ANSI Z35.1-1972 and ANSI Z35.4-1972 were updated and combined into this standard in 1991]
- ANSI Z535.3 *Criteria for Safety Symbols* [new in 1991]
- ANSI Z535.4 *Product Safety Signs and Labels* [new in 1991]
- ANSI Z535.5 *Safety Tags and Barricade Tapes (for Temporary Hazards)* [ANSI Z35.2-1974 was updated and combined into this standard in 1991]
- ANSI Z535.6 *Product Safety Information in Product Manuals, Instructions, and Other Collateral Materials* [new in 2006]

Together, these six standards contain the information needed to specify formats, colors, and symbols for safety signs used in environmental and facility applications, in product and product literature applications, and in temporary safety tag and barricade tape applications.

Published separately is the ANSI Z535 *Color Chart*. This chart gives the user a sample of each of the safety colors: red, orange, yellow, green, blue, purple, brown, grey, white, and black. It also describes each color's ink formulation and closest PANTONE® color.

This ANSI Z535.2 standard was prepared by the Z535.2 Subcommittee on Environmental and Facility Safety Signs. The foreword and all annexes in this standard are considered to be informative and not normative. In the vocabulary of writing standards, the word "informative" is meant to convey that the information presented is for informational purposes only and is not considered to be mandatory. The body of this standard is "normative," meaning that this information is considered to be mandatory.

This standard was formulated to provide a visual alerting system to aid in identifying potential hazards known to exist in facilities and the environment. Together, ANSI Z535.1, Z535.2, and Z535.3 contain information needed to specify formats, colors, and symbols for safety signs used in environmental and facility applications. The ANSI Z535.4 and Z535.5 standards are harmonized with this standard to provide appropriate hazard avoidance information for products that might be encountered in the environment (ANSI Z535.4) or temporary changes to the environment (ANSI Z535.5). It is desirable that new signs, symbols, and colors for environmental and facility safety signs specified after the approval of this standard comply with this standard.

The ANSI Z35 Committee on Safety Signs and ANSI Z53 Committee on Safety Colors were combined in 1979 to form the ANSI Z535 Committee on Safety Signs and Colors. The ANSI Z535.4 standard addresses the design of safety signs and labels for application to products and was first published in 1991. In that standard, the format specified for the signal word panel was a simple rectangle. The rectangle contained the safety alert symbol and a signal word (DANGER, CAUTION, or WARNING), and specific safety colors were designated to be used with those signal words (DANGER / Safety Red; WARNING / Safety Orange; CAUTION / Safety Yellow). This contrasted with the longstanding format of

the black rectangle with red oval and white letters used for danger signs. The initial impetus for the new ANSI Z535.4-1991 header format was that products often had limited space for a sign or label and omitting the older format allowed for bigger letters for the signal word. The ANSI Z535.2-1991 standard retained the longstanding DANGER heading format and created a similar format (using a truncated diamond) for the new warning sign head. Z535.2-1991 allowed the user to use the format of Z535.4-1991 and vice versa.

The ANSI Z535.2-1998 standard showed the preferred format for environmental and safety signs to be the simple header style of the ANSI Z535.4 standard for product safety signs and labels; both standards included the older system. The ANSI Z535.2-1998 standard also stated a preference to use a white background for the message panel to increase contrast and viewing distance. Like the ANSI Z535.4 standard, the Z535.2-1998 standard also required the sign to give information of the consequences of not avoiding the hazard, if the consequence is not obvious.

The ANSI Z535.2-1998 standard was carefully crafted so that the new requirements scheduled to become mandatory in the 2002 edition were stated as *preferred* in the 1998 edition. As of the 2002 standard, the older format is no longer included; the simple header with larger letters and the more referential color is set forth.

ANSI Z535.2-2007 included definitional changes and safety alert symbol formats intended to clarify the distinction between signal words and improve harmonization with international standards. The 2007 edition added a new annex of informative references and a new annex on risk estimation and choice of signal words. The 2007 edition also started the process of eliminating the use of the CAUTION signal word panel without the safety alert symbol for procedures not related to physical safety, such as property damage. The preferred signal word is NOTICE. The use of CAUTION for that purpose is phased out in the 2011 edition.

The 2011 edition of this standard is revised to better harmonize with the ANSI Z535.4, Z535.5, and Z535.6 standards. The standard is also reorganized to describe better the five types of safety signs used in facilities and the environment (i.e., hazard alerting signs, notice signs, safety instruction signs, safety equipment location signs, and fire equipment location signs). In tandem with these changes, the definitions for “accident,” “harm,” and “incident” are refined to more clearly delineate a separation between physical injury and other safety-related issues (e.g., property damage, sanitation, housekeeping).

Due to differences in color printing technologies and color monitors, the appearance of colors in this standard may not be accurate. See the ANSI Z535-2011 Safety Color Chart to view accurate colors.

The 2011 version of this standard was reaffirmed in 2017.

This standard was processed and approved for submittal to ANSI by the Accredited Standards Committee Z535 on Safety Signs and Colors. Committee approval of this standard does not necessarily imply that all committee members voted for its approval. At the time it approved this standard, the Z535 Committee had the following members:

Geoffrey Peckham, Chair

J. Paul Frantz, Vice Chair

Paul Orr, Secretary

Organization Represented:

American Society of Safety Engineers

American Welding Society

Name of Representative:

J. Paul Frantz
Thomas F. Bresnahan (Alt.)
Timothy Rhoades (Alt.)

August F. Manz

| | |
|--|--|
| Applied Materials | Edward Karl Edwin Palmero (Alt.) |
| Applied Safety and Ergonomics | Steve Hall Judith J. Isaacson (Alt.) Stephen Young (Alt.) |
| Association for Manufacturing Technology | David Felinski |
| Association of Equipment Manufacturers | Valerie Lynch |
| Bell Product Safety | Gary Bell |
| Browning Arms Company | Larry D. Nelson Genta Shalon (Alt.) |
| Caterpillar, Inc. | Charles Crowell Mark Steffen (Alt.) |
| Clarion Safety Systems, LLC | Geoffrey Peckham |
| Dorris and Associates International, LLC | Nathan T. Dorris Alan Dorris (Alt.) Eric Boelhouwer (Alt.) |
| Eagle Crusher Co. | Ryan Parsell |
| Edison Electric Institute | David Young |
| Human Factors & Ergonomics Society | Michael Kalsher Harvey Cohen (Alt.) |
| Human Factors & Safety Analytics, Inc. | B. Jay Martin |
| Institute of Electrical & Electronics Engineers | Sue Vogel |
| International Safety Equipment Association | Cristine Fargo |
| International Staple, Nail, and Tool Association | Rick Allen Jeffrey Makino (Alt.) |
| Law Office of Mathew Kunding | Mathew Kunding |
| Marhefka & Associates | Russell E. Marhefka |
| National Association of Graphic Product Identification Manufacturers | Russ Butchko Donna Ehrmann (Alt.) |
| National Marker Company | Michael Black Alice Campbell (Alt.) Marianne Pepin (Alt.) |

| | |
|--|---|
| National Spray Equipment Manufacturers Association | Angela Redlund-Spieker |
| National Electrical Manufacturers Association | Bill Pratt David Werba (Alt.) |
| Power Tool Institute | Brett Cohen Mark Hickok (Alt.) Charles M. Stockinger (Alt.) |
| Rockwell Automation | Steven Chybowski |
| Rural Utilities Service | Trung Hiu |
| Safety and Forensic Enterprises, LLC | Loren Mills |
| Scaffold Industry Association | Dave Merrifield |
| Snap-on Tools | Dan Eggert |
| System Safety Society | Robert J. Cunitz |
| Taylor Communications | Linda LeBlanc Jody Dombeck (Alt.) |
| Travelers Insurance Company | David Roy Joe Bailey (Alt.) |
| Underwriters Laboratories | Richard Olesen |
| Whirlpool Corporation | Sondra McAndrew Evelyn Fisher (Alt.) |
| World Kitchen, LLC | Celeste Levindoski |

At the time it prepared this standard for Z535 Committee vote, Subcommittee Z535.2 on Environmental and Facility Safety Signs had the following members:

Steven Chybowski, Chair
Paul Orr, Secretary

Barbe Lewis
Thomas F. Bresnahan
Steven Chybowski
Charles Crowell

World Safety Organization
American Society of Safety Engineers
Rockwell Automation
Caterpillar

Donna Ehrmann
Steve Hall
Michael Kalsher
Geoffrey Peckham
Phillip Peckham
David Roy

National Association of Graphic and Product Identification Manufacturers
Applied Safety and Ergonomics
Human Factors & Ergonomics, Inc.
Clarion Safety Systems
Clarion Safety Systems
Travelers Insurance Company

< This page intentionally left blank. >

1 Introduction

The basic mission and fundamental purpose of the ANSI Z535 Committee is to develop, refine, and promote a single uniform graphic system used for presenting safety and accident prevention information. Such an approach assists standard users in the efficient development of environmental and facility safety signs and assists sign viewers in recognizing signs as being related to safety.

This standard sets forth a system for presenting safety and accident prevention information through environmental and facility safety signs. It consolidates a number of previous graphic approaches into a common design direction selected to present hazard information in an orderly and visually consistent manner.

This standard sets forth a hazard communication system that is designed to complement the ANSI Z535.4-2011(R2017), ANSI Z535.5-2011(R2017), and ANSI Z535.6-2011(R2017) standards. While these standards are similar in many respects, they each address different physical and visual requirements. As a result, the Z535 Committee has recognized and affirmed the need for these separate standards.

2 Scope and Purpose

2.1 Scope

This standard sets forth requirements for the design, application, and use of safety signs in facilities and in the environment.

2.2 Purpose

The purposes of this standard are to:

- a. establish a uniform and consistent visual layout for safety signs to be located in facilities and in the environment;
- b. minimize the proliferation of designs for environmental and facility safety signs; and
- c. establish a national uniform system for signs that communicate safety information.

2.2.1 Existing American National Standards

There are a number of existing American National Standards that are recognized for particular industries or specific uses. Compliance with these standards may be considered for the particular industry or use. It is not the intent of ANSI Z535.2 to replace existing standards or regulations that are uniquely applicable to a specific industry or use. It is the intent to encourage adoption of this standard in subsequent revisions of other standards and regulations.

3 Application and Exceptions

3.1 Application

This standard provides guidance for industries, commercial establishments, property owners, employers, and others who place safety signs in the environment or facility under their control.

3.2 Exceptions

3.2.1 Should any of the requirements of this standard conflict with federal, state, or municipal regulations, such conflict shall not invalidate other sections of this standard.

3.2.2 These requirements do not include labels or signs for products (which are covered by ANSI Z535.4), containers of chemicals and chemical mixtures and hazardous substances, in-plant vehicular movement and way-finding, public streets and highways, railroads, air transport, marine operations, exit signs, identification of piping or process valves, or safety bulletins and posters.