

ACI 437-12

**Code Requirements For Load
Testing Of Existing Concrete
Structures And Commentary**

An ACI PROVISIONAL STANDARD

Reported by ACI Committee 437



American Concrete Institute®



First Printing
August 2012

American Concrete Institute®
Advancing concrete knowledge

Code Requirements For Load Testing Of Existing Concrete Structures And Commentary

PROVISIONAL STANDARD

Copyright by the American Concrete Institute, Farmington Hills, MI. All rights reserved. This material may not be reproduced or copied, in whole or part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of ACI.

The technical committees responsible for ACI committee reports and standards strive to avoid ambiguities, omissions, and errors in these documents. In spite of these efforts, the users of ACI documents occasionally find information or requirements that may be subject to more than one interpretation or may be incomplete or incorrect. Users who have suggestions for the improvement of ACI documents are requested to contact ACI via the errata website at www.concrete.org/committees/errata.asp. Proper use of this document includes periodically checking for errata for the most up-to-date revisions.

ACI committee documents are intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. Individuals who use this publication in any way assume all risk and accept total responsibility for the application and use of this information.

All information in this publication is provided “as is” without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose or non-infringement.

ACI and its members disclaim liability for damages of any kind, including any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use of this publication.

It is the responsibility of the user of this document to establish health and safety practices appropriate to the specific circumstances involved with its use. ACI does not make any representations with regard to health and safety issues and the use of this document. The user must determine the applicability of all regulatory limitations before applying the document and must comply with all applicable laws and regulations, including but not limited to, United States Occupational Safety and Health Administration (OSHA) health and safety standards.

Participation by governmental representatives in the work of the American Concrete Institute and in the development of Institute standards does not constitute governmental endorsement of ACI or the standards that it develops.

Order information: ACI documents are available in print, by download, on CD-ROM, through electronic subscription, or reprint and may be obtained by contacting ACI.

Most ACI standards and committee reports are gathered together in the annually revised ACI Manual of Concrete Practice (MCP).

American Concrete Institute
38800 Country Club Drive
Farmington Hills, MI 48331
U.S.A.
Phone: 248-848-3700
Fax: 248-848-3701

www.concrete.org

ISBN 0-87031-782-2 and 978-0-87031-782-8

ACI Committee 437 - Strength Evaluation of Concrete Structures

**CODE REQUIREMENTS FOR LOAD TESTING OF EXISTING
CONCRETE STRUCTURES AND COMMENTARY**

REPORTED BY ACI COMMITTEE 437

Carl J. Larosche*
Chair

J. Gustavo Tumialan*
Secretary

Joseph A. Amon	Zareh B. Gregorian	Andrew T. Krauklis	Renato Parretti
Nicholas J. Carino	Pawan R. Gupta	Daniel J. McCarthy	K. Nam Shiu
Paolo Casadei	Frederick D. Heidbrink	Javeed Munshi	Jeffrey S. West*
John A. Frauenhoffer	Ashok M. Kakade	Antonio Nanni	Paul H. Ziehl*
Nestore Galati*	Danielle D. Kleinhans	Thomas E. Nehil*	

* Member of the sub-committee that prepared this report

Consulting Members

Marco Arduini

Habib M. Zein Alabideen

This standard provides requirements for test load magnitudes, test protocols, and acceptance criteria for conducting a load test as a means of evaluating the safety and serviceability of concrete structural members and systems for existing buildings. A load test may be conducted as part of a structural evaluation to determine whether an existing building requires repair and rehabilitation, or to verify the adequacy of repair and rehabilitation measures applied to an existing building, or both. The standard contains provisions for both a cyclic load test and a monotonic load test procedure.

Keywords: acceptance criteria; cyclic loading; load test; monotonic loading; test load magnitude;
test protocol

CHAPTER 1—GENERAL

1.1—Scope

1.1.1 The scope, purpose, applicability, limitations, interpretation principles, and units of measure of “ACI Code Requirements and Commentary for Load Testing of Existing Concrete Structures,” hereafter referred to as the “Code” are defined in this Chapter.

1.1.2 The “General Building Code” refers to the building code adopted in each jurisdiction. This Code supplements and is part of the General Building Code through reference.

1.1.3 The requirements of this Code shall govern for the evaluation of safety and serviceability of members in existing concrete structures by load testing, except as modified by the General Building Code.

1.1.4 In jurisdictions without a General Building Code, this Code provides minimum acceptable requirements for the evaluation of safety and serviceability of existing concrete structures by load testing.

1.1.5 The requirements of this Code shall apply to reinforced concrete with prestressed or non-prestressed reinforcement, or both.

1.1.6 Procedures and requirements provided in this Code are not applicable to existing structures having concretes with compressive strengths above 8000 psi unless permitted by the licensed design professional.

1.2 — Purpose