

ANSI/ASAE EP411.5 DEC2012 (R2016)

Guidelines for Measuring and Reporting Environmental Parameters for Plant Experiments in Growth Chambers



**American Society of
Agricultural and Biological Engineers**



**S
T
A
N
D
A
R
D**

ASABE is a professional and technical organization, of members worldwide, who are dedicated to advancement of engineering applicable to agricultural, food, and biological systems. ASABE Standards are consensus documents developed and adopted by the American Society of Agricultural and Biological Engineers to meet standardization needs within the scope of the Society; principally agricultural field equipment, farmstead equipment, structures, soil and water resource management, turf and landscape equipment, forest engineering, food and process engineering, electric power applications, plant and animal environment, and waste management.

NOTE: ASABE Standards, Engineering Practices, and Data are informational and advisory only. Their use by anyone engaged in industry or trade is entirely voluntary. The ASABE assumes no responsibility for results attributable to the application of ASABE Standards, Engineering Practices, and Data. Conformity does not ensure compliance with applicable ordinances, laws and regulations. Prospective users are responsible for protecting themselves against liability for infringement of patents.

ASABE Standards, Engineering Practices, and Data initially approved prior to the society name change in July of 2005 are designated as "ASAE", regardless of the revision approval date. Newly developed Standards, Engineering Practices and Data approved after July of 2005 are designated as "ASABE".

Standards designated as "ANSI" are American National Standards as are all ISO adoptions published by ASABE. Adoption as an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by ASABE.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

CAUTION NOTICE: ASABE and ANSI standards may be revised or withdrawn at any time. Additionally, procedures of ASABE require that action be taken periodically to reaffirm, revise, or withdraw each standard.

Copyright American Society of Agricultural and Biological Engineers. All rights reserved.

ASABE, 2950 Niles Road, St. Joseph, MI 49085-9659, USA, phone 269-429-0300, fax 269-429-3852, hq@asabe.org

ANSI/ASAE EP411.5 DEC2012 (R2016)

Revision approved December 2012 as an American National Standard.

Guidelines for Measuring and Reporting Environmental Parameters for Plant Experiments in Growth Chambers

Developed by the ASAE Environment of Plant Structures Committee (SE-303); approved by the ASAE Structures and Environment Division Standards Committee; adopted by ASAE March 1982; revised March 1986; reconfirmed December 1989; revised February 1992; approved as an American National Standard February 1993; reaffirmed by ASAE December 1996; revised June 1997; revision approved by ANSI November 1997; revised March 2002; revision approved by ANSI November 2002; revised editorially April 2005; reaffirmed by ASABE January 2007; reaffirmed by ANSI January 2007; revised December 2012; revision approved by ANSI December 2012; reaffirmed by ASABE and ANSI December 2016.

Keywords: Definitions, Environment, Experiments, Growth, Plant

1 Purpose and Scope

1.1 The purpose of this Engineering Practice is to set forth guidelines for the measurement of environmental parameters that characterize the aerial and root environment in a plant growth chamber.

1.2 This Engineering Practice establishes criteria that will promote a common basis for environmental measurements for the research community and the commercial plant producer.

1.3 This Engineering Practice promotes uniformity and accuracy in reporting data and results in the course of conducting plant experiments.

2 Introduction

2.1 The aerial environment is characterized by the following parameters: air temperature, atmospheric composition including moisture and carbon dioxide concentration, air velocity, radiation, and the edge effects of wall/floor on these parameters.

2.2 The root environment is characterized by the following parameters: medium composition and quantity, nutrient concentrations, water content, temperature, pH, electrical conductivity, and oxygen concentration.

2.3 Measuring and reporting these various parameters will be covered in the sections that follow. The definitions of the parameters indicate the symbol and units in the format, (symbol, units). Measurements should be made which accurately represent the mean and range of the environmental parameters to which the plants are exposed during the experimental period, to indicate the temporal variations, both cyclic and transient, and the spatial variations over the separate plants in the chamber.

2.4 The definitions, measurement techniques, and reporting procedures provide criteria and promote uniformity in measuring and reporting environmental parameters, but these guidelines should not be used to select the environmental parameters applicable to a particular experiment. Other parameters may be applicable to a particular experiment or special environments such as elemental concentration in hydroponic solutions, pollutant concentration in air quality research, and spectral quality ratios in photobiology.

2.5 When measurements are made, the chamber should be operating with containers and plants located in the chamber. Provision should be made to take all measurements with minimum disturbance to the operating environment.