

ACI 350.5M-12

(metric)

Specifications for Environmental Concrete Structures

An ACI Standard

Reported by ACI Committee 350



American Concrete Institute®



American Concrete Institute®
Advancing concrete knowledge

First Printing
April 2013

Specifications for Environmental Concrete Structures

Copyright by the American Concrete Institute, Farmington Hills, MI. All rights reserved. This material may not be reproduced or copied, in whole or part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of ACI.

The technical committees responsible for ACI committee reports and standards strive to avoid ambiguities, omissions, and errors in these documents. In spite of these efforts, the users of ACI documents occasionally find information or requirements that may be subject to more than one interpretation or may be incomplete or incorrect. Users who have suggestions for the improvement of ACI documents are requested to contact ACI via the errata website at www.concrete.org/committees/errata.asp. Proper use of this document includes periodically checking for errata for the most up-to-date revisions.

ACI committee documents are intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. Individuals who use this publication in any way assume all risk and accept total responsibility for the application and use of this information.

All information in this publication is provided “as is” without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose or non-infringement.

ACI and its members disclaim liability for damages of any kind, including any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use of this publication.

It is the responsibility of the user of this document to establish health and safety practices appropriate to the specific circumstances involved with its use. ACI does not make any representations with regard to health and safety issues and the use of this document. The user must determine the applicability of all regulatory limitations before applying the document and must comply with all applicable laws and regulations, including but not limited to, United States Occupational Safety and Health Administration (OSHA) health and safety standards.

Participation by governmental representatives in the work of the American Concrete Institute and in the development of Institute standards does not constitute governmental endorsement of ACI or the standards that it develops.

Order information: ACI documents are available in print, by download, on CD-ROM, through electronic subscription, or reprint and may be obtained by contacting ACI.

Most ACI standards and committee reports are gathered together in the annually revised ACI Manual of Concrete Practice (MCP).

American Concrete Institute
38800 Country Club Drive
Farmington Hills, MI 48331
U.S.A.
Phone: 248-848-3700
Fax: 248-848-3701

www.concrete.org

ISBN-13: 978-0-87031-815-3
ISBN: 0-87031-815-2

Specifications for Environmental Concrete Structures

An ACI Standard

Reported by ACI Committee 350

Satish K. Sachdev*, Chair
Jon B. Ardahl†, Vice Chair

John W. Baker*, Secretary

Iyad M. Alsamsam
Steven R. Close*
Robert E. Doyle
Anthony L. Felder*
Carl A. Gentry
Charles S. Hanskat*
Kenneth R. Harvey
Paul Hedli
Keith W. Jacobson
M. Reza Kianoush
Ramon E. Lucero
Daniel J. McCarthy

Andrew R. Minogue
Khalid Motiwala
Javeed Munshi
Jerry Parnes
Risto Protic
William C. Sherman*
Lawrence M. Tabat*
William A. Wallace

Subcommittee members
Erik Lederman
Kyle S. Loyd
Edwin W. Neely
Victor M. Pavon
David R. Poole
Shashiprakash Surali
Bryan T. Wood

Consulting members
William H. Backous

Walter N. Bennett
Patrick J. Creegan
Jerry A. Holand
William J. Irwin
Dov Kaminetzky
David G. Kittridge
Dennis C. Kohl
Nicholas A. Legatos
Carl H. Moon
Lawrence G. Mrazek
Terry Patzias
Andrew R. Philip

*Subcommittee members who developed this document.

†Subcommittee chair during development of this document.

Note: Special acknowledgement to Vijai Prakash Gupta, Larry Kaiser, William Moore, and Paul St. John for their contributions to this document.

This specification is a Reference Specification that the Architect/Engineer can make applicable to a construction project by citing it in the Project Specifications. The Architect/Engineer supplements the provisions of this Reference Specification as needed by designing or specifying individual project requirements.

The document covers materials and proportioning of concrete; reinforcement and prestressing reinforcement; production, placing, finishing, and curing of concrete; formwork design and construction; and shotcrete. Methods of treatment of joints and embedded items, repair of surface defects, and finishing of formed and unformed surfaces are specified. Separate sections are devoted to architectural concrete, mass concrete, and internal and external post-tensioned prestressed concrete. Provisions governing testing, evaluation, and acceptance of concrete as well as acceptance of the structure are included.

Keywords: admixtures; aggregates; air entrainment; architectural concrete; compressive strength; consolidation; curing; density; durability; evaluation; environmental concrete; finishes; floors; formwork (construction); grouting; inspection; joints; mass concrete; mixture proportioning; post-tensioned prestressed concrete; prestressing reinforcement; reinforcing steels; reshoring; shoring; subgrades; tolerances.

CONTENTS

Section 1—General requirements, p. 3

1.1—Scope

1.1.1—Work specified

1.1.2—Work not specified

1.2—Definitions

1.3—Reference standards

1.4—Standards-producing organizations

1.5—Submittals

1.5.1—General

1.5.2—Testing agency reports

1.6—Quality assurance

1.6.1—General

1.6.2—Testing agencies

1.6.3—Testing responsibilities of Contractor

1.6.4—Testing responsibilities of Owner's Testing Agency

1.6.5—Tests on hardened concrete in-place

1.6.6—Evaluation of concrete strength tests

1.6.7—Acceptance of concrete strength

1.6.8—Field acceptance of concrete

1.7—Acceptance of structure

1.7.1—General

1.7.2—Dimensional tolerances

ACI 350.5M-12 became effective October 5, 2012, and was published April 2013.

Copyright © 2013 American Concrete Institute.

All rights reserved including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by electronic or mechanical device, printed, written, or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.

- 1.7.3—Appearance
- 1.7.4—Strength of structure
- 1.7.5—Durability
- 1.8—Protection of in-place concrete
 - 1.8.1—Loading and support of concrete
 - 1.8.2—Protection from mechanical injury

Section 2—Formwork and formwork accessories, p. 10

- 2.1—General
 - 2.1.1—Description
 - 2.1.2—Submittals
- 2.2—Products
 - 2.2.1—Materials
 - 2.2.2—Performance and design requirements
 - 2.2.3—Fabrication and manufacture
- 2.3—Execution
 - 2.3.1—Construction and erection of formwork
 - 2.3.2—Removal of formwork
 - 2.3.3—Reshoring and backshoring
 - 2.3.4—Strength of concrete required for removal of formwork
 - 2.3.5—Field quality control

Section 3—Reinforcement and reinforcement supports, p. 12

- 3.1—General
 - 3.1.1—Submittals, data, and drawings
 - 3.1.2—Materials delivery, storage, and handling
- 3.2—Products
 - 3.2.1—Materials
 - 3.2.2—Fabrication
- 3.3—Execution
 - 3.3.1—Preparation
 - 3.3.2—Placement

Section 4—Joints and accessories, p. 16

- 4.1—General
 - 4.1.1—Description
 - 4.1.2—Submittals
- 4.2—Products
 - 4.2.1—Materials
 - 4.2.2—Performance and design requirements
- 4.3—Execution
 - 4.3.1—General
 - 4.3.2—Construction joints and other bonded joints
 - 4.3.3—Contraction joints
 - 4.3.4—Expansion joints
 - 4.3.5—Waterstops
 - 4.3.6—Smooth dowels

Section 5—Concrete mixtures, p. 18

- 5.1—General
 - 5.1.1—Description
 - 5.1.2—Submittals
 - 5.1.3—Quality control
 - 5.1.4—Materials storage and handling
- 5.2—Products

- 5.2.1—Materials
- 5.2.2—Performance and design requirements
- 5.2.3—Proportioning
- 5.3—Execution
 - 5.3.1—Measuring, batching, and mixing
 - 5.3.2—Delivery

Section 6—Handling, placing, and constructing, p. 22

- 6.1—General
 - 6.1.1—Description
 - 6.1.2—Submittals
 - 6.1.3—Delivery, storage, and handling
- 6.2—Products
 - 6.2.1—Materials
- 6.3—Execution
 - 6.3.1—Preparation
 - 6.3.2—Placement of concrete
 - 6.3.3—Finishing formed surfaces
 - 6.3.4—Finishing unformed surfaces
 - 6.3.5—Curing and protection
 - 6.3.6—Repair of surface defects

Section 7—Architectural concrete, p. 28

- 7.1—General
 - 7.1.1—Description
 - 7.1.2—Submittals
 - 7.1.3—Quality assurance
 - 7.1.4—Product delivery, storage, and handling
 - 7.1.5—Project conditions
- 7.2—Products
 - 7.2.1—Materials
 - 7.2.2—Performance and design requirements
- 7.3—Execution
 - 7.3.1—Preparation
 - 7.3.2—Proportioning concrete mixtures
 - 7.3.3—Consolidation
 - 7.3.4—Formwork monitoring
 - 7.3.5—Formwork removal
 - 7.3.6—Repair of tie holes and surface defects
 - 7.3.7—Finishing

Section 8—Mass concrete, p. 30

- 8.1—General
 - 8.1.1—Description
 - 8.1.2—Submittals
- 8.2—Products
 - 8.2.1—Materials
 - 8.2.2—Performance and design requirements
- 8.3—Execution
 - 8.3.1—Placement
 - 8.3.2—Curing and protection

Section 9—Internal post-tensioned concrete, p. 31

- 9.1—General
 - 9.1.1—Description
 - 9.1.2—Submittals
 - 9.1.3—Quality control

- 9.1.4—Product handling and storage
- 9.2—Products
 - 9.2.1—Materials
 - 9.2.2—Proportioning of cementitious grout mixtures
 - 9.2.3—Proportioning of epoxy grout mixtures
- 9.3—Execution
 - 9.3.1—Field observations
 - 9.3.2—Grouted tendon installation
 - 9.3.3—Grouting
 - 9.3.4—Unbonded tendon installation
 - 9.3.5—Tendon tolerances
 - 9.3.6—Concrete placement
 - 9.3.7—Tensioning
 - 9.3.8—Tendon finishing

Section 10—External prestressed wrapped concrete tanks, p. 38

- 10.1—General
 - 10.1.1—Description
 - 10.1.2—Submittals
 - 10.1.3—Quality control
 - 10.1.4—Product delivery, handling, and storage
- 10.2—Products
 - 10.2.1—Materials
 - 10.2.2—Proportioning of concrete and shotcrete mixtures
- 10.3—Execution
 - 10.3.1—Placement

Notes to Specifier, p. 40

General notes

Foreword to Checklists, p. 40

Mandatory Requirements Checklist, p. 43

Optional Requirements Checklist, p. 44

Submittals Checklist, p. 52

(Mandatory portion follows)

SECTION 1—GENERAL REQUIREMENTS

1.1—Scope

1.1.1 Work specified—This specification covers cast-in-place environmental concrete and shotcrete. Provisions of this specification shall govern except where other provisions are specified in Contract Documents.

1.1.2 Work not specified—The following subjects are not in the scope of this specification:

- a) Precast concrete products
- b) Heavyweight shielding concrete
- c) Slipformed paving concrete
- d) Lightweight concrete
- e) Shrinkage-compensating concrete
- f) Terrazzo
- g) Insulating concrete
- h) Refractory concrete
- i) Self-consolidating concrete
- j) Slipformed concrete walls

- k) Tilt-up concrete construction

1.2—Definitions

accepted—determined to be satisfactory by Architect/Engineer.

ACI Concrete Field Testing Technician Grade I—a person who has demonstrated knowledge and ability to perform and record the results of ASTM standard tests on freshly mixed concrete and to make and cure test specimens. Such knowledge and ability shall be demonstrated by passing prescribed written and performance examinations and having credentials that are current with ACI.

ACI Reference Specification—a standardized mandatory-language document prescribing materials, dimensions, and workmanship incorporated by reference in contract documents with information in the Mandatory Requirements Checklist required to be provided in the Project Specification.

Architect/Engineer—Architect, Engineer, architectural firm, engineering firm, or architectural and engineering firm issuing Contract Documents, administering the Work under Contract Documents, or both.

architectural concrete—concrete designated by Architect/Engineer as requiring a specified appearance.

backshores—shores placed snugly under a concrete slab or structural member after the original formwork and shores have been removed from a small area at a time, without allowing the slab or member to deflect, or support its own weight or existing construction loads.

Contract Documents—a set of documents supplied by Owner to Contractor as the basis for construction; these documents contain contract forms, contract conditions, specifications, drawings, addenda, and contract changes.

Contractor—person, firm, or entity under contract for construction of the Work.

core wall—portion of the externally prestressed circular concrete tank wall placed in circumferential compression by prestressing.

cover coat—the layer or layers of shotcrete applied over the wire coat of an externally prestressed circular concrete tank wall.

diaphragm—thin metal sheet formed with vertical ribs embedded within the core wall of circular externally prestressed concrete tanks.

duct—a conduit (plain or corrugated) to accommodate prestressing steel for post-tensioned installation.

exposed to view—portion of structure that can be observed by the user during normal use.

finish coat—final layer of shotcrete placed on the cover coat of an externally prestressed circular concrete tank wall.

high-early-strength concrete—concrete that, through the use of ASTM C150 Type III cement or admixtures, is capable of attaining specified strength at an earlier age than normal concrete.

environmental engineering concrete structures—concrete structures intended for conveying, storing, or treating water, wastewater, or other nonhazardous liquids, and for secondary containment of hazardous materials.