

IEEE Guide for Diagnostic Field Testing of Fluid-Filled Power Transformers, Regulators, and Reactors

IEEE Power and Energy Society

Sponsored by the
Transformers Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std C57.152™-2013
(Revision of
IEEE Std 62™-1995)

IEEE Guide for Diagnostic Field Testing of Fluid-Filled Power Transformers, Regulators, and Reactors

Sponsor

Transformers Committee
of the
IEEE Power and Energy Society

Approved 6 March 2013

IEEE-SA Standards Board

Grateful acknowledgment is made to Doble Engineering Company for permission to use source material.

Abstract: Diagnostic tests and measurements that are performed in the field on fluid-filled power transformers and regulators are described. Whenever possible, shunt reactors are treated in a similar manner to transformers. Tests are presented systematically in categories depending on the subsystem of the unit being examined. A diagnostic chart is included as an aid to identify the various subsystems. Additional information is provided regarding specialized test and measuring techniques. Interpretive discussions are also included in several areas to provide additional insight on the particular test or to provide guidance on acceptance criteria. These discussions are based on the authors' judgment of accepted practice. It should be noted that the results of several types of tests should be interpreted together to diagnose a problem. Manufacturers' acceptance criteria should also be consulted as it may take precedence over the criteria in this guide.

Keywords: bushing, core, diagnostic evaluation, field testing, fluid-filled transformer, IEEE C57.152™, insulating liquid, off-line testing, reactor, regulator, safety, tank, tap changer, winding

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2013 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 21 June 2013. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

National Electrical Code, NEC, NFPA 70, NFPA 70E, Standard for Electrical Safety in the Workplace are registered trademarks of the National Fire Protection Association, Inc.

PDF: ISBN 978-0-7381-8369-5 STD98204
Print: ISBN 978-0-7381-8370-1 STDPD98204

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Notice and Disclaimer of Liability Concerning the Use of IEEE Documents: IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon any IEEE Standard document.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained in its standards is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Translations: The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official Statements: A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on Standards: Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important to ensure that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. Any person who would like to participate in evaluating comments or revisions to an IEEE standard is welcome to join the relevant IEEE working group at <http://standards.ieee.org/develop/wg/>.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854
USA

Photocopies: Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Notice to users

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

Updating of IEEE documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://standards.ieee.org/index.html> or contact the IEEE at the address listed previously. For more information about the IEEE Standards Association or the IEEE standards development process, visit IEEE-SA Website at <http://standards.ieee.org/index.html>.

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE guide was completed, the Diagnostic Field Testing Power Transformers and Reactors Working Group had the following membership:

Jane Ann Verner, *Chair*
Loren Wagenaar, *Vice Chair*
Kipp Yule, *Secretary*

Richard Amos
Raj Ahuja
Jerry Allen
William Bartley
Wallace Binder
Kent Brown
Bill Chiu
Larry Coffeen
Jerry Cockran
John Crouse
Eric Davis
Don Dorris
Jefferson Foley
Bruce Forsyth
Mary Foster
Ramon Garcia
James Gardner
Robert Ganser Sr.
Prodipto Ghosh
Jorge Gonzalez
Jerry Harlan
David Harris

John Herron
Gary Hoffman
Mike Horning
Wayne Johnson
Matthew Kennedy
Joe Kelly
C. J. Kalra
Alexander Kraetge
Michael Lau
Mario Locarno
Eberhard Lemke
John Luksich
Andre Lux
John Matthews
Susan McNelly
Steve McGovern
Vinay Mehrotra
Michael Miller
Paul Mushill
Poorvi Patel
Mark Perkins
Donald Platts

Lewis Powell
Paulette Powell
Tom Prevost
John Progarr
Mark Rivers
Oleg Roizman
Kirk Robbins
Mark Roberts
Hakan Sahin
O. Paul Salvatto
Daniel Sauer
Craig Stiegemeier
Jin Sim
Charles Sweetser
James Thompson
Robert Thompson
Dharma Vir
Dieter Wagner
Barry Ward
Peter Werelius
Jennifer Yu
Peter Zhao

The following members of the individual balloting committee voted on this guide. Balloters may have voted for approval, disapproval, or abstention.

Michael Adams
Carlo Arpino
Roberto Asano
Peter Balma
Martin Baur
Barry Beaster
W. J. Bill Bergman
Steven Bezner
Wallace Binder
Thomas Bishop
Thomas Blackburn
W. Boettger
Paul Boman
Jeffrey Britton
Bill Brown
Kent Brown
William Byrd
Thomas Callsen
Paul Cardinal
Antonio Cardoso
Juan Castellanos
Stephen Conrad
John Crouse
William Darovny
Alan Darwin
Scott Digby
Dieter Dohnal
Gary Donner
Randall Dotson
Fred Elliott
James Fairris
Jorge Fernandez Daher
Rabiz Foda
Joseph Foldi
Bruce Forsyth
Marcel Fortin
Frank Gerleve
David Gilmer
Jalal Gohari
James Graham
William Griesacker
Randall C. Groves
Edward Gulski
Bal Gupta
John Harley
J. Harlow
David Harris

Roger Hayes
Martin Hinow
Gary Hoffman
Philip Hopkinson
Charles Johnson
Laszlo Kadar
C. Kalra
Gael Kennedy
George Kennedy
Mohamed Abdel Khalek
Yuri Khersonsky
Morteza Khodaie
James Kinney
Joseph L. Koepfinger
Jim Kulchisky
Saumen Kundu
John Lackey
Chung-Yiu Lam
Jeffrey LaMarca
Stephen Lambert
Thomas La Rose
Aleksandr Levin
Mario Locarno
Thomas Lundquist
Greg Luri
J. Dennis Marlow
Lee Matthews
James McIver
David McKinnon
Susan McNelly
Joseph Melanson
Tom Melle
Michael Miller
T. David Mills
Daniel Mulkey
Jerry Murphy
Ryan Musgrove
Dennis Neitzel
Michael S. Newman
Joe Nims
Lorraine Padden
Bansi Patel
Dhiru Patel
J. Patton
Brian Penny
Christopher Petrola
Donald Platts

Alvaro Portillo
Lewis Powell
Tom Prevost
Moises Ramos
Jean-Christophe Riboud
Johannes Rickmann
Michael Roberts
Oleg Roizman
John Rossetti
James Rossman
Marnie Roussel
Thomas Rozek
Dinesh Sankarakurup
Daniel Sauer
Bartien Sayogo
Ewald Schweiger
Devki Sharma
Suresh Shrimavle
Gil Shultz
Hyeong Sim
James Smith
Jerry Smith
Steve Snyder
Brian Sparling
Gary Stodter
Michael Swearingen
Charles Sweetser
Ed teNyenhuus
Malcolm Thaden
Juan Thierry
James Thompson
Robert Thompson
Eric Udren
John Vergis
Jane Ann Verner
Loren Wagenaar
David Wallach
Barry Ward
Peter Werelius
Kenneth White
John Wilson
Jonathan Woodworth
John Yale
Jian Yu
Kipp Yule
Luis Zambrano
James Ziebarth

When the IEEE-SA Standards Board approved this guide on 6 March 2013, it had the following membership:

John Kulick, *Chair*
David J. Law, *Vice Chair*
Richard H. Hulett, *Past Chair*
Konstantinos Karachalios, *Secretary*

Masayuki Ariyoshi
Peter Balma
Farooq Bari
Ted Burse
Wael William Diab
Stephen Dukes
Jean-Philippe Faure
Alexander Gelman

Mark Halpin
Gary Hoffman
Paul Houzé
Jim Hughes
Michael Janezic
Joseph L. Koepfinger*
Oleg Logvinov

Ron Petersen
Gary Robinson
Jon Walter Rosdahl
Adrian Stephens
Peter Sutherland
Yatin Trivedi
Phil Winston
Yu Yuan

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Don Messina
IEEE Standards Program Manager, Document Development

Erin Spiewak
IEEE Standards Program Manager, Technical Program Development

Introduction

This introduction is not part of IEEE Std C57.152-2013, IEEE Guide for Diagnostic Field Testing of Fluid-Filled Power Transformers, Regulators, and Reactors.

Power transformers usually represent one of the most important and single most costly items in substations. Furthermore, particularly for large transformers, their failures usually result in lengthy outages or downgrading of electric service reliability. For these reasons, a high degree of care is required to properly field test this equipment to confirm equipment status and identify problems.

Because of these considerations, IEEE and other standards development organizations have published, since at least the early 1920s, various recommendations for testing and maintaining transformers. This guide replaces IEEE Std 62™-1995 [B33], since it primarily deals with power transformers, regulators, and reactors, which are devices covered by the Transformers Committee.^a

New sections have been added on safety; tank vacuum testing; visual inspection; a chart providing commissioning, routine, and after-fault testing guidance; and informational annexes. Also, new technologies have been identified that are available for use in field testing.

^a The numbers in brackets correspond to those of the bibliography in Annex J.

Contents

1. Scope	1
2. Normative references.....	2
3. Definitions	2
4. Purpose of tests.....	3
5. Maintenance tests and information	5
5.1 Recommended, as-needed, and optional maintenance tests.....	5
5.2 EPRI Power Transformer Maintenance and Application Guide.....	6
6. Safety.....	7
6.1 General	7
6.2 Types of hazards.....	7
6.3 Creating an electrically safe work condition	8
6.4 General practices for internal inspection	10
6.5 Suggested general control measures	10
6.6 Apparatus.....	12
7. Tests and test techniques	12
7.1 Periodic general inspections	12
7.2 Main tank (active part).....	14
7.3 Bushings	59
7.4 Tap changers.....	61
7.5 Ancillary equipment	67
8. Diagnostic chart.....	73
Annex A (informative) Power factor measurements	76
Annex B (informative) Bushings.....	82
Annex C (informative) Infrared temperature measurements	85
Annex D (informative) Dew point test	88
Annex E (informative) Furan testing.....	91
Annex F (informative) Frequency response testing.....	93
Annex G (informative) Dielectric frequency response	97
Annex H (informative) Other methods to verify polarity from previous field test guide revisions.....	101
Annex I (informative) Particle count.....	103
Annex J (informative) Bibliography.....	106

IEEE Guide for Diagnostic Field Testing of Fluid-Filled Power Transformers, Regulators, and Reactors

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Scope

This guide describes diagnostic field tests and measurements that are performed on fluid-filled power transformers and regulators. Whenever possible, shunt reactors are treated in a similar manner to transformers. The tests are presented systematically in categories depending on the subsystem of the unit being examined. A diagnostic chart is included as an aid to identifying the various subsystems. Additional information is provided regarding specialized test and measuring techniques.

Interpretive discussions are also included in several areas to provide additional insight on the particular test or to provide guidance on acceptance criteria. These discussions are based on the authors’ judgment of accepted practice. It should be noted that the results of several types of tests should be interpreted together to diagnose a problem. Manufacturers’ acceptance criteria and other standards in the IEEE C57™ series take precedence over the content of this guide.