

ACI 546.3R-14

# Guide to Materials Selection for Concrete Repair

Reported by ACI Committee 546



American Concrete Institute  
*Always advancing*



## **Guide to Materials Selection for Concrete Repair**

Copyright by the American Concrete Institute, Farmington Hills, MI. All rights reserved. This material may not be reproduced or copied, in whole or part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of ACI.

The technical committees responsible for ACI committee reports and standards strive to avoid ambiguities, omissions, and errors in these documents. In spite of these efforts, the users of ACI documents occasionally find information or requirements that may be subject to more than one interpretation or may be incomplete or incorrect. Users who have suggestions for the improvement of ACI documents are requested to contact ACI via the errata website at <http://concrete.org/Publications/DocumentErrata.aspx>. Proper use of this document includes periodically checking for errata for the most up-to-date revisions.

ACI committee documents are intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. Individuals who use this publication in any way assume all risk and accept total responsibility for the application and use of this information.

All information in this publication is provided “as is” without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose or non-infringement.

ACI and its members disclaim liability for damages of any kind, including any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use of this publication.

It is the responsibility of the user of this document to establish health and safety practices appropriate to the specific circumstances involved with its use. ACI does not make any representations with regard to health and safety issues and the use of this document. The user must determine the applicability of all regulatory limitations before applying the document and must comply with all applicable laws and regulations, including but not limited to, United States Occupational Safety and Health Administration (OSHA) health and safety standards.

Participation by governmental representatives in the work of the American Concrete Institute and in the development of Institute standards does not constitute governmental endorsement of ACI or the standards that it develops.

Order information: ACI documents are available in print, by download, on CD-ROM, through electronic subscription, or reprint and may be obtained by contacting ACI.

Most ACI standards and committee reports are gathered together in the annually revised ACI Manual of Concrete Practice (MCP).

**American Concrete Institute**  
**38800 Country Club Drive**  
**Farmington Hills, MI 48331**  
**Phone: +1.248.848.3700**  
**Fax: +1.248.848.3701**

[www.concrete.org](http://www.concrete.org)

# Guide to Materials Selection for Concrete Repair

Reported by ACI Committee 546

John S. Lund, Chair

David W. Whitmore, Secretary

James Peter Barlow  
 Michael M. Chehab  
 Marwan A. Daye  
 Michael J. Garlich  
 Paul E. Gaudette  
 Timothy R. W. Gillespie  
 Yelena S. Golod  
 Fred R. Goodwin  
 Harald G. Greve  
 Ron Heffron  
 Robert F. Joyce  
 Lawrence F. Kahn

Brian F. Keane  
 Benjamin Lavon  
 Kenneth M. Lozen  
 James E. McDonald  
 Myles A. Murray  
 Jay H. Paul  
 Richard C. Reed\*  
 Johan L. Silfwerbrand  
 Joe Solomon  
 Michael M. Sprinkel  
 Ronald R. Stankie  
 Joseph E. Tomes

David A. VanOcker  
 Alexander M. Vaysburd  
 Kurt Wagner  
 Patrick M. Watson  
 Mark V. Ziegler

*Subcommittee Members*  
 Yogini S. Deshpande  
 Floyd E. Dimmick Sr.  
 Peter A. Lipphardt  
 William F. McCann  
 Shreerang N. Nabar

Paul H. Read  
 Louis M. Wenick

*Consulting Members*  
 Peter Emmons  
 Noel P. Mailvaganam  
 Kevin A. Michols  
 Richard Montani  
 Don T. Pyle

\*Editor and subcommittee Chair.

*This document provides guidance on the selection of materials for concrete repair. An overview of the important properties of repair materials is presented as a guide for making an informed selection of the appropriate repair materials for specific applications and service conditions.*

**Keywords:** cementitious; cracks; epoxy; materials; methacrylate; polymer; polyurethane; repair; surface sealer; silica fume; test methods; waterproofing.

## CONTENTS

### CHAPTER 1—INTRODUCTION AND SCOPE, p. 2

- 1.1—Introduction, p. 2
- 1.2—Essential steps of concrete repair, p. 3
- 1.3—Objective, p. 3
- 1.4—Scope, p. 3
- 1.5—Current industry issues and concerns, p. 4

### CHAPTER 2—NOTATION AND DEFINITIONS, p. 4

- 2.1—Notation, p. 4
- 2.2—Definitions, p. 4

### CHAPTER 3—PROPERTIES OF CONCRETE REPLACEMENT AND OVERLAY MATERIALS AND THEIR IMPORTANCE, p. 5

- 3.1—General, p. 5
- 3.2—Volume stability, p. 5
- 3.3—Mechanical properties, p. 7
- 3.4—Constructibility characteristics, p. 12
- 3.5—Aesthetic properties, p. 12
- 3.6—Factors affecting durability, p. 12
- 3.7—Chemical composition, p. 16
- 3.8—Summary tables, p. 16

### CHAPTER 4—CONCRETE REPLACEMENT AND OVERLAY MATERIAL SELECTION, p. 16

- 4.1—Concrete, p. 19
- 4.2—Silica-fume concrete, p. 19
- 4.3—Polymer-modified concrete, p. 20
- 4.4—Magnesium-ammonium-phosphate-cement concrete (MAPCC), p. 20
- 4.5—Polymer concrete, p. 20
- 4.6—Mortars, p. 21
- 4.7—Types of concrete replacements and overlays, p. 22

ACI Committee Reports, Guides, and Commentaries are intended for guidance in planning, designing, executing, and inspecting construction. This document is intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. The American Concrete Institute disclaims any and all responsibility for the stated principles. The Institute shall not be liable for any loss or damage arising therefrom.

Reference to this document shall not be made in contract documents. If items found in this document are desired by the Architect/Engineer to be a part of the contract documents, they shall be restated in mandatory language for incorporation by the Architect/Engineer.

ACI 546.3R-14 supersedes 546.3R-06 and was adopted and published June 2014.  
 Copyright © 2014, American Concrete Institute.

All rights reserved including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by electronic or mechanical device, printed, written, or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.

- 4.8—Deep concrete replacements and overlays, p. 22
- 4.9—Shallow concrete replacements and overlays, p. 25
- 4.10—Thin overlays, p. 26
- 4.11—Aggressive environments and exterior applications, p. 26

#### **CHAPTER 5—PROPERTIES OF CRACK REPAIR MATERIALS AND THEIR IMPORTANCE, p. 26**

- 5.1—General, p. 26
- 5.2—Types of crack repair materials, p. 27
- 5.3—Properties of rigid crack repair materials, p. 27
- 5.4—Properties of elastomeric crack repair materials, p. 29
- 5.5—Properties of flexible crack repair materials, p. 32
- 5.6—Other considerations, p. 33
- 5.7—Summary tables, p. 33

#### **CHAPTER 6—CRACK REPAIR MATERIALS SELECTION, p. 33**

- 6.1—General, p. 33
- 6.2—Crack repair materials and procedures, p. 38
- 6.3—Epoxy resin, p. 38
- 6.4—Methacrylates, p. 39
- 6.5—Polyurethane chemical grout, p. 40
- 6.6—Polyurethane sealant, p. 41
- 6.7—Silicone sealant, p. 42
- 6.8—Silyl-terminated polyether sealant, p. 42
- 6.9—Polysulfide sealant, p. 43
- 6.10—Flexible epoxy resin, p. 43
- 6.11—Polyurea, p. 43
- 6.12—Strip-and-seal systems, p. 43
- 6.13—Grouts, p. 44
- 6.14—Selection of crack repair materials, p. 44

#### **CHAPTER 7—PROPERTIES OF SURFACE SEALERS, ANTI-CARBONATION COATINGS, AND TRAFFIC-BEARING ELASTOMERIC COATINGS AND THEIR IMPORTANCE, p. 45**

- 7.1—General, p. 45
- 7.2—Properties of surface sealers, p. 45
- 7.3—Properties of anti-carbonation coatings, p. 50
- 7.4—Properties of traffic-bearing elastomeric coatings, p. 51
- 7.5—Summary tables, p. 53

#### **CHAPTER 8—SURFACE SEALER, ANTI-CARBONATION COATING, AND TRAFFIC-BEARING ELASTOMERIC COATING MATERIALS SELECTION, p. 57**

- 8.1—General, p. 57
- 8.2—Surface sealers, p. 57
- 8.3—Anti-carbonation coatings, p. 59
- 8.4—Traffic-bearing elastomeric coatings, p. 60
- 8.5—Selecting surface sealers and anti-carbonation coatings, p. 61

#### **CHAPTER 9—OTHER MATERIALS USED IN CONCRETE REPAIR, p. 61**

- 9.1—General, p. 61
- 9.2—Reinforcing steel coatings, p. 61
- 9.3—Embedded galvanic anodes, p. 62
- 9.4—Concrete bonding agents and techniques, p. 63
- 9.5—Crystalline pore blockers, p. 63
- 9.6—Surface-applied, penetrating corrosion inhibitors, p. 64

#### **CHAPTER 10—REFERENCES, p. 65**

- Authored documents, p. 68

#### **APPENDIX A—CURRENT INDUSTRY ISSUES AND CONCERNS, p. 69**

- A.1—Material test methods and reporting of test data, p. 70
- A.2—Curing repair materials and manufacturers' reported test results, p. 70
- A.3—Product limitations and warnings, p. 71
- A.4—Standardized industry acceptance, p. 71
- A.5—Repair material bond, p. 71
- A.6—Corrosion reduction, p. 71
- A.7—Structural repairs, p. 72
- A.8—Ongoing developments, p. 72

#### **CHAPTER 1—INTRODUCTION AND SCOPE**

##### **1.1—Introduction**

Concrete is inherently a durable material, but its durability under any given set of exposure conditions varies with concrete mixture proportions; the presence and positioning of reinforcement; and the detailing, placing, finishing, curing, and protection it receives. In service, it may be exposed to conditions of abrasion, moisture cycles, cycles of freezing and thawing, temperature fluctuations, reinforcement corrosion, and chemical attack, resulting in deterioration and potential reduction of its service life.

As the concrete industry develops and grows, concrete repair is frequently required; however, with the increasing number and age of concrete structures, frequent deferral of maintenance, and increased public awareness of deterioration and maintenance needs, repair is becoming a major focus of design and construction activities. Although concrete repair is traditionally as much an art as a science, engineers and contractors typically do not receive much formal training in techniques for repair and the performance of repair materials applied to concrete. Personal experience is beneficial, but takes time to accumulate and can be costly in terms of failed repairs. Although this is changing, there is still too little information available to reliably predict the serviceability and durability of repairs. Concrete repairs that fail prematurely result in economic loss and usually require additional repairs.

Due to a greatly expanded repair market, new materials and repair methods are being introduced at an increasing rate to the construction market. At the same time, due to changing environmental and building codes and other regu-

lations, many existing, well-proven products are being reformulated into essentially new products that have limited track records. The user might not be informed of these changes.

It is often difficult for a specifier to find the appropriate data to systematically evaluate a product for a given repair situation. Often, test data are unavailable or, if available, are either not presented in useful or appropriate terms or presented in a manner that makes comparison with other competing materials difficult. One example is the use of nonstandard or modified test methods.

Although there are many competent repair materials available commercially, there are also unsubstantiated claims of suitability and success. Even the highest-quality materials do not perform as expected if they are used inappropriately.

**ACI 546R** is the first ACI publication devoted entirely to the subject of concrete repair. Its principle emphasis is on techniques for concrete repair with limited information on selecting repair materials. The physical properties of repair materials govern their performance in service and, as a result, the appropriate selection of these materials for a given repair is at least as important to a successful, long-lasting repair as is using the proper procedures and workmanship. This guide is the second in a series of documents prepared by Committee 546 to aid the user in specifying and executing typical concrete repairs.

## 1.2—Essential steps of concrete repair

The success of concrete repairs depends on determining the cause and extent of concrete distress or deterioration and developing a repair strategy to address the problem. Typical steps in a systematic repair are to:

- a) Conduct a condition survey with a scope consistent with the perceived condition of the structure and the owner's repair objectives, performed by qualified individuals, to document and evaluate visible and concealed deterioration, distress, defects, and damage, as well as potential future deterioration and distress;
- b) Determine the cause of the damage or deterioration necessitating the repair—for example, mechanical damage such as impact or abrasion; design, detailing, or construction deficiencies; chemical damage such as alkali-aggregate reaction; physical damage related to cycles of freezing and thawing or thermal movements; corrosion of the steel reinforcement caused by improper placement; carbonation of the concrete; or chloride ingress into the concrete to the reinforcing steel;
- c) Assess the application and service conditions to which the concrete repair material is, or will be, exposed;
- d) Determine the repair objectives, including desired service life;
- e) Select a repair strategy, including consideration of an appropriate protection system in conjunction with future maintenance, in terms of what is required to preserve or protect the structure and repairs, and what actual maintenance is likely to be available.

Once the concrete to be repaired is evaluated and the cause of distress established, details of the proposed repair are developed. This includes evaluating and determining the

required physical properties of repair materials, followed by the appropriate selection of available repair materials. Selection is usually based on the ability of the material to conform to repair constraints and objectives as defined in this guide, including consideration of cost and availability.

The repair is then implemented, including protective systems if designed as part of the repair. Refer to ACI 546R, where these steps are discussed in further detail.

## 1.3—Objective

The objective of this guide is to provide guidance for the materials selection for concrete repair, including:

- a) Identification of common repair materials;
- b) Discussion of relevant material properties;
- c) Lists and discussion of test procedures for measuring these properties;
- d) Recommendations of minimum test values or performance levels;
- e) Discussion of the importance of specific material properties for various repair applications and service environments.

## 1.4—Scope

This guide discusses material selection for several types of repairs and materials used in their repair:

- a) Concrete replacements, categorized on the basis of the depth and orientation of repair;
- b) Overlays, categorized on the basis of their thickness;
- c) Crack repairs, categorized on the basis of crack stability, crack width, and other service conditions;
- d) Surface sealers and traffic-bearing elastomeric coatings, categorized on the basis of their water and chloride ion permeability;
- e) Anti-carbonation coatings, categorized on the basis of their carbon dioxide diffusion;
- f) Reinforcing steel coatings, embedded galvanic anodes, concrete bonding agents and procedures, crystalline pore blockers, and surface-applied, penetrating corrosion inhibitors, categorized on their ability to alter and improve various concrete properties.

**1.4.1** *Concrete replacement and overlay materials discussed in this guide include:*

- a) Portland or blended cement-based mortar and concrete;
- b) Portland or blended cement-based silica-fume mortar and concrete;
- c) Portland or blended cement-based polymer-cement mortar and concrete;
- d) Magnesium-ammonium-phosphate-cement mortar and concrete;
- e) Polymer-based mortar and concrete.

**1.4.2** *Crack repair materials discussed in this guide include:*

- a) Epoxy resin;
- b) Methacrylate resin;
- c) Polyurethane chemical grout;
- d) Polyurethane sealant;
- e) Silicone sealant;
- f) Silyl-terminated polyether sealant;
- g) Polysulfide sealant;