



ANSI C82.6-2015 (R2020)

American National
Standard for Lamp
Ballasts - Ballasts for
High-Intensity
Discharge Lamps -
Methods of
Measurement



National Electrical Manufacturers Association
1300 North 17th Street, Suite 900 • Rosslyn, VA 22209
www.NEMA.org





ANSI C82.6-2015 (R2020)

*American National Standard for Lamp Ballasts—
Ballasts for High-Intensity Discharge Lamps—
Methods of Measurement*

Secretariat:

National Electrical Manufacturers Association

Approved: March 30, 2020

American National Standards Institute, Inc.

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

American National Standards Institute, Inc. (ANSI) Standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus Standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While NEMA administers the process to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its Standards and guideline publications.

NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no guaranty or warranty, expressed or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this Standard or guide.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other Standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health- or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

AMERICAN NATIONAL STANDARD

Approval of an American National Standards Institute, Inc. (ANSI) Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the Standards developer. An American National Standard implies a consensus of those substantially concerned with its scope and provisions. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered and that a concerted effort be made toward their resolution. The existence of an American National Standard does not in any respect preclude anyone, whether s/he has approved the Standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the Standards. It is intended as a guide to aid the manufacturer, the consumer, and the general public.

The American National Standards Institute, Inc., does not develop Standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute, Inc. Requests for interpretations should be addressed to the Committee Secretariat referred to on the title page.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute, Inc., require that action be taken periodically to reaffirm, revise, or withdraw this Standard. Purchasers of American National Standards may receive current information on all Standards by calling or writing the American National Standards Institute, Inc.

Published by

National Electrical Manufacturers Association
1300 North 17th Street, Suite 900
Rosslyn, Virginia 22209

© 2020 National Electrical Manufacturers Association. All rights, including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American copyright conventions.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

Printed in the United States of America

Foreword

This foreword is not part of American National Standard C82.6-2015 (R2020).

Suggestions for improvement of this Standard are welcomed. They should be sent to Secretariat C82 Committee, National Electrical Manufacturers Association, 1300 North 17th Street, Suite 900, Rosslyn, VA 22209.

This Standard was processed and approved for submittal to ANSI by the Accredited Standards Committee on Lamp Ballasts, C82. Approval of the Standard does not necessarily imply that all work group Members voted for its approval.

This Standard is a reaffirmation of ANSI C82.6-2015.

CONTENTS

Foreword	ii
1 Scope.....	1
1.1 Patent Disclaimer	1
2 Normative References	1
3 Definitions.....	1
4 General Conditions for Electrical Performance Tests	2
4.1 Power Supply	2
4.2 Ballast Conditions	2
4.3 Lamp Position.....	2
4.4 Lamp Stabilization	2
4.4.1 Lamp Precondition	2
4.4.2 Basic Stabilization Method.....	2
4.4.3 Alternative Stabilization Method (Electronic Ballasts)	3
4.5 Instrumentation.....	3
4.5.1 Accuracy	3
4.5.2 Impedance Limitations	4
4.5.3 Connection of Analog Instruments in the Circuit	4
4.5.4 Root-Mean-Square (rms) Measurements	4
4.5.5 Peak Measurements	5
4.5.6 Current THD Measurement	5
4.5.7 Oscilloscope Requirements	5
4.5.8 Equipment to Measure Starting and Sustaining Parameters	5
5 Reference-Ballast Circuits	6
5.1 Reference-Ballast Characteristics.....	6
5.2 Adjustment and Test	6
5.3 Ballast and Instrument Connections	6
6 Ballast Measurements (Multiple Supply-type Ballasts)	6
6.1 Input Circuit Measurements	6
6.1.1 Starting Conditions.....	6
6.1.2 Operating Conditions	6
6.2 Output (Lamp) Circuit Measurements	6
6.2.1 Starting Conditions.....	6
6.2.2 Operating Conditions	7
6.2.3 Resistive Load (Electromagnetic Ballast Only).....	7
6.3 Circuit Connections	7
6.3.1 Circuit and Equipment Grounding.....	7

6.4	Measurement of Sustaining Parameters of Peak Lead High-Intensity Discharge Lamp Magnetic Ballasts	8
6.4.1	Current Slope and Off-time Measurements	8
6.4.2	Current Overshoot Measurement	8
6.4.3	Sustaining Voltage Measurements	8
6.4.4	Peak Current	9
6.5	Open Circuit Voltage	9
6.5.1	Electromagnetic Ballast	9
6.5.2	Electronic Ballast with Superimposed Ignition Open Circuit Voltage	9
6.5.3	Electronic Ballast Open Circuit Voltage—Non-Superimposed Resonant Ignition	11
6.6	Electronic Ballast—Pulse Burst Ignition Open Circuit Voltage—Non-Superimposed Ignition	11
6.7	Measurement of Starting Pulse and Pulse Burst Parameters	12
6.7.1	Ignitor Electrical Characteristics	12
6.8	Input Current and Power	13
6.8.1	Current	13
6.8.2	Current THD	14
6.8.3	Power	14
6.9	Electronic Ballast Starting and Run Up current	14
6.9.1	Starting and Run Up Current Testing Starting Point	15
6.9.2	Starting and Run Up Current Testing Finishing Point	15
6.10	Lamp Operating Limits	15
6.10.1	Lamp Voltage	15
6.10.2	Lamp Current	15
6.10.3	Lamp Power	16
6.11	Regulation	16
6.12	Extinction Voltage Test	17
6.12.1	Preferred Method	17
6.12.2	Alternate Method (No Reference Lamp Available)	17
6.13	Lamp Current Crest Factor	17
6.14	Ballast Power Loss	17
6.15	Input Power Factor	18
6.16	Ballast Factor	18
6.17	Hot Re-strike Time	18
6.18	Ballast Efficiency	18
6.19	Rise and Fall Time Measurement	18
6.19.1	Rise and Fall Time Generic Method of Measurement	18
6.19.2	Rise and Fall Time Linear Modeling Method of Measurement	19
7	Mercury Lamp Constant Current Series Supply-type Transformer Measurements	19
7.1	Input Circuit Measurements	19

7.1.1	Starting Conditions.....	19
7.1.2	Operating Conditions	19
7.2	Output (Lamp) Circuit Measurements	19
7.2.1	Starting Conditions.....	19
7.2.2	Operating Conditions	19
7.3	Power Supply	20
7.4	Transformer Input Connections.....	20
7.5	Lamp Operating Limits	20
7.6	Lamp Current Crest Factor	20
7.7	Ballast Power Loss.....	20
8	Leakage Current Measurement.....	20
8.1	General.....	20
9	Temperature Rise Test (Bench Test)	20
9.1	Electromagnetic Ballast, Rise Test (Bench Test).....	20
10	Dielectric Tests.....	20
10.1	General.....	20
10.2	Applied Potential Test (Hi Pot).....	20
10.3	Outdoors Transient Insulation Level (TIL) Test.....	20
10.3.1	Reactor Ballasts—Normal Power Factor	21
10.3.2	Reactor Ballasts—High Power Factor	21
10.3.3	Autotransformer Ballasts—Normal Power Factor (Lag)	21
10.3.4	Autotransformer Ballasts—High Power Factor (Lag)	21
10.3.5	Autotransformer Ballasts—Lead Type.....	21
10.3.6	Capacitors Used across Input Terminals of the Ballast.....	21
10.3.7	Insulated Winding Ballasts.....	22
10.4	Indoors Transients, Ring Wave Test.....	22
11	End of Lamp Life Protection	22
11.1	High Lamp Voltage Shutdown.....	22
12	Spectral Power Ratio	22
13	Peak Current Ratio	23
14	DC Current	23
15	High-frequency Ripple Current.....	24
16	Inrush Current (NEMA 410 Applies)	24
16.1	Indirect Verification.....	24
16.2	Inrush Current Model Basics.....	24
16.3	Inrush Current Model Calibration	24
16.3.1	Procedure	24
16.3.2	Analysis.....	25

16.3.3 Simulation Execution	25
16.4 Direct Testing Measurement	25
ANNEX A... Low-Frequency Electronic Reference Ballast	51

Figures

Figure 1 HID Magnetic Reference Ballast	26
Figure 2 Multiple-circuit Ballast Test Connections.....	27
Figure 3 Current Slope (di/dt) and Off Time (OT).....	28
Figure 4 Overshoot (OS)	29
Figure 5 Sustaining Voltage Measurement Wiring Diagram.....	30
Figure 6 Sustaining Voltage (V_{ss})	31
Figure 7 and Figure 8 Ballast Measurement Test Setup	32
Figure 9 Impulse Test Circuit for Reactor Ballasts	33
Figure 10 Impulse Test Circuit for Autotransformer Ballasts	33
Figure 11 Impulse Test Circuit for Autotransformer Ballasts—Lead Type	34
Figure 12 Impulse Test Circuit for Capacitors Used for Power Factor Correction	34
Figure 13 Impulse Test Circuit for Insulated Winding Ballasts	35
Figure 14 Peak Current Measurement Current Transformer.....	36
Figure 15 Peak Current Measurement Voltage Differential Probe Method	37
Figure 16 Superimposed Ignitor Pulses on Top of OCV eHID Ballast	38
Figure 17 Resonant Ignition eHID	39
Figure 18 LFSW Open Circuit Voltage	40
Figure 19 SPR Testing Method	41
Figure 20 Inrush Current One-Ballast and Multiple-Ballast Models	42
Figure 21 Pulse Height	43
Figure 22 Pulse Aggregation	44
Figure 23 Rise and Fall Times	45
Figure 24 Digital Calculation of Rise and Fall Times	46
Figure 25 Blackman Filter and SPR	47
Figure 26 100 ms FFT Window	48
Figure 27 199 Overlapping 1 ms Windows.....	48
Figure 28 Peak Current Ratio	49
Figure 29 High-frequency Ripple Current.....	50

1 Scope

This Standard describes the procedures to be followed and the precautions to be taken in measuring performance of low-frequency ballasts (electromagnetic and electronic ballasts that operate at less than 400 Hz) for high-intensity discharge (HID) lamps. Deviations from the procedures given in this Standard are permissible for production or other testing provided that the methods used give results in substantial agreement with the method given herein. In case of doubt, reference shall be made to the specified methods to establish the validity of the results obtained by any alternate procedure.

1.1 Patent Disclaimer

It is possible that some of the elements of this document may be the subject of patent rights. When this document was approved for publication, NEMA did not know of any patent applications, patents pending, or existing patents. NEMA shall not be held responsible for identifying any or all such patent rights.

2 Normative References

The following Standards contain provisions, which, through reference in this text, constitute provisions of this American National Standard. At the time of publication, the editions indicated were valid. All Standards are subject to revision, and parties to agreements based on this American National Standard are encouraged to investigate the possibility of applying the most recent editions of the Standards indicated below.

ANSI C78.40-2011, *Mercury Lamps—Specifications*

ANSI C78.42-2007, *High-Pressure Sodium Lamps*

ANSI C78.43-2013 *Single-Ended Metal Halide Lamps*

ANSI C78.44-2008 *Double-Ended Metal Halide Lamps*

ANSI C78.389-2004, *High-Intensity Discharge—Methods of Measuring Characteristics*

ANSI C82.4-2002, *Ballasts for High-Intensity Discharge and Low-Pressure Sodium Lamps (Multiple Supply Type)*

ANSI C82.5-2010, *Reference Ballasts for High-Intensity Discharge Lamps*

ANSI C82.7-1983, *Mercury Lamp Transformers—Constant Current (Series) Supply Type*

ANSI C82.9-1996, *Definitions for High-Intensity Discharge and Low-Pressure Sodium Lamps, Ballasts, and Transformers*

ANSI C84.1-1995, *for Electric Power System and Equipment, Voltage Ratings (60 Hz)*

ANSI C92.1-1982, *Power Systems—Insulation Coordination*

ANSI/IEEE 100-1984, *Dictionary of Electrical and Electronic Terms*

ANSI/UL 1029-2001, *High-Intensity Discharge Lamp Ballasts*

3 Definitions

Definitions of terms that apply specifically to the subject treated in this Standard are given in ANSI C82.9 and C92.1. For additional definitions, see ANSI/IEEE 100.