

PD IEC/TR 61547-1:2015



BSI Standards Publication

# Equipment for general lighting purposes — EMC immunity requirements

Part 1: An objective voltage fluctuation immunity test method

**bsi.**

...making excellence a habit.™

### **National foreword**

This Published Document is the UK implementation of IEC/TR 61547-1:2015.

The UK participation in its preparation was entrusted to Technical Committee CPL/34, Lamps and Related Equipment.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.

Published by BSI Standards Limited 2015

ISBN 978 0 580 87892 3

ICS 29.140.20

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 May 2015.

### **Amendments/corrigenda issued since publication**

<b>Date</b>	<b>Text affected</b>
-------------	----------------------

---



# TECHNICAL REPORT



---

## Equipment for general lighting purposes – EMC immunity requirements – Part 1: An objective voltage fluctuation immunity test method

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

ICS 29.140.20

ISBN 978-2-8322-2649-0

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD .....	4
INTRODUCTION .....	6
1 Scope .....	7
2 Normative references .....	7
3 Terms, definitions, abbreviations and symbols .....	7
3.1 Terms and definitions .....	7
3.2 Abbreviations .....	9
3.3 Symbols .....	9
4 General .....	10
5 Voltage fluctuation disturbance signal .....	10
5.1 General .....	10
5.2 Mains signal parameters .....	12
5.3 Disturbance signal parameters and test levels .....	13
6 Test setup and equipment .....	14
6.1 General .....	14
6.2 Test voltage .....	14
6.3 Optical test environment .....	15
6.4 Light sensor and amplifier .....	15
6.5 Signals to be measured .....	15
6.6 Signal processing .....	16
6.6.1 Anti-aliasing filter .....	16
6.6.2 Sampling frequency .....	16
6.6.3 Signal resolution .....	18
7 Verification procedure .....	18
7.1 General .....	18
7.2 Light flickermeter .....	18
7.3 Mains voltage parameters without modulation .....	18
7.3.1 Nominal voltage level .....	18
7.3.2 Mains frequency .....	19
7.4 Voltage fluctuation level .....	19
7.4.1 General .....	19
7.4.2 Option 1: measure the actual modulation frequencies and voltage levels .....	19
7.4.3 Option 2: measure $P_{St}$ -values using a flickermeter .....	19
7.5 Light sensor and amplifier .....	19
7.6 Test environment .....	20
7.7 Light flicker noise .....	20
8 Test procedure .....	20
9 Conditions during testing .....	20
10 Evaluation of the test result .....	21
11 Test report .....	21
Annex A (informative) Specification of the light flickermeter .....	23
A.1 The voltage flickermeter .....	23
A.2 Specification of the light flickermeter .....	24
A.2.1 General .....	24
A.2.2 Block a: illuminance adapter .....	24

A.2.3	Block b: weighting filters .....	24
A.2.4	Block c: squaring multiplier, sliding mean filter and scaling .....	25
A.2.5	Block d: statistical analysis .....	25
A.3	Verification of the light flickermeter .....	26
Annex B (informative)	Uncertainty considerations .....	27
B.1	General.....	27
B.2	General symbols .....	27
B.3	Measurand.....	27
B.4	Influence quantities.....	27
B.5	Uncertainty budget.....	29
B.6	Reference document.....	29
Annex C (informative)	Examples of a test result.....	31
C.1	EUTs .....	31
C.2	Recorded signals .....	31
C.3	Results .....	34
Bibliography	.....	36
Figure 1	– The full EMC approach for mains voltage fluctuations .....	11
Figure 2	– Definition of the mains test signal including a rectangular modulated voltage fluctuation (see Equation (1)).....	12
Figure 3	– Block diagram voltage-fluctuation immunity test .....	14
Figure 4	– Example of a recorded mains voltage fluctuation and illuminance signal of a 60 W incandescent lamp .....	17
Figure A.1	– Structure of the IEC 61000-4-15 flickermeter which uses voltage as input.....	23
Figure A.2	– Structure of the light flickermeter .....	23
Figure C.1	– EUT1: recorded signals (no mains voltage modulation).....	32
Figure C.2	– EUT1: recorded signals (with modulation).....	33
Figure C.3	– EUT2: relative illuminance: mains voltage modulation $d = 0,407\%$ at 13,5 Hz ( $P_{st} = 1$ ).....	34
Figure C.4	– EUT3: relative illuminance: mains voltage modulation $d = 0,407\%$ at 13,5 Hz ( $P_{st} = 1$ ).....	34
Figure C.5	– Graphical $P_{st}$ results for three EUTs with rectangular modulation at five frequencies ( $P_{st} = 1$ ).....	35
Table 1	– Voltage fluctuations – Test specification of voltage fluctuations applied at input a.c. power ports 230 V; 50 Hz .....	13
Table A.1	– Test specification of illuminance fluctuations for lightmeter classifier .....	26
Table B.1	– $P_{st}$ influence quantities and their recommended tolerances.....	28
Table B.2	– Uncertainty budget of the voltage fluctuation immunity test .....	30
Table C.1	– Numerical results $P_{st}$ calculations for three EUTs with and without modulation .....	35

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

## **EQUIPMENT FOR GENERAL LIGHTING PURPOSES – EMC IMMUNITY REQUIREMENTS –**

### **Part 1: An objective voltage fluctuation immunity test method**

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 61547-1, which is a technical report, has been prepared by subcommittee 34: Lamps and related equipment.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
34/212/DTR	34/220A/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61547 series, published under the general title *Equipment for general lighting purposes – EMC immunity requirements*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

Flicker perception, and the associated IEC 61000-3-3 standard for voltage fluctuations and the flickermeter IEC 61000-4-15, is based on the 60 W incandescent lamp. As a result of the phasing out of incandescent lamps and the widespread introduction of alternative lighting equipment technologies, a new reference lamp was considered. It has been demonstrated that new lighting technologies are in general less but sometimes also more sensitive to supply voltage fluctuations than the current 60 W incandescent lamp. CIGRE working group C4.111 has assessed the impact of new lighting technologies on the existing flicker standards. Most likely, the present flicker sensitivity curve of IEC 61000-3-3 will stay as the reference, but because of the increased diversity of sensitivity of lighting equipment to voltage fluctuations, there is a future need for a voltage-fluctuation immunity test specifically for lighting equipment. In this way, the full-EMC approach (Figure 1) is introduced for flicker, i.e. limit voltage fluctuations caused by equipment connected to the grid, and in addition establish a minimum level of flicker immunity of lighting equipment against these voltage fluctuations.

This technical report provides an objective method and procedure for testing the immunity of lighting equipment against mains voltage fluctuations. With this technical report, the lighting industry can gain experience with the flicker immunity test. Results of actual tests will be reported separately in IEC TR 61547-2.

Based on the experience with this immunity test method, the adoption of a similar test in the immunity standard for lighting equipment IEC 61547 will be considered.

## **EQUIPMENT FOR GENERAL LIGHTING PURPOSES – EMC IMMUNITY REQUIREMENTS –**

### **Part 1: An objective voltage fluctuation immunity test method**

#### **1 Scope**

This Part of 61547, which is a Technical Report, establishes an objective method and procedure for testing the immunity performance of lighting equipment against voltage fluctuation disturbances on the a.c. power port.

The object of this Technical Report is to establish a common and objective reference for evaluating the immunity of lighting equipment in terms of illuminance flicker when subjected to mains voltage fluctuations. Temporal changes in the colour of the light (chromatic flicker) are not considered in this test.

This method and procedure can be applied to lighting equipment which is within the scope of IEC technical committee 34, such as lamps and luminaires, intended for connection to a low voltage electricity supply. Independent auxiliaries such as drivers can be tested also by application of a representative light source to that auxiliary.

The method and procedure described in this technical report are based on the IEC 61000-3-3 standard for voltage fluctuation limits and the flickermeter standard IEC 61000-4-15.

The test method described in this report applies to lighting equipment rated for 230 V a.c. and 50 Hz (for verification purposes).

NOTE The principle of the method can be applied for other nominal voltage and frequency ratings.

#### **2 Normative references**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61000-3-3:2013, *Electromagnetic compatibility (EMC) – Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current  $\leq 16$  A per phase and not subject to conditional connection*

IEC 61000-4-15:2010, *Electromagnetic compatibility (EMC) – Part 4-15: Testing and measurement techniques – Flickermeter – Functional and design specifications*

#### **3 Terms, definitions, abbreviations and symbols**

##### **3.1 Terms and definitions**

For the purposes of this document, the terms and definitions given in IEC 61000-3-3, IEC 61000-4-15 and the following apply.