

SECTION VIII

Rules for Construction of Pressure Vessels

2017

ASME Boiler and
Pressure Vessel Code
An International Code

Division 2
Alternative Rules

Markings such as “ASME,” “ASME Standard,” or any other marking including “ASME,” ASME logos, or the Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code or Standard. Use of ASME’s name, logos, or Certification Mark requires formal ASME certification; if no certification program is available, such ASME markings may not be used. (For Certification and Accreditation Programs, see <https://www.asme.org/shop/certification-accreditation>.)

Items produced by parties not formally certified by ASME may not be described, either explicitly or implicitly, as ASME certified or approved in any code forms or other document.

AN INTERNATIONAL CODE

2017 ASME Boiler & Pressure Vessel Code

2017 Edition

July 1, 2017

VIII

RULES FOR CONSTRUCTION OF PRESSURE VESSELS

Division 2

Alternative Rules

ASME Boiler and Pressure Vessel Committee
on Pressure Vessels



The American Society of
Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: July 1, 2017

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME collective membership mark



Certification Mark

The above ASME symbol is registered in the U.S. Patent Office.

“ASME” is the trademark of The American Society of Mechanical Engineers.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 56-3934
Printed in the United States of America

Adopted by the Council of The American Society of Mechanical Engineers, 1914; latest edition 2017.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2017 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved

TABLE OF CONTENTS

List of Sections	xvi
Foreword	xviii
Statement of Policy on the Use of the Certification Mark and Code Authorization in Advertising	xx
Statement of Policy on the Use of ASME Marking to Identify Manufactured Items	xx
Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees	xxi
Personnel	xxiv
Summary of Changes	xliii
List of Changes in Record Number Order	lii
Cross-Referencing and Stylistic Changes in the Boiler and Pressure Vessel Code	lvi
Part 1	
General Requirements	1
1.1 General	1
1.2 Scope	1
1.3 Standards Referenced by This Division	4
1.4 Units of Measurement	4
1.5 Tolerances	5
1.6 Technical Inquiries	5
1.7 Tables	5
Annex 1-B Definitions	7
Annex 1-C Guidance for the Use of U.S. Customary and SI Units in the ASME Boiler and Pressure Vessel Codes	9
Part 2	
Responsibilities and Duties	15
2.1 General	15
2.2 User Responsibilities	15
2.3 Manufacturer's Responsibilities	17
2.4 The Inspector	19
Annex 2-A Guide for Certifying a User's Design Specification	21
Annex 2-B Guide for Certifying a Manufacturer's Design Report	23
Annex 2-C Report Forms and Maintenance of Records	25
Annex 2-D Guide for Preparing Manufacturer's Data Reports	28
Annex 2-E Quality Control System	41
Annex 2-F Contents and Method of Stamping	44
Annex 2-G Obtaining and Using Certification Mark Stamps	49
Annex 2-H Guide to Information Appearing on the Certificate of Authorization	51
Annex 2-I Establishing Governing Code Editions and Cases for Pressure Vessels and Parts	54
Part 3	
Materials Requirements	55
3.1 General Requirements	55
3.2 Materials Permitted for Construction of Vessel Parts	55
3.3 Supplemental Requirements for Ferrous Materials	61
3.4 Supplemental Requirements for Cr-Mo Steels	63
3.5 Supplemental Requirements for Q&T Steels With Enhanced Tensile Properties	65
3.6 Supplemental Requirements for Nonferrous Materials	65

3.7	Supplemental Requirements for Bolting	67
3.8	Supplemental Requirements for Castings	69
3.9	Supplemental Requirements for Hubs Machined From Plate	71
3.10	Material Test Requirements	72
3.11	Material Toughness Requirements	74
3.12	Allowable Design Stresses	86
3.13	Strength Parameters	86
3.14	Physical Properties	86
3.15	Design Fatigue Curves	86
3.16	Design Values for Temperatures Colder Than -30°C (-20°F)	86
3.17	Nomenclature	86
3.18	Definitions	87
3.19	Tables	87
3.20	Figures	96
Annex 3-A	Allowable Design Stresses	121
Annex 3-B	Requirements for Material Procurement	142
Annex 3-C	ISO Material Group Numbers	143
Annex 3-D	Strength Parameters	144
Annex 3-E	Physical Properties	151
Annex 3-F	Design Fatigue Curves	152
Part 4	Design by Rule Requirements	169
4.1	General Requirements	169
4.2	Design Rules for Welded Joints	175
4.3	Design Rules for Shells Under Internal Pressure	207
4.4	Design of Shells Under External Pressure and Allowable Compressive Stresses	235
4.5	Design Rules for Openings in Shells and Heads	259
4.6	Design Rules for Flat Heads	292
4.7	Design Rules for Spherically Dished Bolted Covers	301
4.8	Design Rules for Quick-Actuating (Quick-Opening) Closures	310
4.9	Design Rules for Braced and Stayed Surfaces	312
4.10	Design Rules for Ligaments	315
4.11	Design Rules for Jacketed Vessels	320
4.12	Design Rules for Noncircular Vessels	335
4.13	Design Rules for Layered Vessels	383
4.14	Evaluation of Vessels Outside of Tolerance	401
4.15	Design Rules for Supports and Attachments	402
4.16	Design Rules for Flanged Joints	419
4.17	Design Rules for Clamped Connections	444
4.18	Design Rules for Shell-and-Tube Heat Exchangers	453
4.19	Design Rules for Bellows Expansion Joints	513
4.20	Design Rules for Flexible Shell Element Expansion Joints	547
Annex 4-A	551
Annex 4-B	Guide for the Design and Operation of Quick-Actuating (Quick-Opening) Closures ...	552
Annex 4-C	Basis for Establishing Allowable Loads for Tube-to-Tubesheet Joints	555
Annex 4-D	Guidance to Accommodate Loadings Produced by Deflagration	563
Annex 4-E	Tube Expanding Procedures and Qualification	565
Part 5	Design by Analysis Requirements	575
5.1	General Requirements	575
5.2	Protection Against Plastic Collapse	576
5.3	Protection Against Local Failure	581

5.4	Protection Against Collapse From Buckling	582
5.5	Protection Against Failure From Cyclic Loading	583
5.6	Supplemental Requirements for Stress Classification in Nozzle Necks	595
5.7	Supplemental Requirements for Bolts	595
5.8	Supplemental Requirements for Perforated Plates	596
5.9	Supplemental Requirements for Layered Vessels	596
5.10	Experimental Stress Analysis	596
5.11	Fracture Mechanics Evaluations	596
5.12	Definitions	597
5.13	Nomenclature	599
5.14	Tables	603
5.15	Figures	611
Annex 5-A	Linearization of Stress Results for Stress Classification	614
Annex 5-B	Histogram Development and Cycle Counting for Fatigue Analysis	631
Annex 5-C	Alternative Plasticity Adjustment Factors and Effective Alternating Stress for Elastic Fatigue Analysis	634
Annex 5-D	Stress Indices	639
Annex 5-E	Design Methods for Perforated Plates Based on Elastic Stress Analysis	646
Annex 5-F	Experimental Stress and Fatigue Analysis	678
Part 6	Fabrication Requirements	685
6.1	General Fabrication Requirements	685
6.2	Welding Fabrication Requirements	690
6.3	Special Requirements for Tube-to-Tubesheet Welds	695
6.4	Preheating and Heat Treatment of Weldments	695
6.5	Special Requirements for Clad or Weld Overlay Linings, and Lined Parts	701
6.6	Special Requirements for Tensile Property Enhanced Q&T Ferritic Steels	702
6.7	Special Requirements for Forged Fabrication	707
6.8	Special Fabrication Requirements for Layered Vessels	711
6.9	Special Fabrication Requirements for Expansion Joints	713
6.10	Nomenclature	714
6.11	Tables	715
6.12	Figures	734
Annex 6-A	Positive Material Identification Practice	740
Part 7	Inspection and Examination Requirements	748
7.1	General	748
7.2	Responsibilities and Duties	748
7.3	Qualification of Nondestructive Examination Personnel	748
7.4	Examination of Welded Joints	748
7.5	Examination Method and Acceptance Criteria	754
7.6	Final Examination of Vessel	761
7.7	Leak Testing	761
7.8	Acoustic Emission	761
7.9	Tables	762
7.10	Figures	773
Annex 7-A	Responsibilities and Duties for Inspection and Examination Activities	788
Part 8	Pressure Testing Requirements	793
8.1	General Requirements	793
8.2	Hydrostatic Testing	795
8.3	Pneumatic Testing	796
8.4	Alternative Pressure Testing	797
8.5	Documentation	797

8.6	Nomenclature	797
Part 9	Pressure Vessel Overpressure Protection	799
9.1	General Requirements	799
9.2	Pressure Relief Valves	800
9.3	Nonreclosing Pressure Relief Devices	800
9.4	Calculation of Rated Capacity for Different Relieving Pressures and/or Fluids	800
9.5	Marking and Stamping	800
9.6	Provisions for Installation of Pressure-Relieving Devices	801
9.7	Overpressure Protection by Design	801
Annex 9-A	Best Practices for the Installation and Operation of Pressure Relief Devices	802

FIGURES

2-F.1	Form of Stamping	48
2-H.1	Sample Certificate of Authorization	53
3.1	Cr–Mo Heat Treatment Criteria	96
3.2	Typical Locations for Tensile Specimens	97
3.3	Charpy V-Notch Impact Test Requirements for Full-Size Specimens for Carbon and Low Alloy Steels as a Function of the Minimum Specified Yield Strength — Parts Not Subject to PWHT	98
3.3M	Charpy V-Notch Impact Test Requirements for Full-Size Specimens for Carbon and Low Alloy Steels as a Function of the Minimum Specified Yield Strength — Parts Not Subject to PWHT	99
3.4	Charpy V-Notch Impact Test Requirements for Full-Size Specimens for Carbon and Low Alloy Steels as a Function of the Minimum Specified Yield Strength — Parts Subject to PWHT or Nonwelded Parts	100
3.4M	Charpy V-Notch Impact Test Requirements for Full-Size Specimens for Carbon and Low Alloy Steels as a Function of the Minimum Specified Yield Strength — Parts Subject to PWHT or Nonwelded Parts	101
3.5	Illustration of Lateral Expansion in a Broken Charpy V-Notch Specimen	102
3.6	Lateral Expansion Requirements	103
3.6M	Lateral Expansion Requirements	103
3.7	Impact Test Exemption Curves — Parts Not Subject to PWHT	104
3.7M	Impact Test Exemption Curves — Parts Not Subject to PWHT	106
3.8	Impact Test Exemption Curves — Parts Subject to PWHT and Nonwelded Parts	108
3.8M	Impact Test Exemption Curves — Parts Subject to PWHT and Nonwelded Parts	110
3.9	Typical Vessel Details Illustrating the Governing Thickness	112
3.10	Typical Vessel Details Illustrating the Governing Thickness	113
3.11	Typical Vessel Details Illustrating the Governing Thickness	114
3.12	Reduction in the MDMT Without Impact Testing — Parts Not Subject to PWHT	115
3.12M	Reduction in the MDMT Without Impact Testing — Parts Not Subject to PWHT	116
3.13	Reduction in the MDMT Without Impact Testing — Parts Subject to PWHT and Nonwelded Parts	117
3.13M	Reduction in the MDMT Without Impact Testing — Parts Subject to PWHT and Nonwelded Parts	118
3.14	Orientation and Location of Transverse Charpy V-Notch Specimens	119
3.15	Weld Metal Delta Ferrite Content	120
3.16	HAZ Impact Specimen Removal	120
3-F.1	Fatigue Curve for Carbon, Low Alloy, Series 4XX, High Alloy, and High Tensile Strength Steels for Temperatures Not Exceeding 700°F — $\sigma_{uts} \leq 80$ ksi	157
3-F.1M	Fatigue Curve for Carbon, Low Alloy, Series 4XX, High Alloy, and High Tensile Strength Steels for Temperatures Not Exceeding 371°C — $\sigma_{uts} \leq 552$ MPa	157
3-F.2	Fatigue Curve for Carbon, Low Alloy, Series 4XX, High Alloy, and High Tensile Strength Steels for Temperatures Not Exceeding 700°F — $\sigma_{uts} = 115$ ksi to 130 ksi	158
3-F.2M	Fatigue Curve for Carbon, Low Alloy, Series 4XX, High Alloy, and High Tensile Strength Steels for Temperatures Not Exceeding 371°C — $\sigma_{uts} = 793$ MPa to 892 MPa	158
3-F.3	Fatigue Curve for Series 3XX High Alloy Steels, Nickel–Chromium–Iron Alloy, Nickel–Iron–Chromium Alloy, and Nickel–Copper Alloy for Temperatures Not Exceeding 800°F	159
3-F.3M	Fatigue Curve for Series 3XX High Alloy Steels, Nickel–Chromium–Iron Alloy, Nickel–Iron–Chromium Alloy, and Nickel–Copper Alloy for Temperatures Not Exceeding 427°C	159

3-F.4	Fatigue Curve for Wrought 70–30 Copper–Nickel for Temperatures Not Exceeding 700°F — $\sigma_{ys} \leq 18$ ksi	160
3-F.4M	Fatigue Curve for Wrought 70–30 Copper–Nickel for Temperatures Not Exceeding 371°C — $\sigma_{ys} \leq 134$ MPa	160
3-F.5	Fatigue Curve for Wrought 70–30 Copper–Nickel for Temperatures Not Exceeding 700°F — $\sigma_{ys} = 30$ ksi	161
3-F.5M	Fatigue Curve for Wrought 70–30 Copper–Nickel for Temperatures Not Exceeding 371°C — $\sigma_{ys} = 207$ MPa	161
3-F.6	Fatigue Curve for Wrought 70–30 Copper–Nickel for Temperatures Not Exceeding 700°F — $\sigma_{ys} = 45$ ksi	162
3-F.6M	Fatigue Curve for Wrought 70–30 Copper–Nickel for Temperatures Not Exceeding 371°C — $\sigma_{ys} = 310$ MPa	162
3-F.7	Fatigue Curve for Nickel–Chromium–Molybdenum–Iron, Alloys X, G, C-4, and C-276 for Temperatures Not Exceeding 800°F	163
3-F.7M	Fatigue Curve for Nickel–Chromium–Molybdenum–Iron, Alloys X, G, C-4, and C-276 for Temperatures Not Exceeding 427°C	164
3-F.8	Fatigue Curve for High Strength Bolting for Temperatures Not Exceeding 700°F — Maximum Nominal Stress $\leq 2.7S_M$	165
3-F.8M	Fatigue Curve for High Strength Bolting for Temperatures Not Exceeding 371°C — Maximum Nominal Stress $\leq 2.7S_M$	166
3-F.9	Fatigue Curve for High Strength Bolting for Temperatures Not Exceeding 700°F — Maximum Nominal Stress $> 2.7S_M$	168
3-F.9M	Fatigue Curve for High Strength Bolting for Temperatures Not Exceeding 371°C — Maximum Nominal Stress $> 2.7S_M$	168
4.2.1	Weld Joint Locations Typical of Categories A, B, C, D, and E	203
4.2.2	Some Bracket, Lug, and Stiffener Attachment Weld Details	203
4.2.3	Some Acceptable Methods of Attaching Stiffening Rings	205
4.2.4	Some Acceptable Skirt Weld Details	206
4.3.1	Conical Shell	228
4.3.2	Offset Transition Detail	228
4.3.3	Torispherical Head of Uniform Thickness	229
4.3.4	Torispherical Head of Different Thickness of Dome and Knuckle	229
4.3.5	Ellipsoidal Head	229
4.3.6	Local Thin Band in a Cylindrical Shell	230
4.3.7	Shells Subjected to Supplemental Loadings	231
4.3.8	Conical Transition Details	232
4.3.9	Reinforcement Requirements for Conical Transition Junction	233
4.3.10	Parameters for Knuckle and Flare Design	234
4.4.1	Lines of Support or Unsupported Length for Typical Vessel Configurations	252
4.4.2	Lines of Support or Unsupported Length for Unstiffened and Stiffened Cylindrical Shells	253
4.4.3	Stiffener Ring Parameters	254
4.4.4	Various Arrangements of Stiffening Rings for Cylindrical Vessels Subjected to External Pressure	255
4.4.5	Maximum Arc of Shell Left Unsupported Because of a Gap in the Stiffening Ring of a Cylindrical Shell Under External Pressure	256
4.4.6	Lines of Support or Unsupported Length for Unstiffened and Stiffened Conical Shells	257
4.4.7	Lines of Support or Unsupported Length for Unstiffened and Stiffened Conical Shell Transitions With or Without a Knuckle	258
4.5.1	Nomenclature for Reinforced Openings	280
4.5.2	Nomenclature for Variable Thickness Openings	281
4.5.3	Radial Nozzle in a Cylindrical Shell	282
4.5.4	Hillside Nozzle in a Cylindrical Shell	283
4.5.5	Nozzle in a Cylindrical Shell Oriented at an Angle From the Longitudinal Axis	284
4.5.6	Radial Nozzle in a Conical Shell	285
4.5.7	Nozzle in a Conical Shell Oriented Perpendicular to the Longitudinal Axis	286
4.5.8	Nozzle in a Conical Shell Oriented Parallel to the Longitudinal Axis	287
4.5.9	Radial Nozzle in a Formed Head	288

4.5.10	Hillside or Perpendicular Nozzle in a Spherical Shell or Formed Head	289
4.5.11	Example of Two Adjacent Nozzle Openings	290
4.5.12	Example of Three Adjacent Nozzle Openings	290
4.5.13	Metal Area Definition for A_2 With Variable Thickness of Set-in Nozzles	291
4.5.14	Metal Area Definition for A_2 With Variable Thickness of Set-on Nozzles	292
4.6.1	Integral Flat Head With a Large Central Opening	301
4.7.1	Type A Dished Cover With a Bolting Flange	308
4.7.2	Type B Spherically Dished Cover With a Bolting Flange	309
4.7.3	Type C Spherically Dished Cover With a Bolting Flange	309
4.7.4	Type D Spherically Dished Cover With a Bolting Flange	310
4.7.5	Type D Head Geometry for Alternative Design Procedure	310
4.9.1	Typical Forms of Welded Staybolts	314
4.10.1	Example of Tube Spacing With the Pitch of Holes Equal in Every Row	316
4.10.2	Example of Tube Spacing With the Pitch of Holes Unequal in Every Second Row	316
4.10.3	Example of Tube Spacing With the Pitch of Holes Varying in Every Second and Third Row	317
4.10.4	Example of Tube Spacing With the Tube Holes on Diagonal Lines	317
4.10.5	Diagram for Determining the Efficiency of Longitudinal and Diagonal Ligaments Between Openings in Cylindrical Shells	318
4.10.6	Diagram for Determining the Equivalent Efficiency of Diagonal Ligaments Between Openings in Cylindrical Shells	319
4.11.1	Types of Jacketed Vessels	333
4.11.2	Types of Partial Jackets	334
4.11.3	Half Pipe Jackets	335
4.12.1	Type 1 Noncircular Vessels	369
4.12.2	Type 2 Noncircular Vessels	370
4.12.3	Type 3 Noncircular Vessels	371
4.12.4	Type 4 Noncircular Vessels	372
4.12.5	Type 5 Noncircular Vessels	373
4.12.6	Type 6 Noncircular Vessels	374
4.12.7	Type 6 Noncircular Vessels	375
4.12.8	Type 7 Noncircular Vessels	376
4.12.9	Type 8 Noncircular Vessels	377
4.12.10	Type 9 Noncircular Vessels	378
4.12.11	Type 10 Noncircular Vessels	379
4.12.12	Type 11 Noncircular Vessels	380
4.12.13	Type 12 Noncircular Vessels	381
4.12.14	Multi-Diameter Holes	381
4.12.15	Rectangular Vessels With Multiple Compartments	382
4.13.1	Some Acceptable Layered Shell Types	389
4.13.2	Some Acceptable Layered Head Types	390
4.13.3	Transitions of Layered Shell Sections	391
4.13.4	Some Acceptable Welded Joints of Layered-to-Layered and Layered-to-Solid Sections	392
4.13.5	Some Acceptable Solid Head Attachments to Layered Shell Sections	393
4.13.6	Some Acceptable Flat Heads and Tubesheets With Hubs Joining Layered Shell Sections	395
4.13.7	Some Acceptable Flanges for Layered Shells	396
4.13.8	Some Acceptable Layered Head Attachments to Layered Shells	397
4.13.9	Some Acceptable Nozzle Attachments to Layered Shell Sections	398
4.13.10	Some Acceptable Supports for Layered Vessels	400
4.13.11	Gap Between Vessel Layers	401
4.14.1	LTA Blend Radius Requirements	401
4.15.1	Horizontal Vessel on Saddle Supports	411
4.15.2	Cylindrical Shell Without Stiffening Rings	412
4.15.3	Cylindrical Shell With Stiffening Rings in the Plane of the Saddle	413
4.15.4	Cylindrical Shell With Stiffening Rings on Both Sides of the Saddle	414
4.15.5	Locations of Maximum Longitudinal Normal Stress and Shear Stress in the Cylinder	415
4.15.6	Locations of Maximum Circumferential Normal Stresses in the Cylinder	416

4.15.7	Skirt Attachment Location on Vertical Vessels	417
4.15.8	A Typical Hot-Box Arrangement for Skirt Supported Vertical Vessels	418
4.16.1	Integral Type Flanges	436
4.16.2	Integral Type Flanges With a Hub	437
4.16.3	Integral Type Flanges With Nut Stops — Diameter Less Than or Equal to 450 mm (18 in.)	438
4.16.4	Integral Type Flanges With Nut Stops — Diameter Greater Than 450 mm (18 in.)	439
4.16.5	Loose Type Flanges	440
4.16.6	Loose Type Lap Joint Type Flanges	441
4.16.7	Reverse Flanges	442
4.16.8	Location of Gasket Reaction Load Diameter	443
4.17.1	Typical Hub and Clamp Configuration	452
4.17.2	Typical Clamp Lugs Configurations	453
4.18.1	Terminology of Heat Exchanger Components	498
4.18.2	Tubesheet Geometry	499
4.18.3	Typical Untubed Lane Configurations	500
4.18.4	U-Tube Tubesheet Configurations	501
4.18.5	Fixed Tubesheet Configurations	502
4.18.6	$Z_d, Z_v, Z_w,$ and Z_m Versus X_a	503
4.18.7	F_m Versus X_a ($0.0 \leq Q_3 \leq 0.8$)	504
4.18.8	F_m Versus X_a ($-0.8 \leq Q_3 \leq 0.0$)	505
4.18.9	Shell With Increased Thickness Adjacent to the Tubesheets	506
4.18.10	Floating Tubesheet Heat Exchangers	507
4.18.11	Stationary Tubesheet Configurations	508
4.18.12	Floating Tubesheet Configurations	509
4.18.13	Some Acceptable Types of Tube-to-Tubesheet Strength Welds	510
4.18.14	Tube Layout Perimeter	511
4.18.15	Integral Channels	512
4.18.16	Some Representative Configurations Describing the Minimum Required Thickness of the Tubesheet Flanged Extension, h_r	512
4.18.17	Kettle Shell	513
4.19.1	Typical Bellows Expansion Joints	534
4.19.2	Starting Points for the Measurement of the Length of Shell on Each Side of Bellows	535
4.19.3	Possible Convolution Profile in Neutral Position	536
4.19.4	Dimensions to Determine I_{xx}	536
4.19.5	Bellows Subjected to an Axial Displacement x	537
4.19.6	Bellows Subjected to a Lateral Deflection y	537
4.19.7	Bellows Subjected to an Angular Rotation θ	538
4.19.8	Cyclic Displacements	539
4.19.9	Cyclic Displacements	539
4.19.10	Cyclic Displacements	540
4.19.11	Some Typical Expansion Bellows Attachment Welds	541
4.19.12	C_p Versus C_1 and C_2	542
4.19.13	C_f Versus C_1 and C_2	543
4.19.14	C_d Versus C_1 and C_2	544
4.20.1	Typical Flexible Shell Element Expansion Joints	549
4.20.2	Typical Nozzle Attachment Details Showing Minimum Length of Straight Flange or Outer Shell Element	550
4-C.1	Some Acceptable Types of Tube-to-Tubesheet Joints	561
4-C.2	Typical Test Fixtures for Expanded or Welded Tube-to-Tubesheet Joints	562
5.1	Stress Categories and Limits of Equivalent Stress	611
5.2	Example of Girth Weld Used to Tie Layers for Solid Wall Equivalence	612
5.3	Example of Circumferential Butt Weld Attachment Between Layered Sections in Zone of Discontinuity	612
5.4	An Example of Circle Weld Used to Tie Layers for Solid Wall Equivalence	613
5-A.1	Stress Classification Line (SCL) and Stress Classification Plane (SCP)	620
5-A.2	Stress Classification Lines (SCLs)	621

5-A.3	Stress Classification Line Orientation and Validity Guidelines	622
5-A.4	Computation of Membrane and Bending Equivalent Stresses by the Stress Integration Method Using the Results From a Finite Element Model With Continuum Elements	623
5-A.5	Continuum Finite Element Model Stress Classification Line for the Structural Stress Method	624
5-A.6	Computation of Membrane and Bending Equivalent Stresses by the Structural Stress Method Using Nodal Force Results From a Finite Element Model With Continuum Elements	625
5-A.7	Processing Nodal Force Results With the Structural Stress Method Using the Results From a Finite Element Model With Three-Dimensional Second Order Continuum Elements	626
5-A.8	Processing Structural Stress Method Results for a Symmetric Structural Stress Range	627
5-A.9	Computation of Membrane and Bending Equivalent Stresses by the Structural Stress Method Using the Results From a Finite Element Model With Shell Elements	628
5-A.10	Processing Nodal Force Results With the Structural Stress Method Using the Results From a Finite Element Model With Three-Dimensional Second Order Shell Elements	629
5-A.11	Element Sets for Processing Finite Element Nodal Stress Results With the Structural Stress Method Based on Stress Integration	630
5-D.1	Direction of Stress Components	643
5-D.2	Nozzle Nomenclature and Dimensions	644
5-D.3	Nomenclature and Loading for Laterals	645
5-E.1	Perforated Plate Geometry Details	673
5-E.2	Perforated Plate Geometry Details	674
5-E.3	Boundary Conditions for Numerical Analysis	675
5-E.4	Stress Orientations for Perforated Plate With Triangular Pattern Holes	676
5-E.5	Stress Orientations for Perforated Plate With Square Pattern Holes	677
5-F.1	Construction of the Testing Parameter Ratio Diagram	683
5-F.2	Construction of the Testing Parameter Ratio Diagram for Accelerated Tests	684
6.1	Peaking Height at a Category A Joint	734
6.2	Weld Toe Dressing	735
6.3	Forged Bottle Construction	736
6.4	Solid-to-Layer and Layer-to-Layer Test Plates	737
6.5	Tensile Specimens for Layered Vessel Construction	738
6.6	Toroidal Bellows Manufacturing Tolerances	739
7.1	Examination of Layered Vessels	773
7.2	Examination of Layered Vessels	774
7.3	Aligned Rounded Indications	775
7.4	Groups of Aligned Rounded Indications	775
7.5	Charts for 3 mm ($\frac{1}{8}$ in.) to 6 mm ($\frac{1}{4}$ in.) Wall Thickness, Inclusive	776
7.6	Charts for Over 6 mm ($\frac{1}{4}$ in.) to 10 mm ($\frac{3}{8}$ in.) Wall Thickness, Inclusive	776
7.7	Charts for Over 10 mm ($\frac{3}{8}$ in.) to 19 mm ($\frac{3}{4}$ in.) Wall Thickness, Inclusive	777
7.8	Charts for Over 19 mm ($\frac{3}{4}$ in.) to 50 mm (2 in.) Wall Thickness, Inclusive	778
7.9	Charts for Over 50 mm (2 in.) to 100 mm (4 in.) Wall Thickness, Inclusive	779
7.10	Charts for Over 100 mm (4 in.) Wall Thickness	780
7.11	Single Indications	781
7.12	Multiple Planar Flaws Oriented in a Plane Normal to the Pressure-Retaining Surface	782
7.13	Surface and Subsurface Flaws	783
7.14	Nonaligned Coplanar Flaws in a Plane Normal to the Pressure-Retaining Surface	784
7.15	Multiple Aligned Planar Flaws	785
7.16	Dimension "a" for Partial Penetration and Fillet Welds	786
7.17	Dimensions "a" and "d" for a Partial Penetration Corner Weld	787

TABLES

1.1	Year of Acceptable Edition of Referenced Standards in This Division	5
1-C.1	Typical Size or Thickness Conversions for Fractions	10
1-C.2	Typical Size or Thickness Conversions	10
1-C.3	Typical Size or Length Conversions	11
1-C.4	Typical Nominal Pipe Size Conversions	11
1-C.5	Typical Area Conversions	12

1-C.6	Typical Volume Conversions	12
1-C.7	Typical Pressure Conversions	12
1-C.8	Typical Strength Conversions	13
1-C.9	Typical Temperature Conversions	13
1-C.10	Conversion Factors	14
2-A.1	Typical Certification of Compliance of the User's Design Specification	22
2-B.1	Typical Certification of Compliance of the Manufacturer's Design Report	24
2-D.1	Instructions for the Preparation of Manufacturer's Data Reports	28
2-D.2	Supplementary Instructions for the Preparation of Manufacturer's Data Reports for Layered Vessels	30
2-H.1	Instructions for the Preparation of a Certificate of Authorization	52
3.1	Material Specifications	87
3.2	Composition Requirements for 2.25Cr-1Mo-0.25V Weld Metal	87
3.3	Toughness Requirements for 2.25Cr-1Mo Materials	87
3.4	Low Alloy Bolting Materials for Use With Flanges Designed to Part 4, 4.16	88
3.5	High Alloy Bolting Materials for Use With Flanges Designed to Part 4, 4.16	89
3.6	Aluminum Alloy, Copper, and Copper Alloy Bolting Materials for Use With Flanges Designed to Part 4, 4.16	89
3.7	Nickel and Nickel Alloy Bolting Materials for Use With Flanges Designed to Part 4, 4.16	90
3.8	Bolting Materials for Use With Flanges Designed to Part 5	90
3.9	Maximum Severity Levels for Castings With a Thickness of Less Than 50 mm (2 in.)	90
3.10	Maximum Severity Levels for Castings With a Thickness of 50 mm to 305 mm (2 in. to 12 in.)	91
3.11	Charpy Impact Test Temperature Reduction Below the Minimum Design Metal Temperature	91
3.12	Charpy V-Notch Impact Test Requirements for Full-Size Specimens for Carbon and Low Alloy Steels as a Function of the Minimum Specified Yield Strength — Parts Not Subject to PWHT (See Figures 3.3 and 3.3M)	91
3.13	Charpy V-Notch Impact Test Requirements for Full-Size Specimens for Carbon and Low Alloy Steels as a Function of the Minimum Specified Yield Strength — Parts Subject to PWHT or Nonwelded Parts (See Figures 3.4 and 3.4M)	92
3.14	Impact Test Exemption Curves — Parts Not Subject to PWHT (See Figures 3.7 and 3.7M)	92
3.15	Impact Test Exemption Curves — Parts Subject to PWHT and Nonwelded Parts (See Figures 3.8 and 3.8M)	93
3.16	Reduction in the MDMT, T_R , Without Impact Testing — Parts Not Subject to PWHT (See Figures 3.12 and 3.12M)	93
3.17	Reduction in the MDMT, T_R , Without Impact Testing — Parts Subject to PWHT and Nonwelded Parts (See Figures 3.13 and 3.13M)	94
3.18	Required HAZ Impact Test Specimen Set Removal	95
3-A.1	Carbon Steel and Low Alloy Materials	122
3-A.2	Quenched and Tempered High Strength Steels	127
3-A.3	High Alloy Steel	128
3-A.4	Aluminum Alloys	133
3-A.5	Copper Alloys	134
3-A.6	Nickel and Nickel Alloys	134
3-A.7	Titanium and Titanium Alloys	137
3-A.8	Ferrous Bolting Materials for Design in Accordance With Part 4	138
3-A.9	Aluminum Alloy and Copper Alloy Bolting Materials for Design in Accordance With Part 4	139
3-A.10	Nickel and Nickel Alloy Bolting Materials for Design in Accordance With Part 4	140
3-A.11	Bolting Materials for Design in Accordance With Part 5	140
3-D.1	Stress-Strain Curve Parameters	147
3-D.2	Cyclic Stress-Strain Curve Data	147
3-D.2M	Cyclic Stress-Strain Curve Data	149
3-F.1	Smooth Bar Fatigue Curve Stress Amplitude Correction Equations	155
3-F.2	Coefficients for the Welded Joint Fatigue Curves	155
3-F.2M	Coefficients for the Welded Joint Fatigue Curves	156
4.1.1	Design Loads	174
4.1.2	Design Load Combinations	175

4.1.3	Load Factor, β , and Pressure Test Factors, β_T , γ_{\min} , and $\gamma_{St/S}$, for Class 1 and Class 2 Construction and Hydrostatic or Pneumatic Testing	175
4.2.1	Definition of Weld Categories	182
4.2.2	Definition of Weld Joint Types	182
4.2.3	Definition of Material Types for Welding and Fabrication Requirements	183
4.2.4	Some Acceptable Weld Joints for Shell Seams	183
4.2.5	Some Acceptable Weld Joints for Formed Heads	185
4.2.6	Some Acceptable Weld Joints for Unstayed Flat Heads, Tubesheets Without a Bolting Flange, and Side Plates of Rectangular Pressure Vessels	187
4.2.7	Some Acceptable Weld Joints With Butt Weld Hubs	188
4.2.8	Some Acceptable Weld Joints for Attachment of Tubesheets With a Bolting Flange	189
4.2.9	Some Acceptable Weld Joints for Flange Attachments	190
4.2.10	Some Acceptable Full Penetration Welded Nozzle Attachments Not Readily Radiographable	193
4.2.11	Some Acceptable Pad Welded Nozzle Attachments and Other Connections to Shells	195
4.2.12	Some Acceptable Fitting-Type Welded Nozzle Attachments and Other Connections to Shells	197
4.2.13	Some Acceptable Welded Nozzle Attachments That Are Readily Radiographable	198
4.2.14	Some Acceptable Partial Penetration Nozzle Attachments	200
4.2.15	Nozzle Necks Attached to Piping of Lesser Wall Thickness	201
4.2.16	Corner Welds for Flexible Shell Element Expansion Joints	201
4.3.1	Large End Junction	220
4.3.2	Small End Junction	221
4.3.3	Pressure Applied to Large End Junction	221
4.3.4	Equivalent Line Load Applied to Large End Junction	222
4.3.5	Pressure Applied to Small End Junction	223
4.3.6	Equivalent Line Load Applied to Small End Junction	224
4.3.7	Stress Calculations — Knuckle — Large End Cylinder	225
4.3.8	Stress Calculations — Flare — Small End Cylinder	226
4.4.1	Maximum Metal Temperature for Compressive Stress Rules	251
4.5.1	Minimum Number of Pipe Threads for Connections	279
4.5.2	Nozzle Minimum Thickness Requirements	279
4.6.1	C Parameter for Flat Head Designs	296
4.6.2	Junction Stress Equations for an Integral Flat Head With Opening	300
4.6.3	Stress Acceptance Criteria for an Integral Flat Head With Opening	300
4.7.1	Junction Stress Equations and Acceptance Criteria for a Type D Head	308
4.9.1	Stress Factor for Braced and Stayed Surfaces	313
4.11.1	Design of Closure Member of Jacket to Shell	323
4.11.2	Design of Jacket Penetration Details	329
4.11.3	Coefficients for Eq. (4.11.5)	331
4.12.1	Noncircular Vessel Configurations and Types	345
4.12.2	Stress Calculations and Acceptance Criteria for Type 1 Noncircular Vessels (Rectangular Cross Section)	346
4.12.3	Stress Calculations and Acceptance Criteria for Type 2 Noncircular Vessels (Rectangular Cross Section With Unequal Side Plate Thicknesses)	348
4.12.4	Stress Calculations and Acceptance Criteria for Type 3 Noncircular Vessels (Chamfered Rectangular Cross Section)	350
4.12.5	Stress Calculations and Acceptance Criteria for Type 4 Noncircular Vessels (Reinforced Rectangular Cross Section)	351
4.12.6	Stress Calculations and Acceptance Criteria for Type 5 Noncircular Vessels (Reinforced Rectangular Cross Section With Chamfered Corners)	353
4.12.7	Stress Calculations and Acceptance Criteria for Type 6 Noncircular Vessels (Reinforced Octagonal Cross Section With Chamfered Corners)	356
4.12.8	Stress Calculations and Acceptance Criteria for Type 7 Noncircular Vessels (Rectangular Cross Section With Single-Stay Plate or Multiple Bars)	360
4.12.9	Stress Calculations and Acceptance Criteria for Type 8 Noncircular Vessels (Rectangular Cross Section With Double-Stay Plate or Multiple Bars)	361

4.12.10	Stress Calculations and Acceptance Criteria for Type 9 Noncircular Vessels (Obround Cross Section)	362
4.12.11	Stress Calculations and Acceptance Criteria for Type 10 Noncircular Vessels (Reinforced Obround Cross Section)	363
4.12.12	Stress Calculations and Acceptance Criteria for Type 11 Noncircular Vessels (Obround Cross Section With Single-Stay Plate or Multiple Bars)	365
4.12.13	Stress Calculations and Acceptance Criteria for Type 12 Noncircular Vessels (Circular Cross Section With Single-Stay Plate)	366
4.12.14	Effective Width Coefficient	367
4.12.15	Compressive Stress Calculations	368
4.15.1	Stress Coefficients for Horizontal Vessels on Saddle Supports	410
4.16.1	Gasket Factors for Determining the Bolt Loads	425
4.16.2	Recommended Minimum Gasket Contact Width	426
4.16.3	Effective Gasket Width for Determining the Bolt Loads	427
4.16.4	Flange Stress Factors Equations Involving Diameter	429
4.16.5	Flange Stress Factor Equations	431
4.16.6	Moment Arms for Flange Loads for the Operating Condition	433
4.16.7	Flange Moments of Inertia	433
4.16.8	Flange Stress Equations	434
4.16.9	Flange Stress Acceptance Criteria	434
4.16.10	Flange Rigidity Criterion	435
4.16.11	Bolt Spacing Equations	435
4.17.1	Flange Stress Equations	450
4.17.2	Flange Stress Acceptance Criteria	451
4.18.1	Effective Elastic Modulus and Poisson's Ratio for a Perforated Plate With an Equilateral Triangular Hole Pattern	492
4.18.2	Effective Elastic Modulus and Poisson's Ratio for a Perforated Plate With a Square Hole Pattern	493
4.18.3	Evaluation of Z_a , Z_d , Z_v , Z_w , Z_m , and F_m	494
4.18.4	Evaluation of $F_{t,min}$ and $F_{t,max}$	495
4.18.5	Flexible Shell Element Expansion Joint Load Cases and Stress Limits	496
4.18.6	Tubesheet Effective Bolt Load, W^*	496
4.18.7	Load Combinations Required to Evaluate the Heat Exchanger for the Design Condition	496
4.18.8	Load Combinations Required to Evaluate the Heat Exchanger for Each Operating Condition x ..	497
4.18.9	Load Combinations Required to Evaluate the Heat Exchanger for Each Operating Condition x ..	497
4.19.1	Maximum Design Temperatures for Application of the Rules of 4.19	524
4.19.2	Stress Calculations and Acceptability Criteria for U-Shaped Unreinforced Bellows Subject to Internal Pressure	525
4.19.3	Method to Determine Coefficient C_p	526
4.19.4	Method to Determine Coefficient C_f	527
4.19.5	Method to Determine Coefficient C_d	527
4.19.6	Allowable Number of Cycles for U-Shaped Unreinforced Bellows	528
4.19.7	Stress Calculations and Acceptability Criteria for U-Shaped Reinforced Bellows Subject to Internal Pressure	529
4.19.8	Allowable Number of Cycles for U-Shaped Reinforced Bellows	530
4.19.9	Stress Calculations and Acceptability Criteria for Toroidal Bellows Subject to Internal Pressure	531
4.19.10	Stress and Axial Stiffness Coefficients for Toroidal Bellows	531
4.19.11	Allowable Number of Cycles for Toroidal Bellows	532
4-C.1	Efficiencies for Welded and/or Expanded Tube-to-Tubesheet Joints	559
TEXP-1	Instructions for Filling Out TEPS Form	571
5.1	Loads and Load Cases to Be Considered in a Design	603
5.2	Load Descriptions	603
5.3	Load Case Combinations and Allowable Stresses for an Elastic Analysis	604
5.4	Load Case Combinations and Load Factors for a Limit-Load Analysis	605
5.5	Load Case Combinations and Load Factors for an Elastic-Plastic Analysis	605
5.6	Examples of Stress Classification	606
5.7	Uniaxial Strain Limit for Use in Multiaxial Strain Limit Criterion	608

5.8	Temperature Factors for Fatigue-Screening Criteria	608
5.9	Fatigue-Screening Criteria for Method A	609
5.10	Fatigue-Screening Criteria Factors for Method B	609
5.11	Weld Surface Fatigue-Strength-Reduction Factors	609
5.12	Weld Surface Fatigue-Strength-Reduction Factors	609
5.13	Fatigue Penalty Factors for Fatigue Analysis	610
5-A.1	Structural Stress Definitions for Continuum Finite Elements	618
5-A.2	Structural Stress Definitions for Shell or Plate Finite Elements	619
5-D.1	Stress Indices for Nozzles in Spherical Shells and Portions of Formed Heads	641
5-D.2	Stress Indices for Nozzles in Cylindrical Shells	641
5-D.3	Stress Indices for Laterals	642
5-E.1	Values of E^* for Perforated Tubesheets With an Equilateral Triangular Pattern	654
5-E.2	Values of ν^* for Perforated Tubesheets With an Equilateral Triangular Pattern	654
5-E.3	Values of E^* for Perforated Tubesheets With a Square Pattern	655
5-E.4	Values of ν^* for Perforated Tubesheets With a Square Pattern	655
5-E.5	Effective Elastic Modulus, Poisson's Ratio, and Shear Modulus for a Perforated Plate With a Triangular Hole Pattern	656
5-E.6	Effective Elastic Modulus, Poisson's Ratio, and Shear Modulus for a Perforated Plate With a Square Hole Pattern — Pitch Direction	657
5-E.7	Effective Elastic Modulus, Poisson's Ratio, and Shear Modulus for a Perforated Plate With a Square Hole Pattern — Diagonal Direction	658
5-E.8	Orthotropic Effective Elasticity Matrix for a Perforated Plate With an Equilateral Triangular Hole Pattern	659
5-E.9	Orthotropic Effective Elasticity Matrix for a Perforated Plate With a Square Hole Pattern	660
5-E.10	Equations for Determining Stress Components Based on the Results From an Equivalent Plate Analysis for an Equilateral Rectangular Hole Pattern	661
5-E.11	Stress Factor K_x Coefficients — Triangular Hole Pattern	661
5-E.12	Stress Factor K_y Coefficients — Triangular Hole Pattern	663
5-E.13	Stress Factor K_{xy} Coefficients — Triangular Hole Pattern	664
5-E.14	Stress Factor K_{xz} Coefficients — Triangular Hole Pattern	666
5-E.15	Stress Factor K_{yz} Coefficients — Triangular Hole Pattern	667
5-E.16	Stress Factors K_x and K_y Coefficients — Rectangular Hole Pattern	668
5-E.17	Stress Factor K_{xy} — Square Hole Pattern	669
5-E.18	Stress Factors K_{xz} and K_{yz} — Square Hole Pattern	670
5-E.19	Boundary Conditions for the Numerical Analysis (See Figure 5-E.3)	672
6.1	Equations for Calculating Forming Strains	715
6.2.A	Post-Cold-Forming Strain Limits and Heat-Treatment Requirements for P-No. 15E Materials ..	715
6.2.B	Post-Fabrication Strain Limits and Required Heat Treatment for High Alloy Materials	716
6.3	Post-Fabrication Strain Limits and Required Heat Treatment for Nonferrous Materials	717
6.4	Maximum Allowable Offset in Welded Joints	717
6.5	Acceptable Welding Process and Limitations	717
6.6	Maximum Reinforcement for Welded Joints	718
6.7	Minimum Preheat Temperatures for Welding	718
6.8	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 1, Group 1, 2, 3	720
6.9	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 3, Group 1, 2, 3	721
6.10	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 4, Group 1, 2	722
6.11	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 5A; P-No. 5B, Group 1; and P-No. 5C, Group 1	723
6.11.A	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 15E, Group 1	724
6.12	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 6, Group 1, 2, 3	725

6.13	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 7, Group 1, 2; and P-No. 8	725
6.14	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 9A, Group 1, and P-No. 9B, Group 1	726
6.15	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 10A, Group 1; P-No. 10C, Group 1; P-No. 10H, Group 1; P-No. 10I, Group 1; P-No. 10K, Group 1; and P-No. 45	728
6.16	Alternative Postweld Heat Treatment Requirements	730
6.17	Postweld Heat Treatment Requirements for Quenched and Tempered Materials in Part 3, Table 3-A.2	731
6.18	Quench and Tempered Steels Conditionally Exempt From Production Impact Tests	732
6.19	High Nickel Alloy Filler for Quench and Tempered Steels	732
6.20	Mandrel Radius for Guided Bend Tests for Forged Fabrication	732
6.21	U-Shaped Unreinforced and Reinforced Bellows Manufacturing Tolerances	733
6-A.9.2-1	Technical Data Sheet for PMI	747
7.1	Examination Groups for Pressure Vessels	762
7.2	Nondestructive Examination	763
7.3	Selection of Nondestructive Testing Method for Full Penetration Joints	767
7.4	Nondestructive Examination of Layered Vessels	767
7.5	NDE Techniques, Method, Characterization, Acceptance Criteria	768
7.6	Visual Examination Acceptance Criteria	768
7.7	Radiographic Acceptance Standards for Rounded Indications (Examples Only)	770
7.8	Flaw Acceptance Criteria for Welds With Thicknesses Between 6 mm ($\frac{1}{4}$ in.) and Less Than 13 mm ($\frac{1}{2}$ in.)	770
7.9	Flaw Acceptance Criteria for Welds With Thicknesses Between 13 mm ($\frac{1}{2}$ in.) and Less Than 25 mm (1 in.)	771
7.10	Flaw Acceptance Criteria for Welds With Thicknesses Between 25 mm (1 in.) and Less Than or Equal to 300 mm (12 in.)	771
7.11	Flaw Acceptance Criteria for Welds With Thicknesses Greater Than 300 mm (12 in.)	772
7-A.1	Inspection and Examination Activities and Responsibilities/Duties	790
 FORMS		
A-1	Manufacturer's Data Report for Pressure Vessels	31
A-1P	Manufacturer's Data Report for Plate Heat Exchangers	34
A-2	Manufacturer's Partial Data Report	36
A-3	Manufacturer's Data Report Supplementary Sheet	38
A-3L	Manufacturer's Data Report Supplementary Sheet	39
A-4	Manufacturer's Data Report Supplementary Sheet Shell-and-Tube Heat Exchangers	40
4.19.1	Metric Form Specification Sheet for ASME Section VIII, Division 2 Bellows Expansion Joints, Metric Units	545
4.19.2	U.S. Customary Form Specification Sheet for ASME Section VIII, Division 2 Bellows Expansion Joints, U.S. Customary Units	546
TEXP-1	Tube Expanding Procedure Specification (TEPS)	569
TEXP-2	Suggested Format for Tube-to-Tubesheet Expanding Procedure Qualification Record for Test Qualification (TEPQR)	573

(17)

LIST OF SECTIONS

SECTIONS

- I Rules for Construction of Power Boilers

- II Materials
 - Part A — Ferrous Material Specifications
 - Part B — Nonferrous Material Specifications
 - Part C — Specifications for Welding Rods, Electrodes, and Filler Metals
 - Part D — Properties (Customary)
 - Part D — Properties (Metric)

- III Rules for Construction of Nuclear Facility Components
 - Subsection NCA — General Requirements for Division 1 and Division 2
 - Appendices
 - Division 1^{*}
 - Subsection NB — Class 1 Components
 - Subsection NC — Class 2 Components
 - Subsection ND — Class 3 Components
 - Subsection NE — Class MC Components
 - Subsection NF — Supports
 - Subsection NG — Core Support Structures
 - Division 2 — Code for Concrete Containments
 - Division 3 — Containment Systems for Transportation and Storage of Spent Nuclear Fuel and High-Level Radioactive Material
 - Division 5 — High Temperature Reactors

- IV Rules for Construction of Heating Boilers

- V Nondestructive Examination

- VI Recommended Rules for the Care and Operation of Heating Boilers

- VII Recommended Guidelines for the Care of Power Boilers

- VIII Rules for Construction of Pressure Vessels
 - Division 1
 - Division 2 — Alternative Rules
 - Division 3 — Alternative Rules for Construction of High Pressure Vessels

- IX Welding, Brazing, and Fusing Qualifications

- X Fiber-Reinforced Plastic Pressure Vessels

- XI Rules for Inservice Inspection of Nuclear Power Plant Components

- XII Rules for Construction and Continued Service of Transport Tanks

^{*} The 2015 Edition of Section III was the last edition in which Section III, Division 1, Subsection NH, *Class 1 Components in Elevated Temperature Service*, was published. The requirements located within Subsection NH were moved to Section III, Division 5, Subsection HB, Subpart B for the elevated temperature construction of Class A components.

INTERPRETATIONS

Interpretations are issued in real time in ASME's Interpretations Database at <http://go.asme.org/Interpretations>. Historical BPVC interpretations may also be found in the Database.

CODE CASES

The Boiler and Pressure Vessel Code committees meet regularly to consider proposed additions and revisions to the Code and to formulate Cases to clarify the intent of existing requirements or provide, when the need is urgent, rules for materials or constructions not covered by existing Code rules. Those Cases that have been adopted will appear in the appropriate 2017 Code Cases book: "Boilers and Pressure Vessels" or "Nuclear Components." Supplements will be sent or made available automatically to the purchasers of the Code Cases books up to the publication of the 2019 Code.

FOREWORD*

In 1911, The American Society of Mechanical Engineers established the Boiler and Pressure Vessel Committee to formulate standard rules for the construction of steam boilers and other pressure vessels. In 2009, the Boiler and Pressure Vessel Committee was superseded by the following committees:

- (a) Committee on Power Boilers (I)
- (b) Committee on Materials (II)
- (c) Committee on Construction of Nuclear Facility Components (III)
- (d) Committee on Heating Boilers (IV)
- (e) Committee on Nondestructive Examination (V)
- (f) Committee on Pressure Vessels (VIII)
- (g) Committee on Welding, Brazing, and Fusing (IX)
- (h) Committee on Fiber-Reinforced Plastic Pressure Vessels (X)
- (i) Committee on Nuclear Inservice Inspection (XI)
- (j) Committee on Transport Tanks (XII)
- (k) Technical Oversight Management Committee (TOMC)

Where reference is made to “the Committee” in this Foreword, each of these committees is included individually and collectively.

The Committee’s function is to establish rules of safety relating only to pressure integrity, which govern the construction** of boilers, pressure vessels, transport tanks, and nuclear components, and the inservice inspection of nuclear components and transport tanks. The Committee also interprets these rules when questions arise regarding their intent. The technical consistency of the Sections of the Code and coordination of standards development activities of the Committees is supported and guided by the Technical Oversight Management Committee. This Code does not address other safety issues relating to the construction of boilers, pressure vessels, transport tanks, or nuclear components, or the inservice inspection of nuclear components or transport tanks. Users of the Code should refer to the pertinent codes, standards, laws, regulations, or other relevant documents for safety issues other than those relating to pressure integrity. Except for Sections XI and XII, and with a few other exceptions, the rules do not, of practical necessity, reflect the likelihood and consequences of deterioration in service related to specific service fluids or external operating environments. In formulating the rules, the Committee considers the needs of users, manufacturers, and inspectors of pressure vessels. The objective of the rules is to afford reasonably certain protection of life and property, and to provide a margin for deterioration in service to give a reasonably long, safe period of usefulness. Advancements in design and materials and evidence of experience have been recognized.

This Code contains mandatory requirements, specific prohibitions, and nonmandatory guidance for construction activities and inservice inspection and testing activities. The Code does not address all aspects of these activities and those aspects that are not specifically addressed should not be considered prohibited. The Code is not a handbook and cannot replace education, experience, and the use of engineering judgment. The phrase *engineering judgment* refers to technical judgments made by knowledgeable engineers experienced in the application of the Code. Engineering judgments must be consistent with Code philosophy, and such judgments must never be used to overrule mandatory requirements or specific prohibitions of the Code.

The Committee recognizes that tools and techniques used for design and analysis change as technology progresses and expects engineers to use good judgment in the application of these tools. The designer is responsible for complying with Code rules and demonstrating compliance with Code equations when such equations are mandatory. The Code neither requires nor prohibits the use of computers for the design or analysis of components constructed to the

* The information contained in this Foreword is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI’s requirements for an ANS. Therefore, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Code.

** *Construction*, as used in this Foreword, is an all-inclusive term comprising materials, design, fabrication, examination, inspection, testing, certification, and pressure relief.

requirements of the Code. However, designers and engineers using computer programs for design or analysis are cautioned that they are responsible for all technical assumptions inherent in the programs they use and the application of these programs to their design.

The rules established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design, or as limiting in any way the manufacturer's freedom to choose any method of design or any form of construction that conforms to the Code rules.

The Committee meets regularly to consider revisions of the rules, new rules as dictated by technological development, Code Cases, and requests for interpretations. Only the Committee has the authority to provide official interpretations of this Code. Requests for revisions, new rules, Code Cases, or interpretations shall be addressed to the Secretary in writing and shall give full particulars in order to receive consideration and action (see Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees). Proposed revisions to the Code resulting from inquiries will be presented to the Committee for appropriate action. The action of the Committee becomes effective only after confirmation by ballot of the Committee and approval by ASME. Proposed revisions to the Code approved by the Committee are submitted to the American National Standards Institute (ANSI) and published at <http://go.asme.org/BPVCPublicReview> to invite comments from all interested persons. After public review and final approval by ASME, revisions are published at regular intervals in Editions of the Code.

The Committee does not rule on whether a component shall or shall not be constructed to the provisions of the Code. The scope of each Section has been established to identify the components and parameters considered by the Committee in formulating the Code rules.

Questions or issues regarding compliance of a specific component with the Code rules are to be directed to the ASME Certificate Holder (Manufacturer). Inquiries concerning the interpretation of the Code are to be directed to the Committee. ASME is to be notified should questions arise concerning improper use of an ASME Certification Mark.

When required by context in this Section, the singular shall be interpreted as the plural, and vice versa, and the feminine, masculine, or neuter gender shall be treated as such other gender as appropriate.

STATEMENT OF POLICY ON THE USE OF THE CERTIFICATION MARK AND CODE AUTHORIZATION IN ADVERTISING

ASME has established procedures to authorize qualified organizations to perform various activities in accordance with the requirements of the ASME Boiler and Pressure Vessel Code. It is the aim of the Society to provide recognition of organizations so authorized. An organization holding authorization to perform various activities in accordance with the requirements of the Code may state this capability in its advertising literature.

Organizations that are authorized to use the Certification Mark for marking items or constructions that have been constructed and inspected in compliance with the ASME Boiler and Pressure Vessel Code are issued Certificates of Authorization. It is the aim of the Society to maintain the standing of the Certification Mark for the benefit of the users, the enforcement jurisdictions, and the holders of the Certification Mark who comply with all requirements.

Based on these objectives, the following policy has been established on the usage in advertising of facsimiles of the Certification Mark, Certificates of Authorization, and reference to Code construction. The American Society of Mechanical Engineers does not “approve,” “certify,” “rate,” or “endorse” any item, construction, or activity and there shall be no statements or implications that might so indicate. An organization holding the Certification Mark and/or a Certificate of Authorization may state in advertising literature that items, constructions, or activities “are built (produced or performed) or activities conducted in accordance with the requirements of the ASME Boiler and Pressure Vessel Code,” or “meet the requirements of the ASME Boiler and Pressure Vessel Code.” An ASME corporate logo shall not be used by any organization other than ASME.

The Certification Mark shall be used only for stamping and nameplates as specifically provided in the Code. However, facsimiles may be used for the purpose of fostering the use of such construction. Such usage may be by an association or a society, or by a holder of the Certification Mark who may also use the facsimile in advertising to show that clearly specified items will carry the Certification Mark. General usage is permitted only when all of a manufacturer’s items are constructed under the rules.

STATEMENT OF POLICY ON THE USE OF ASME MARKING TO IDENTIFY MANUFACTURED ITEMS

The ASME Boiler and Pressure Vessel Code provides rules for the construction of boilers, pressure vessels, and nuclear components. This includes requirements for materials, design, fabrication, examination, inspection, and stamping. Items constructed in accordance with all of the applicable rules of the Code are identified with the official Certification Mark described in the governing Section of the Code.

Markings such as “ASME,” “ASME Standard,” or any other marking including “ASME” or the Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code.

Items shall not be described on ASME Data Report Forms nor on similar forms referring to ASME that tend to imply that all Code requirements have been met when, in fact, they have not been. Data Report Forms covering items not fully complying with ASME requirements should not refer to ASME or they should clearly identify all exceptions to the ASME requirements.

SUBMITTAL OF TECHNICAL INQUIRIES TO THE BOILER AND PRESSURE VESSEL STANDARDS COMMITTEES (17)

1 INTRODUCTION

(a) The following information provides guidance to Code users for submitting technical inquiries to the applicable Boiler and Pressure Vessel (BPV) Standards Committee (hereinafter referred to as the Committee). See the guidelines on approval of new materials under the ASME Boiler and Pressure Vessel Code in Section II, Part D for requirements for requests that involve adding new materials to the Code. See the guidelines on approval of new welding and brazing materials in Section II, Part C for requirements for requests that involve adding new welding and brazing materials (“consumables”) to the Code.

Technical inquiries can include requests for revisions or additions to the Code requirements, requests for Code Cases, or requests for Code Interpretations, as described below:

(1) *Code Revisions.* Code revisions are considered to accommodate technological developments, to address administrative requirements, to incorporate Code Cases, or to clarify Code intent.

(2) *Code Cases.* Code Cases represent alternatives or additions to existing Code requirements. Code Cases are written as a Question and Reply, and are usually intended to be incorporated into the Code at a later date. When used, Code Cases prescribe mandatory requirements in the same sense as the text of the Code. However, users are cautioned that not all regulators, jurisdictions, or Owners automatically accept Code Cases. The most common applications for Code Cases are as follows:

(-a) to permit early implementation of an approved Code revision based on an urgent need

(-b) to permit use of a new material for Code construction

(-c) to gain experience with new materials or alternative requirements prior to incorporation directly into the Code

(3) *Code Interpretations*

(-a) Code Interpretations provide clarification of the meaning of existing requirements in the Code and are presented in Inquiry and Reply format. Interpretations do not introduce new requirements.

(-b) If existing Code text does not fully convey the meaning that was intended, or conveys conflicting requirements, and revision of the requirements is required to support the Interpretation, an Intent Interpretation will be issued in parallel with a revision to the Code.

(b) Code requirements, Code Cases, and Code Interpretations established by the Committee are not to be considered as approving, recommending, certifying, or endorsing any proprietary or specific design, or as limiting in any way the freedom of manufacturers, constructors, or Owners to choose any method of design or any form of construction that conforms to the Code requirements.

(c) Inquiries that do not comply with the following guidance or that do not provide sufficient information for the Committee’s full understanding may result in the request being returned to the Inquirer with no action.

2 INQUIRY FORMAT

Submittals to the Committee should include the following information:

(a) *Purpose.* Specify one of the following:

(1) request for revision of present Code requirements

(2) request for new or additional Code requirements

(3) request for Code Case

(4) request for Code Interpretation

(b) *Background.* The Inquirer should provide the information needed for the Committee’s understanding of the Inquiry, being sure to include reference to the applicable Code Section, Division, Edition, Addenda (if applicable), paragraphs, figures, and tables. Preferably, the Inquirer should provide a copy of, or relevant extracts from, the specific referenced portions of the Code.

(c) Presentations. The Inquirer may desire to attend or be asked to attend a meeting of the Committee to make a formal presentation or to answer questions from the Committee members with regard to the Inquiry. Attendance at a BPV Standards Committee meeting shall be at the expense of the Inquirer. The Inquirer's attendance or lack of attendance at a meeting will not be used by the Committee as a basis for acceptance or rejection of the Inquiry by the Committee. However, if the Inquirer's request is unclear, attendance by the Inquirer or a representative may be necessary for the Committee to understand the request sufficiently to be able to provide an Interpretation. If the Inquirer desires to make a presentation at a Committee meeting, the Inquirer should provide advance notice to the Committee Secretary, to ensure time will be allotted for the presentation in the meeting agenda. The Inquirer should consider the need for additional audiovisual equipment that might not otherwise be provided by the Committee. With sufficient advance notice to the Committee Secretary, such equipment may be made available.

3 CODE REVISIONS OR ADDITIONS

Requests for Code revisions or additions should include the following information:

(a) Requested Revisions or Additions. For requested revisions, the Inquirer should identify those requirements of the Code that they believe should be revised, and should submit a copy of, or relevant extracts from, the appropriate requirements as they appear in the Code, marked up with the requested revision. For requested additions to the Code, the Inquirer should provide the recommended wording and should clearly indicate where they believe the additions should be located in the Code requirements.

(b) Statement of Need. The Inquirer should provide a brief explanation of the need for the revision or addition.

(c) Background Information. The Inquirer should provide background information to support the revision or addition, including any data or changes in technology that form the basis for the request, that will allow the Committee to adequately evaluate the requested revision or addition. Sketches, tables, figures, and graphs should be submitted, as appropriate. The Inquirer should identify any pertinent portions of the Code that would be affected by the revision or addition and any portions of the Code that reference the requested revised or added paragraphs.

4 CODE CASES

Requests for Code Cases should be accompanied by a statement of need and background information similar to that described in 3(b) and 3(c), respectively, for Code revisions or additions. The urgency of the Code Case (e.g., project underway or imminent, new procedure) should be described. In addition, it is important that the request is in connection with equipment that will bear the Certification Mark, with the exception of Section XI applications. The proposed Code Case should identify the Code Section and Division, and should be written as a Question and a Reply, in the same format as existing Code Cases. Requests for Code Cases should also indicate the applicable Code Editions and Addenda (if applicable) to which the requested Code Case applies.

5 CODE INTERPRETATIONS

(a) Requests for Code Interpretations should be accompanied by the following information:

(1) Inquiry. The Inquirer should propose a condensed and precise Inquiry, omitting superfluous background information and, when possible, composing the Inquiry in such a way that a "yes" or a "no" Reply, with brief limitations or conditions, if needed, can be provided by the Committee. The proposed question should be technically and editorially correct.

(2) Reply. The Inquirer should propose a Reply that clearly and concisely answers the proposed Inquiry question. Preferably, the Reply should be "yes" or "no," with brief limitations or conditions, if needed.

(3) Background Information. The Inquirer should provide any need or background information, such as described in 3(b) and 3(c), respectively, for Code revisions or additions, that will assist the Committee in understanding the proposed Inquiry and Reply.

If the Inquirer believes a revision of the Code requirements would be helpful to support the Interpretation, the Inquirer may propose such a revision for consideration by the Committee. In most cases, such a proposal is not necessary.

(b) Requests for Code Interpretations should be limited to an Interpretation of a particular requirement in the Code or in a Code Case. Except with regard to interpreting a specific Code requirement, the Committee is not permitted to consider consulting-type requests such as the following:

(1) a review of calculations, design drawings, welding qualifications, or descriptions of equipment or parts to determine compliance with Code requirements

- (2) a request for assistance in performing any Code-prescribed functions relating to, but not limited to, material selection, designs, calculations, fabrication, inspection, pressure testing, or installation
- (3) a request seeking the rationale for Code requirements

6 SUBMITTALS

(a) *Submittal.* Requests for Code Interpretation should preferably be submitted through the online Interpretation Submittal Form. The form is accessible at <http://go.asme.org/InterpretationRequest>. Upon submittal of the form, the Inquirer will receive an automatic e-mail confirming receipt. If the Inquirer is unable to use the online form, the Inquirer may mail the request to the following address:

Secretary
ASME Boiler and Pressure Vessel Committee
Two Park Avenue
New York, NY 10016-5990

All other Inquiries should be mailed to the Secretary of the BPV Committee at the address above. Inquiries are unlikely to receive a response if they are not written in clear, legible English. They must also include the name of the Inquirer and the company they represent or are employed by, if applicable, and the Inquirer's address, telephone number, fax number, and e-mail address, if available.

(b) *Response.* The Secretary of the appropriate Committee will provide a written response, via letter or e-mail, as appropriate, to the Inquirer, upon completion of the requested action by the Committee. Inquirers may track the status of their Interpretation Request at <http://go.asme.org/Interpretations>.

PERSONNEL

ASME Boiler and Pressure Vessel Standards Committees, Subgroups, and Working Groups

January 1, 2017

TECHNICAL OVERSIGHT MANAGEMENT COMMITTEE (TOMC)

T. P. Pastor, <i>Chair</i>	J. F. Henry
S. C. Roberts, <i>Vice Chair</i>	R. S. Hill III
J. S. Brzuszkiewicz, <i>Staff Secretary</i>	G. G. Karcher
R. W. Barnes	W. M. Lundy
R. J. Basile	G. C. Park
T. L. Bedeaux	M. D. Rana
D. L. Berger	R. F. Reedy, Sr.
D. A. Canonico	B. W. Roberts
A. Chaudouet	F. J. Schaaf, Jr.
D. B. DeMichael	B. F. Shelley
R. P. Deubler	W. J. Sperko
P. D. Edwards	D. Srnicek
J. G. Feldstein	R. W. Swayne
R. E. Gimple	C. Withers
T. E. Hansen	J. E. Batey, <i>Contributing Member</i>
G. W. Hembree	

HONORARY MEMBERS (MAIN COMMITTEE)

F. P. Barton	W. G. Knecht
T. M. Cullen	J. LeCoff
G. E. Feigel	T. G. McCarty
O. F. Hedden	G. C. Millman
M. H. Jawad	R. A. Moen
A. J. Justin	R. F. Reedy, Sr.

ADMINISTRATIVE COMMITTEE

T. P. Pastor, <i>Chair</i>	J. F. Henry
S. C. Roberts, <i>Vice Chair</i>	R. S. Hill III
J. S. Brzuszkiewicz, <i>Staff Secretary</i>	G. C. Park
R. W. Barnes	M. D. Rana
T. L. Bedeaux	B. F. Shelley
D. L. Berger	W. J. Sperko
G. W. Hembree	

MARINE CONFERENCE GROUP

H. N. Patel, <i>Chair</i>	G. Pallichadath
J. S. Brzuszkiewicz, <i>Staff Secretary</i>	N. Prokopuk
J. G. Hungerbuhler, Jr.	J. D. Reynolds

CONFERENCE COMMITTEE

D. A. Douin — Ohio, <i>Secretary</i>	J. LeSage, Jr. — Louisiana
M. J. Adams — Ontario, Canada	A. M. Lorimor — South Dakota
J. T. Amato — Minnesota	M. Mailman — Northwest Territories, Canada
W. Anderson — Mississippi	D. E. Mallory — New Hampshire
R. D. Austin — Arizona	W. McGivney — City of New York, New York
R. J. Brockman — Missouri	S. V. Nelson — Colorado
J. H. Burpee — Maine	A. K. Oda — Washington
M. Byrum — Alabama	M. Poehlmann — Alberta, Canada
C. B. Cantrell — Nebraska	J. F. Porcella — West Virginia
S. Chapman — Tennessee	C. F. Reyes — City of Los Angeles, California
D. C. Cook — California	M. J. Ryan — City of Chicago, Illinois
B. J. Crawford — Georgia	D. Sandfoss — Nevada
E. L. Creaser — New Brunswick, Canada	M. H. Sansone — New York
J. J. Dacanay — Hawaii	A. S. Scholl — British Columbia, Canada
C. Dautrich — North Carolina	T. S. Seime — North Dakota
R. Delury — Manitoba, Canada	C. S. Selinger — Saskatchewan, Canada
P. L. Dodge — Nova Scotia, Canada	J. E. Sharier — Ohio
D. Eastman — Newfoundland and Labrador, Canada	N. Smith — Pennsylvania
J. J. Esch — Delaware	R. Spiker — North Carolina
A. G. Frazier — Florida	D. J. Stenrose — Michigan
T. J. Granneman II — Oklahoma	R. J. Stimson II — Kansas
D. R. Hannon — Arkansas	R. K. Sturm — Utah
E. G. Hilton — Virginia	S. R. Townsend — Prince Edward Island, Canada
C. Jackson — City of Detroit, Michigan	R. D. Troutt — Texas
M. L. Jordan — Kentucky	M. C. Vogel — Illinois
E. Kawa, Jr. — Massachusetts	T. Waldbillig — Wisconsin
A. Khssassi — Quebec, Canada	M. Washington — New Jersey
J. Klug — City of Milwaukee, Wisconsin	
K. J. Kraft — Maryland	
K. S. Lane — Alaska	
L. C. Leet — City of Seattle, Washington	

INTERNATIONAL INTEREST REVIEW GROUP

V. Felix	C. Minu
Y.-G. Kim	T. S. G. Narayanan
S. H. Leong	Y.-W. Park
W. Lin	A. R. R. Nogales
O. F. Manafa	P. Williamson

COMMITTEE ON POWER BOILERS (BPV I)

D. L. Berger, <i>Chair</i>	Y. Oishi
R. E. McLaughlin, <i>Vice Chair</i>	E. M. Ortman
U. D'Urso, <i>Staff Secretary</i>	J. T. Pillow
J. L. Arnold	M. Slater
D. A. Canonico	J. M. Tanzosh
K. K. Coleman	D. E. Tompkins
P. D. Edwards	D. E. Tuttle
J. G. Feldstein	J. Vattappilly
G. W. Galanes	R. V. Wielgoszinski
T. E. Hansen	F. Zeller
J. F. Henry	Y. Li, <i>Delegate</i>
J. S. Hunter	H. Michael, <i>Delegate</i>
G. B. Komora	B. W. Roberts, <i>Contributing Member</i>
W. L. Lowry	D. N. French, <i>Honorary Member</i>
F. Massi	T. C. McGough, <i>Honorary Member</i>
L. Moedinger	R. L. Williams, <i>Honorary Member</i>
P. A. Molvie	

Subgroup on Design (BPV I)

J. Vattappilly, <i>Chair</i>	P. A. Molvie
D. I. Anderson, <i>Secretary</i>	L. S. Tsai
D. Dewees	M. Wadkinson
H. A. Fonzi, Jr.	C. F. Jeerings, <i>Contributing Member</i>
J. P. Glaspie	S. V. Torkildson, <i>Contributing Member</i>
G. B. Komora	

Subgroup on Fabrication and Examination (BPV I)

J. L. Arnold, <i>Chair</i>	T. E. Hansen
P. Becker	C. T. McDaris
D. L. Berger	R. E. McLaughlin
S. Fincher	R. J. Newell
G. W. Galanes	Y. Oishi
P. F. Gilston	J. T. Pillow
J. Hainsworth	R. V. Wielgoszinski

Subgroup on General Requirements and Piping (BPV I)

E. M. Ortman, <i>Chair</i>	R. E. McLaughlin
D. Tompkins, <i>Vice Chair</i>	B. J. Mollitor
F. Massi, <i>Secretary</i>	J. T. Pillow
P. Becker	D. E. Tuttle
D. L. Berger	M. Wadkinson
P. D. Edwards	R. V. Wielgoszinski
G. W. Galanes	C. F. Jeerings, <i>Contributing Member</i>
T. E. Hansen	S. V. Torkildson, <i>Contributing Member</i>
M. Lemmons	R. Uebel, <i>Contributing Member</i>
W. L. Lowry	

Subgroup on Locomotive Boilers (BPV I)

L. Moedinger, <i>Chair</i>	S. D. Jackson
S. M. Butler, <i>Secretary</i>	M. A. Janssen
P. Boschan	S. A. Lee
J. R. Braun	G. M. Ray
R. C. Franzen, Jr.	R. B. Stone
G. W. Galanes	M. W. Westland
D. W. Griner	

Subgroup on Materials (BPV I)

G. W. Galanes, <i>Chair</i>	F. Masuyama
J. F. Henry, <i>Vice Chair</i>	D. W. Raho
M. Lewis, <i>Secretary</i>	J. M. Tanzosh
S. H. Bowes	J. Vattappilly
D. A. Canonico	F. Zeller
K. K. Coleman	M. Gold, <i>Contributing Member</i>
K. L. Hayes	B. W. Roberts, <i>Contributing Member</i>
J. S. Hunter	
O. X. Li	

Subgroup on Solar Boilers (BPV I)

E. M. Ortman, <i>Chair</i>	F. Jennings
R. E. Hearne, <i>Secretary</i>	D. J. Koza
H. A. Fonzi, Jr.	F. Massi
G. W. Galanes	S. V. Torkildson, <i>Contributing Member</i>
J. S. Hunter	

Germany International Working Group (BPV I)

H. Michael, <i>Chair</i>	T. Ludwig
H. P. Schmitz, <i>Secretary</i>	R. A. Meyers
M. Bremicker	F. Miunske
P. Chavdarov	P. Paluszkiwicz
B. Daume	H. Schroeder
J. Fleischfresser	A. Spangenberg
E. Helmholdt	M. Sykora
R. Kauer	J. Henrichsmeyer, <i>Contributing Member</i>
S. Krebs	

India International Working Group (BPV I)

U. Revisanakaran, <i>Chair</i>	G. V. S. Rao
A. J. Patil, <i>Vice Chair</i>	M. G. Rao
H. Dalal, <i>Secretary</i>	N. Satheesan
K. Asokkumar	G. U. Shanker
M. R. Kalahasthi	D. Shrivastava
I. Kalyanasundaram	S. Venkataramana
A. R. Patil	

Task Group on Modernization of BPVC Section I

D. I. Anderson, <i>Chair</i>	R. E. McLaughlin
U. D'Urso, <i>Staff Secretary</i>	P. A. Molvie
J. L. Arnold	E. M. Ortman
D. Dewees	J. T. Pillow
G. W. Galanes	B. W. Roberts
J. P. Glaspie	D. E. Tuttle
T. E. Hansen	J. Vattappilly
J. F. Henry	

COMMITTEE ON MATERIALS (BPV II)

J. F. Henry, *Chair*
 J. F. Grubb, *Vice Chair*
 C. E. O'Brien, *Staff Secretary*
 F. Abe
 A. Appleton
 J. Cameron
 D. A. Canonico
 A. Chaudouet
 D. B. Denis
 J. R. Foulds
 D. W. Gandy
 M. H. Gilkey
 J. A. Hall
 K. M. Hottle
 M. Ishikawa
 O. X. Li
 F. Masuyama
 R. K. Nanstad
 K. E. Orié
 D. W. Rahoï
 E. Shapiro
 M. J. Slater
 R. C. Sutherlin
 R. W. Swindeman

J. M. Tanzosh
 R. G. Young
 F. Zeller
 O. Oldani, *Delegate*
 H. D. Bushfield, *Contributing Member*
 M. Gold, *Contributing Member*
 W. Hoffelner, *Contributing Member*
 M. Katcher, *Contributing Member*
 M. L. Nayyar, *Contributing Member*
 E. G. Nisbett, *Contributing Member*
 D. T. Peters, *Contributing Member*
 B. W. Roberts, *Contributing Member*
 E. Thomas, *Contributing Member*
 E. Upitis, *Contributing Member*
 T. M. Cullen, *Honorary Member*
 W. D. Edsall, *Honorary Member*
 G. C. Hsu, *Honorary Member*
 R. A. Moen, *Honorary Member*
 C. E. Spaeder, Jr., *Honorary Member*
 A. W. Zeuthen, *Honorary Member*

Executive Committee (BPV II)

J. F. Henry, *Chair*
 C. E. O'Brien, *Staff Secretary*
 A. Appleton
 A. Chaudouet
 J. R. Foulds
 M. Gold

J. F. Grubb
 R. W. Mikitka
 B. W. Roberts
 M. J. Slater
 R. C. Sutherlin
 R. W. Swindeman

Subgroup on External Pressure (BPV II)

R. W. Mikitka, *Chair*
 D. L. Kurlé, *Vice Chair*
 J. A. A. Morrow, *Secretary*
 L. F. Campbell
 H. Chen
 D. S. Griffin
 J. F. Grubb
 S. Guzey

J. R. Harris III
 M. H. Jawad
 C. R. Thomas
 M. Wadkinson
 M. Katcher, *Contributing Member*
 C. H. Sturgeon, *Contributing Member*

Subgroup on Ferrous Specifications (BPV II)

A. Appleton, *Chair*
 K. M. Hottle, *Vice Chair*
 P. Wittenbach, *Secretary*
 H. Chen
 B. M. Dingman
 M. J. Dosdourian
 O. Elkadim
 J. D. Fritz
 M. Gold
 T. Graham
 J. M. Grocki
 J. F. Grubb
 J. Gundlach

C. Hyde
 D. S. Janikowski
 L. J. Lavezzi
 S. G. Lee
 W. C. Mack
 A. S. Melilli
 K. E. Orié
 J. Shick
 E. Upitis
 J. D. Wilson
 R. Zawierucha
 E. G. Nisbett, *Contributing Member*

Subgroup on International Material Specifications (BPV II)

A. Chaudouet, *Chair*
 A. R. Nywening, *Vice Chair*
 T. F. Miskell, *Secretary*
 D. A. Canonico
 H. Chen
 A. F. Garbolevsky
 D. O. Henry

M. Ishikawa
 O. X. Li
 W. M. Lundy
 E. Upitis
 F. Zeller
 O. Oldani, *Delegate*
 H. Lorenz, *Contributing Member*

Subgroup on Nonferrous Alloys (BPV II)

R. C. Sutherlin, *Chair*
 M. H. Gilkey, *Vice Chair*
 J. Calland
 D. B. Denis
 J. F. Grubb
 T. Hartman
 A. Heino
 M. Katcher
 J. A. McMaster
 L. Paul

D. W. Rahoï
 W. Ren
 J. Robertson
 E. Shapiro
 M. H. Skillingberg
 J. Weritz
 R. Wright
 S. Yem
 D. T. Peters, *Contributing Member*

Subgroup on Physical Properties (BPV II)

J. F. Grubb, *Chair*
 D. B. Denis, *Vice Chair*
 E. Shapiro

H. D. Bushfield, *Contributing Member*

Subgroup on Strength, Ferrous Alloys (BPV II)

M. J. Slater, *Chair*
 S. W. Knowles, *Secretary*
 F. Abe
 D. A. Canonico
 A. Di Rienzo
 J. R. Foulds
 J. A. Hall
 J. F. Henry
 K. Kimura
 F. Masuyama
 T. Ono

M. Ortolani
 D. W. Rahoï
 M. S. Shelton
 R. W. Swindeman
 J. M. Tanzosh
 R. G. Young
 F. Zeller
 M. Gold, *Contributing Member*
 M. Nair, *Contributing Member*
 B. W. Roberts, *Contributing Member*

Subgroup on Strength of Weldments (BPV II & BPV IX)

W. F. Newell, Jr., *Chair*
 S. H. Bowes
 K. K. Coleman
 M. Denault
 P. D. Flenner
 J. R. Foulds
 D. W. Gandy
 M. Ghahremani
 K. L. Hayes

J. F. Henry
 E. Liebl
 J. Penso
 D. W. Rahoï
 B. W. Roberts
 W. J. Sperko
 J. P. Swezy, Jr.
 J. M. Tanzosh
 M. Gold, *Contributing Member*

Working Group on Materials Database (BPV II)

R. W. Swindeman, *Chair*
 C. E. O'Brien, *Staff Secretary*
 F. Abe
 J. R. Foulds
 J. F. Henry
 M. J. Slater
 R. C. Sutherlin
 D. Andrei, *Contributing Member*

J. L. Arnold, *Contributing Member*
 J. Grimes, *Contributing Member*
 W. Hoffelner, *Contributing Member*
 T. Lazar, *Contributing Member*
 D. T. Peters, *Contributing Member*
 W. Ren, *Contributing Member*
 B. W. Roberts, *Contributing Member*

Working Group on Creep Strength Enhanced Ferritic Steels (BPV II)

J. F. Henry, <i>Chair</i>	W. F. Newell, Jr.
J. A. Siefert, <i>Secretary</i>	M. Ortolani
F. Abe	J. Parker
S. H. Bowes	W. J. Sperko
D. A. Canonico	R. W. Swindeman
K. K. Coleman	J. M. Tanzosh
P. D. Flenner	R. H. Worthington
J. R. Foulds	R. G. Young
G. W. Galanes	F. Zeller
M. Gold	G. Cumino, <i>Contributing Member</i>
F. Masuyama	B. W. Roberts, <i>Contributing Member</i>
T. Melfi	

Working Group on Data Analysis (BPV II)

J. F. Grubb, <i>Chair</i>	W. Ren
F. Abe	M. Subanovic
J. R. Foulds	M. J. Swindeman
M. Gold	R. W. Swindeman
J. F. Henry	B. W. Roberts, <i>Contributing Member</i>
M. Katcher	
F. Masuyama	

China International Working Group (BPV II)

B. Shou, <i>Chair</i>	X. Wang
A. T. Xu, <i>Secretary</i>	F. Yang
W. Fang	G. Yang
Q. C. Feng	H.-C. Yang
S. Huo	R. Ye
F. Kong	L. Yin
H. Li	D. Zhang
J. Li	H. Zhang
S. Li	X.-H. Zhang
Z. Rongcan	Yingkai Zhang
S. Tan	Yong Zhang
C. Wang	Q. Zhao
J. Wang	S. Zhao
Q.-J. Wang	J. Zou

COMMITTEE ON CONSTRUCTION OF NUCLEAR FACILITY COMPONENTS (BPV III)

R. S. Hill III, <i>Chair</i>	M. Morishita
R. B. Keating, <i>Vice Chair</i>	D. K. Morton
J. C. Minichiello, <i>Vice Chair</i>	T. Nagata
A. Byk, <i>Staff Secretary</i>	R. F. Reedy, Sr.
T. M. Adams	I. Saito
A. Appleton	S. Sham
R. W. Barnes	C. T. Smith
W. H. Bortor	W. K. Sowder, Jr.
C. W. Bruny	W. J. Sperko
T. D. Burchell	J. P. Tucker
R. P. Deubler	K. R. Wichman
A. C. Eberhardt	C. S. Withers
R. M. Jessee	Y. H. Choi, <i>Delegate</i>
R. I. Jetter	T. Ius, <i>Delegate</i>
C. C. Kim	H.-T. Wang, <i>Delegate</i>
G. H. Koo	M. Zhou, <i>Contributing Member</i>
V. Kostarev	E. B. Branch, <i>Honorary Member</i>
K. A. Manoly	G. D. Cooper, <i>Honorary Member</i>
D. E. Matthews	D. F. Landers, <i>Honorary Member</i>
R. P. McIntyre	R. A. Moen, <i>Honorary Member</i>
M. N. Mitchell	C. J. Pieper, <i>Honorary Member</i>

Executive Committee (BPV III)

R. S. Hill III, <i>Chair</i>	J. C. Minichiello
A. Byk, <i>Staff Secretary</i>	M. Morishita
T. M. Adams	D. K. Morton
C. W. Bruny	J. A. Munshi
P. R. Donavin	C. A. Sanna
R. M. Jessee	S. Sham
R. B. Keating	W. K. Sowder, Jr.
R. P. McIntyre	

Subcommittee on Design (BPV III)

P. R. Donavin, <i>Chair</i>	M. N. Mitchell
D. E. Matthews, <i>Vice Chair</i>	W. J. O'Donnell, Sr.
G. L. Hollinger, <i>Secretary</i>	E. L. Pleins
T. M. Adams	S. Sham
R. L. Bratton	J. P. Tucker
C. W. Bruny	W. F. Weitze
R. P. Deubler	K. Wright
R. I. Jetter	T. Yamazaki
C. Jonker	J. Yang
R. B. Keating	R. S. Hill III, <i>Contributing Member</i>
K. A. Manoly	M. H. Jawad, <i>Contributing Member</i>
R. J. Masterson	

Subgroup on Component Design (SC-D) (BPV III)

T. M. Adams, <i>Chair</i>	T. M. Musto
R. B. Keating, <i>Vice Chair</i>	T. Nagata
S. Pellet, <i>Secretary</i>	A. N. Nguyen
G. A. Antaki	E. L. Pleins
S. Asada	I. Saito
J. F. Ball	G. C. Slagis
C. Basavaraju	J. R. Stinson
R. P. Deubler	G. Z. Tokarski
P. Hirschberg	J. P. Tucker
O.-S. Kim	P. Vock
R. Klein	C. Wilson
H. Kobayashi	J. Yang
K. A. Manoly	C. W. Bruny, <i>Contributing Member</i>
R. J. Masterson	A. A. Dermenjian, <i>Contributing Member</i>
D. E. Matthews	
J. C. Minichiello	
D. K. Morton	K. R. Wichman, <i>Honorary Member</i>

Working Group on Core Support Structures (SG-CD) (BPV III)

J. Yang, <i>Chair</i>	M. Nakajima
J. F. Kielb, <i>Secretary</i>	M. D. Snyder
L. C. Hartless	A. Tsirigotis
D. Keck	R. Vollmer
T. Liskai	R. Z. Ziegler
H. S. Mehta	J. T. Land, <i>Contributing Member</i>

Working Group on Design of Division 3 Containment Systems (SG-CD) (BPV III)

D. K. Morton, <i>Chair</i>	E. L. Pleins
D. J. Ammerman	C. J. Temus
G. Bjorkman	X. Zhai
V. Broz	I. D. McInnes, <i>Contributing Member</i>
S. Horowitz	H. P. Shrivastava, <i>Contributing Member</i>
D. W. Lewis	
J. C. Minichiello	

Working Group on HDPE Design of Components (SG-CD) (BPV III)

T. M. Musto, <i>Chair</i>	P. Krishnaswamy
J. Ossmann, <i>Secretary</i>	K. A. Manoly
T. M. Adams	M. Martin
T. A. Bacon	J. C. Minichiello
M. Brandes	D. P. Munson
D. Burwell	F. J. Schaaf, Jr.
S. Choi	R. Stakenborghs
J. R. Hebeisen	H. E. Svetlik

Working Group on Valves (SG-CD) (BPV III)

P. Vock, <i>Chair</i>	C. A. Mizer
S. Jones, <i>Secretary</i>	J. O'Callaghan
M. C. Buckley	H. O'Brien
R. Farrell	K. E. Reid II
G. A. Jolly	J. Sulley
J. Klein	I. H. Tseng
T. Lippucci	J. P. Tucker

Working Group on Piping (SG-CD) (BPV III)

G. A. Antaki, <i>Chair</i>	R. B. Keating
G. Z. Tokarski, <i>Secretary</i>	V. Kostarev
T. M. Adams	D. Lieb
T. A. Bacon	T. B. Littleton
C. Basavaraju	Y. Liu
J. Catalano	J. F. McCabe
F. Claeys	J. C. Minichiello
C. M. Faidy	I.-K. Nam
R. G. Gilada	M. S. Sills
N. M. Graham	G. C. Slagis
M. A. Gray	N. C. Sutherland
R. J. Gurdal	C.-I. Wu
R. W. Haupt	A. N. Nguyen, <i>Contributing Member</i>
A. Hirano	N. J. Shah, <i>Contributing Member</i>
P. Hirschberg	E. A. Wais, <i>Contributing Member</i>
M. Kassar	E. C. Rodabaugh, <i>Honorary Member</i>
J. Kawahata	

Working Group on Vessels (SG-CD) (BPV III)

D. E. Matthews, <i>Chair</i>	T. J. Schriefer
C. Wilson, <i>Secretary</i>	M. C. Scott
C. Basavaraju	P. K. Shah
J. V. Gregg, Jr.	J. Shupert
M. Kassar	C. Turylo
R. B. Keating	D. Vlaicu
D. Keck	W. F. Weitze
J. Kim	T. Yamazaki
O.-S. Kim	R. Z. Ziegler
T. Mitsuhashi	A. Kalnins, <i>Contributing Member</i>
M. Nair	

Subgroup on Design Methods (SC-D) (BPV III)

C. W. Bruny, <i>Chair</i>	D. Keck
S. McKillop, <i>Secretary</i>	M. N. Mitchell
K. Avrithi	W. J. O'Donnell, Sr.
W. Culp	P. J. O'Regan
P. R. Donavin	W. D. Reinhardt
J. V. Gregg, Jr.	P. Smith
H. T. Harrison III	S. D. Snow
K. Hsu	W. F. Weitze
C. Jonker	K. Wright
M. Kassar	

Working Group on Pressure Relief (SG-CD) (BPV III)

J. F. Ball, <i>Chair</i>	A. L. Szeplin
K. R. May	D. G. Thibault
D. Miller	I. H. Tseng

Working Group on Pumps (SG-CD) (BPV III)

R. Klein, <i>Chair</i>	M. Higuchi
D. Chowdhury, <i>Secretary</i>	R. Ladefian
P. W. Behnke	W. Lienau
R. E. Cornman, Jr.	K. J. Noel
X. Di	R. A. Patrick
M. D. Eftychiou	J. Sulley
A. Fraser	R. Udo
C. Gabhart	A. G. Washburn
R. Ghanbari	

Working Group on Design Methodology (SG-DM) (BPV III)

S. D. Snow, <i>Chair</i>	J. F. McCabe
C. F. Heberling II, <i>Secretary</i>	S. McKillop
K. Avrithi	S. Ranganath
C. Basavaraju	W. D. Reinhardt
D. L. Caldwell	D. H. Roarty
D. Dewees	P. K. Shah
C. M. Faidy	R. Vollmer
R. Farrell	S. Wang
H. T. Harrison III	W. F. Weitze
P. Hirschberg	J. Wen
M. Kassar	T. M. Wiger
R. B. Keating	K. Wright
J. Kim	J. Yang
H. Kobayashi	R. D. Blevins, <i>Contributing Member</i>
T. Liszkai	M. R. Breach, <i>Contributing Member</i>

Working Group on Supports (SG-CD) (BPV III)

J. R. Stinson, <i>Chair</i>	S. Pellet
U. S. Bandyopadhyay, <i>Secretary</i>	I. Saito
K. Avrithi	H. P. Srivastava
T. H. Baker	C. Stirzel
F. J. Birch	G. Z. Tokarski
R. P. Deubler	P. Wiseman
N. M. Graham	C.-I. Wu
R. J. Masterson	

Working Group on Environmental Effects (SG-DM) (BPV III)

C. Jonker, <i>Chair</i>	J. Kim
B. D. Frew, <i>Secretary</i>	J. E. Nestell
W. Culp	M. Osterfoss
P. J. Dobson	T. J. Schriefer

**Working Group on Environmental Fatigue Evaluation Methods
(SG-DM) (BPV III)**

K. Wright, *Chair*
M. A. Gray, *Vice Chair*
W. F. Weitzel, *Secretary*
T. M. Adams
S. Asada
K. Avrithi
R. C. Cipolla
T. M. Damiani
C. M. Faidy
T. D. Gilman

S. R. Gosselin
Y. He
P. Hirschberg
H. S. Mehta
T. Metais
J.-S. Park
D. H. Roarty
I. Saito
D. Vlaicu
R. Z. Ziegler

Working Group on Fatigue Strength (SG-DM) (BPV III)

P. R. Donavin, *Chair*
M. S. Shelton, *Secretary*
T. M. Damiani
D. Dewees
C. M. Faidy
S. R. Gosselin
R. J. Gurdal
C. F. Heberling II
C. E. Hinnant
P. Hirschberg
K. Hsu

S. H. Kleinsmith
S. Majumdar
S. N. Malik
S. Mohanty
D. H. Roarty
A. Tsirigotis
K. Wright
H. H. Ziada
W. J. O'Donnell, Sr., *Contributing Member*

**Working Group on Graphite and Composites Design
(SG-DM) (BPV III)**

M. N. Mitchell, *Chair*
M. W. Davies, *Vice Chair*
T. D. Burchell, *Secretary*
A. Appleton
S. R. Cadell
S.-H. Chi
W. J. Geringer

S. T. Gonczy
M. G. Jenkins
Y. Katoh
J. Ossmann
M. Roemmler
S. Yu
G. L. Zeng

**Working Group on Probabilistic Methods in Design
(SG-DM) (BPV III)**

M. Golliet, *Chair*
T. Asayama
K. Avrithi
D. O. Henry
R. S. Hill III

M. Morishita
P. J. O'Regan
N. A. Palm
I. Saito

**Special Working Group on Computational Modeling for Explicit
Dynamics (SG-DM) (BPV III)**

G. Bjorkman, *Chair*
D. J. Ammerman, *Vice Chair*
V. Broz, *Secretary*
M. R. Breach
J. M. Jordan
S. Kuehner
D. Molitoris

W. D. Reinhardt
P. Y.-K. Shih
S. D. Snow
C.-F. Tso
M. C. Yaksh
U. Zencker

Subgroup on Elevated Temperature Design (SC-D) (BPV III)

S. Sham, *Chair*
T. Asayama
C. Becht IV
F. W. Brust
P. Carter
B. F. Hantz
A. B. Hull
M. H. Jawad
R. I. Jetter

G. H. Koo
S. Majumdar
J. E. Nestell
W. J. O'Donnell, Sr.
R. W. Swindeman
D. S. Griffin, *Contributing Member*
W. J. Koves, *Contributing Member*
D. L. Marriott, *Contributing Member*

Working Group on Allowable Stress Criteria (SG-ETD) (BPV III)

R. W. Swindeman, *Chair*
R. Wright, *Secretary*
J. R. Foulds
C. J. Johns
K. Kimura
T. Le
M. Li

D. Maitra
S. N. Malik
J. E. Nestell
W. Ren
B. W. Roberts
M. Sengupta
S. Sham

Working Group on Analysis Methods (SG-ETD) (BPV III)

P. Carter, *Chair*
M. J. Swindeman, *Secretary*
M. R. Breach
M. E. Cohen
R. I. Jetter

T. Krishnamurthy
T. Le
S. Sham
D. K. Williams

**Working Group on Creep-Fatigue and Negligible Creep (SG-ETD)
(BPV III)**

T. Asayama, *Chair*
F. W. Brust
P. Carter
R. I. Jetter
G. H. Koo

T. Le
B.-L. Lyow
S. N. Malik
H. Qian
S. Sham

**Working Group on Elevated Temperature Construction (SG-ETD)
(BPV III)**

M. H. Jawad, *Chair*
A. Mann, *Secretary*
D. I. Anderson
R. G. Brown
D. Dewees
B. F. Hantz
R. I. Jetter
S. Krishnamurthy
T. Le

M. N. Mitchell
B. J. Mollitor
C. Nadarajah
P. Prueter
M. J. Swindeman
J. P. Glaspie, *Contributing Member*
D. L. Marriott, *Contributing Member*

**Working Group on High Temperature Flaw Evaluation (SG-ETD)
(BPV III)**

F. W. Brust, *Chair*
N. Broom
P. Carter
T. Le
S. N. Malik

H. Qian
D. L. Rudland
P. J. Rush
D.-J. Shim
S. X. Xu

**Special Working Group on Inelastic Analysis Methods (SG-ETD)
(BPV III)**

S. Sham, *Chair*
S. X. Xu, *Secretary*
R. W. Barnes
J. A. Blanco
B. R. Ganta

T. Hassan
G. H. Koo
B.-L. Lyow
M. J. Swindeman
G. L. Zeng

Subgroup on General Requirements (BPV III)

R. P. McIntyre, *Chair*
L. M. Plante, *Secretary*
V. Apostolescu
A. Appleton
S. Bell
J. R. Berry
J. DeKleine
J. V. Gardiner
J. W. Highlands
E. V. Imbro
K. A. Kavanagh
Y.-S. Kim

E. C. Renaud
J. Rogers
D. J. Roszman
C. T. Smith
W. K. Sowder, Jr.
R. Spuhl
G. E. Szabatura
D. M. Vickery
C. S. Withers
H. Michael, *Delegate*
G. L. Hollinger, *Contributing Member*

Working Group on Duties and Responsibilities (SG-GR) (BPV III)

J. V. Gardiner, *Chair*
G. L. Hollinger, *Secretary*
D. Arrigo
S. Bell
J. R. Berry
P. J. Coco
M. Cusick
J. DeKleine
N. DeSantis

Y. Diaz-Castillo
K. A. Kavanagh
J. M. Lyons
L. M. Plante
D. J. Roszman
B. S. Sandhu
E. M. Steuck
J. L. Williams

**Working Group on Quality Assurance, Certification, and Stamping
(SG-GR) (BPV III)**

C. T. Smith, *Chair*
C. S. Withers, *Secretary*
V. Apostolescu
A. Appleton
O. Elkadim
S. M. Goodwin
J. Grimm
J. W. Highlands
Y.-S. Kim
B. McGlone
R. P. McIntyre

D. T. Meisch
R. B. Patel
E. C. Renaud
T. Rezk
J. Rogers
W. K. Sowder, Jr.
R. Spuhl
J. F. Strunk
G. E. Szabatura
D. M. Vickery
C. A. Spletter, *Contributing Member*

**Special Working Group on General Requirements Consolidation
(SG-GR) (BPV III)**

J. V. Gardiner, *Chair*
C. T. Smith, *Vice Chair*
S. Bell
M. Cusick
Y. Diaz-Castillo
J. Grimm
J. M. Lyons
B. McGlone
R. Patel
E. C. Renaud
T. Rezk

J. Rogers
D. J. Roszman
B. S. Sandhu
G. J. Solovey
R. Spuhl
G. E. Szabatura
J. L. Williams
C. S. Withers
S. F. Harrison, *Contributing Member*

Subgroup on Materials, Fabrication, and Examination (BPV III)

R. M. Jessee, *Chair*
B. D. Frew, *Vice Chair*
S. Hunter, *Secretary*
W. H. Borter
T. D. Burchell
G. R. Cannell
P. J. Coco
M. W. Davies
R. H. Davis
D. B. Denis
G. B. Georgiev
S. E. Gingrich
M. Golliet
J. Grimm
L. S. Harbison

J. Johnston, Jr.
C. C. Kim
M. Lashley
T. Melfi
H. Murakami
J. Ossmann
J. E. O'Sullivan
M. C. Scott
W. J. Sperko
J. R. Stinson
J. F. Strunk
R. Wright
S. Yee
H. Michael, *Delegate*
R. W. Barnes, *Contributing Member*

**Working Group on Graphite and Composite Materials (SG-MFE)
(BPV III)**

T. D. Burchell, *Chair*
M. W. Davies, *Vice Chair*
M. N. Mitchell, *Secretary*
A. Appleton
R. L. Bratton
S. R. Cadell
S.-H. Chi
A. Covac
S. W. Doms
S. F. Duffy

W. J. Geringer
S. T. Gonzcy
M. G. Jenkins
Y. Katoh
J. Ossmann
M. Roemmler
N. Salstrom
T. Shibata
S. Yu
G. L. Zeng

Working Group on HDPE Materials (SG-MFE) (BPV III)

M. Golliet, *Chair*
M. A. Martin, *Secretary*
W. H. Borter
G. Brouette
M. C. Buckley
J. Hakii
J. Johnston, Jr.
P. Krishnaswamy

D. P. Munson
T. M. Musto
S. Patterson
S. Schuessler
R. Stakenborghs
M. Troughton
B. Hauger, *Contributing Member*

**Joint ACI-ASME Committee on Concrete Components for Nuclear
Service (BPV III)**

J. A. Munshi, *Chair*
J. McLean, *Vice Chair*
A. Byk, *Staff Secretary*
K. Verderber, *Staff Secretary*
C. J. Bang
L. J. Colarusso
A. C. Eberhardt
F. Farzam
P. S. Ghosal
B. D. Hovis
T. C. Inman
C. Jones
O. Jovall
N.-H. Lee

N. Orbovic
C. T. Smith
J. F. Strunk
T. Tonyan
S. Wang
T. J. Ahl, *Contributing Member*
J. F. Artuso, *Contributing Member*
J.-B. Domage, *Contributing Member*
J. Gutierrez, *Contributing Member*
T. Kang, *Contributing Member*
T. Muraki, *Contributing Member*
B. B. Scott, *Contributing Member*
M. R. Senecal, *Contributing Member*

Working Group on Design (BPV III-2)

N.-H. Lee, <i>Chair</i>	J. A. Munshi
M. Allam	T. Muraki
S. Bae	S. Wang
L. J. Colarusso	M. Diaz, <i>Contributing Member</i>
A. C. Eberhardt	S. Diaz, <i>Contributing Member</i>
F. Farzam	A. Istar, <i>Contributing Member</i>
P. S. Ghosal	B. R. Laskewitz, <i>Contributing Member</i>
B. D. Hovis	B. B. Scott, <i>Contributing Member</i>
T. C. Inman	Z. Shang, <i>Contributing Member</i>
C. Jones	M. Sircar, <i>Contributing Member</i>
O. Jovall	

Working Group on Materials, Fabrication, and Examination (BPV III-2)

P. S. Ghosal, <i>Chair</i>	N. Lee
T. Tonyan, <i>Vice Chair</i>	C. T. Smith
M. Allam	J. F. Strunk
C. J. Bang	D. Ufuk
J.-B. Domage	J. F. Artuso, <i>Contributing Member</i>
A. C. Eberhardt	J. Gutierrez, <i>Contributing Member</i>
C. Jones	B. B. Scott, <i>Contributing Member</i>
T. Kang	Z. Shang, <i>Contributing Member</i>

Special Working Group on Modernization (BPV III-2)

J. McLean, <i>Chair</i>	S. Wang
N. Orbovic, <i>Vice Chair</i>	S. Diaz, <i>Contributing Member</i>
A. Adediran	J.-B. Domage, <i>Contributing Member</i>
O. Jovall	F. Lin, <i>Contributing Member</i>
C. T. Smith	N. Stoeva, <i>Contributing Member</i>
M. A. Ugalde	

Subgroup on Containment Systems for Spent Nuclear Fuel and High-Level Radioactive Material (BPV III)

D. K. Morton, <i>Chair</i>	C. J. Temus
D. J. Ammerman, <i>Vice Chair</i>	W. H. Borter, <i>Contributing Member</i>
G. R. Cannell, <i>Secretary</i>	R. S. Hill III, <i>Contributing Member</i>
G. Bjorkman	P. E. McConnell, <i>Contributing Member</i>
V. Broz	A. B. Meichler, <i>Contributing Member</i>
S. Horowitz	T. Saegusa, <i>Contributing Member</i>
D. W. Lewis	N. M. Simpson, <i>Contributing Member</i>
E. L. Pleins	
R. H. Smith	
G. J. Solovey	

Subgroup on Fusion Energy Devices (BPV III)

W. K. Sowder, Jr., <i>Chair</i>	G. Li
D. Andrei, <i>Staff Secretary</i>	X. Li
D. J. Roszman, <i>Secretary</i>	P. Mokaria
L. C. Cadwallader	T. R. Muldoon
B. R. Doshi	M. Porton
M. Higuchi	F. J. Schaaf, Jr.
G. Holtmeier	P. Smith
M. Kalsey	Y. Song
K. A. Kavanagh	M. Trosen
K. Kim	C. Waldon
I. Kimihiro	I. J. Zatz
S. Lee	R. W. Barnes, <i>Contributing Member</i>

Working Group on General Requirements (BPV III-4)

D. J. Roszman, <i>Chair</i>	W. K. Sowder, Jr.
-----------------------------	-------------------

Working Group on In-Vessel Components (BPV III-4)

M. Kalsey, <i>Chair</i>	Y. Carin
-------------------------	----------

Working Group on Magnets (BPV III-4)

S. Lee, <i>Chair</i>	K. Kim, <i>Vice Chair</i>
----------------------	---------------------------

Working Group on Materials (BPV III-4)

M. Porton, <i>Chair</i>	P. Mummery
-------------------------	------------

Working Group on Vacuum Vessels (BPV III-4)

I. Kimihiro, <i>Chair</i>	B. R. Doshi
L. C. Cadwallader	

Subgroup on High Temperature Reactors (BPV III)

M. Morishita, <i>Chair</i>	G. H. Koo
R. I. Jetter, <i>Vice Chair</i>	D. K. Morton
S. Sham, <i>Secretary</i>	J. E. Nestell
N. Broom	G. L. Zeng
T. D. Burchell	X. Li, <i>Contributing Member</i>
M. W. Davies	L. Shi, <i>Contributing Member</i>
S. Downey	

Working Group on High Temperature Gas-Cooled Reactors (BPV III-5)

J. E. Nestell, <i>Chair</i>	T. Le
M. Sengupta, <i>Secretary</i>	T. R. Lupold
N. Broom	S. N. Malik
T. D. Burchell	D. L. Marriott
M. W. Davies	D. K. Morton
R. S. Hill III	S. Sham
E. V. Imbro	G. L. Zeng
R. I. Jetter	X. Li, <i>Contributing Member</i>
Y. W. Kim	L. Shi, <i>Contributing Member</i>

Working Group on High Temperature Liquid-Cooled Reactors (BPV III-5)

S. Sham, <i>Chair</i>	R. I. Jetter
T. Asayama, <i>Secretary</i>	G. H. Koo
M. Arcaro	T. Le
R. W. Barnes	S. Majumdar
P. Carter	M. Morishita
M. E. Cohen	J. E. Nestell
A. B. Hull	G. Wu, <i>Contributing Member</i>

Argentina International Working Group (BPV III)

O. Martinez, <i>Staff Secretary</i>	M. M. Gamizo
A. Acrogliano	A. Gomez
W. Agrelo	I. M. Guerreiro
G. O. Anteri	I. A. Knorr
M. Anticoli	M. F. Liendo
C. A. Araya	L. R. Miño
J. P. Balbiani	J. Monte
A. A. Betervide	R. L. Morard
D. O. Bordato	A. E. Pastor
G. Bourguigne	E. Pizzichini
M. L. Cappella	A. Politi
A. Claus	J. L. Racamato
R. G. Cocco	H. C. Sanzi
A. Coleff	G. J. Scian
A. J. Dall'Osto	G. G. Sebastian
L. M. De Barberis	M. E. Szarko
D. P. Delfino	P. N. Torano
D. N. Dell'Erba	A. Turrin
F. G. Diez	O. A. Verastegui
A. Dominguez	M. D. Vigliano
S. A. Echeverria	P. Yamamoto
J. Fernández	M. Zunino
E. P. Fresquet	

China International Working Group (BPV III)

J. Yan, <i>Chair</i>	G. Sun
W. Tang, <i>Vice Chair</i>	Z. Sun
C. A. Sanna, <i>Staff Secretary</i>	G. Tang
Y. He, <i>Secretary</i>	L. Ting
L. Guo	Y. Tu
Y. Jing	Y. Wang
D. Kang	H. Wu
Y. Li	X. Wu
B. Liang	S. Xue
H. Lin	Z. Yin
S. Liu	G. Zhang
W. Liu	W. Zhang
J. Ma	W. Zhao
K. Mao	Y. Zhong
W. Pei	Z. Zhong

Germany International Working Group (BPV III)

C. Huttner, <i>Chair</i>	C. Krumb
H.-R. Bath, <i>Secretary</i>	W. Mayinger
B. Arndt	D. Moehring
M. Bauer	D. Ostermann
G. Daum	G. Roos
R. Doring	J. Rudolph
L. Gerstner	C. A. Sanna
G. Haenle	H. Schau
K.-H. Herter	R. Trieglaff
R. E. Hueggenberg	P. Völlmecke
E. Iacopetta	J. Wendt
U. Jendrich	F. Wille
D. Koelbl	M. Winter
G. Kramarz	N. Wirtz

India International Working Group (BPV III)

B. Basu, <i>Chair</i>	S. Kovalai
G. Mathivanan, <i>Vice Chair</i>	D. Kulkarni
C. A. Sanna, <i>Staff Secretary</i>	M. Ponnusamy
S. B. Parkash, <i>Secretary</i>	R. N. Sen
A. D. Bagdare	K. R. Shah
V. Bhasin	A. Sundararajan

Korea International Working Group (BPV III)

G. H. Koo, <i>Chair</i>	D. Kwon
S. S. Hwang, <i>Vice Chair</i>	B. Lee
O.-S. Kim, <i>Secretary</i>	D. Lee
H. S. Byun	Sanghoon Lee
G.-S. Choi	Sangil Lee
S. Choi	S.-G. Lee
J. Y. Hong	H. Lim
N.-S. Huh	I.-K. Nam
J.-K. Hwang	B. Noh
C. Jang	C.-K. Oh
I. I. Jeong	C. Park
H. J. Kim	H. Park
J. Kim	J.-S. Park
J.-S. Kim	T. Shin
K. Kim	S. Song
M.-W. Kim	J. S. Yang
Y.-B. Kim	O. Yoo
Y.-S. Kim	

Special Working Group on Editing and Review (BPV III)

D. E. Matthews, <i>Chair</i>	D. K. Morton
R. L. Bratton	L. M. Plante
R. P. Deubler	R. F. Reedy, Sr.
A. C. Eberhardt	C. Wilson
J. C. Minichiello	

Special Working Group on HDPE Stakeholders (BPV III)

D. Burwell, <i>Chair</i>	D. Keller
S. Patterson, <i>Secretary</i>	M. Lashley
T. M. Adams	K. A. Manoly
M. Brandes	D. P. Munson
S. Bruce	T. M. Musto
S. Choi	J. E. O'Sullivan
C. M. Faidy	V. Rohatgi
M. Golliet	F. J. Schaaf, Jr.
J. Grimes	R. Stakenborghs
R. M. Jessee	M. Troughton
J. Johnston, Jr.	

Special Working Group on Honors and Awards (BPV III)

R. M. Jessee, <i>Chair</i>	D. E. Matthews
A. Appleton	J. C. Minichiello
R. W. Barnes	

**Special Working Group on Industry Experience for New Plants
(BPV III & BPV XI)**

J. T. Lindberg, <i>Chair</i>	O.-S. Kim
E. L. Pleins, <i>Chair</i>	Y.-S. Kim
J. Ossmann, <i>Secretary</i>	K. Matsunaga
T. L. Chan	D. E. Matthews
H. L. Gustin	R. E. McLaughlin
P. J. Hennessey	D. W. Sandusky
D. O. Henry	T. Tsuruta
J. Honcharik	R. M. Wilson
E. V. Imbro	S. M. Yee
C. G. Kim	

Special Working Group on International Meetings (BPV III)

C. T. Smith, <i>Chair</i>	R. S. Hill III
A. Byk, <i>Staff Secretary</i>	M. N. Mitchell
T. D. Burchell	R. F. Reedy, Sr.
S. W. Cameron	C. A. Sanna
R. L. Crane	

Special Working Group on New Plant Construction Issues (BPV III)

E. L. Pleins, <i>Chair</i>	M. Kris
M. C. Scott, <i>Secretary</i>	J. C. Minichiello
A. Byk	D. W. Sandusky
A. Cardillo	R. R. Stevenson
P. J. Coco	R. Troficanto
J. Honcharik	M. L. Wilson
E. V. Imbro	J. Yan
O.-S. Kim	

Special Working Group on Regulatory Interface (BPV III)

E. V. Imbro, <i>Chair</i>	K. Matsunaga
P. Malouines, <i>Secretary</i>	D. E. Matthews
S. Bell	B. McGlone
A. Cardillo	A. T. Roberts III
P. J. Coco	R. R. Stevenson
J. Grimm	M. L. Wilson
J. Honcharik	

COMMITTEE ON HEATING BOILERS (BPV IV)

J. A. Hall, <i>Chair</i>	G. Scribner
T. L. Bedeaux, <i>Vice Chair</i>	R. D. Troutt
G. Moino, <i>Staff Secretary</i>	M. Wadkinson
B. Calderon	R. V. Wielgoszinski
J. Calland	H. Michael, <i>Delegate</i>
J. P. Chicoine	D. Picart, <i>Delegate</i>
J. M. Downs	A. Heino, <i>Contributing Member</i>
B. J. Iske	S. V. Voorhees, <i>Contributing Member</i>
J. Klug	J. L. Kleiss, <i>Alternate</i>
P. A. Molvie	

Subgroup on Care and Operation of Heating Boilers (BPV IV)

M. Wadkinson, <i>Chair</i>	J. A. Hall
T. L. Bedeaux	P. A. Molvie
J. Calland	C. Lasarte, <i>Contributing Member</i>
J. M. Downs	

Subgroup on Cast Boilers (BPV IV)

J. P. Chicoine, <i>Chair</i>	J. A. Hall
T. L. Bedeaux, <i>Vice Chair</i>	J. L. Kleiss
J. M. Downs	

Subgroup on Materials (BPV IV)

M. Wadkinson, <i>Chair</i>	J. A. Hall
J. Calland	A. Heino
J. M. Downs	B. J. Iske

Subgroup on Water Heaters (BPV IV)

J. Calland, <i>Chair</i>	R. E. Olson
L. Badziagowski	M. A. Taylor
J. P. Chicoine	T. E. Trant
C. Dinic	R. D. Troutt
B. J. Iske	

Subgroup on Welded Boilers (BPV IV)

P. A. Molvie, <i>Chair</i>	J. L. Kleiss
L. Badziagowski	R. E. Olson
T. L. Bedeaux	G. Scribner
B. Calderon	R. D. Troutt
J. Calland	M. Wadkinson
C. Dinic	R. V. Wielgoszinski

COMMITTEE ON NONDESTRUCTIVE EXAMINATION (BPV V)

G. W. Hembree, <i>Chair</i>	R. W. Kruzic
F. B. Kovacs, <i>Vice Chair</i>	C. May
J. S. Brzuszkiewicz, <i>Staff Secretary</i>	A. B. Nagel
S. J. Akryn	T. L. Plasek
J. E. Batey	F. J. Sattler
P. L. Brown	P. B. Shaw
M. A. Burns	G. M. Gatti, <i>Delegate</i>
B. Caccamise	X. Guiping, <i>Delegate</i>
C. Emslander	A. S. Birks, <i>Contributing Member</i>
N. Y. Faransso	J. Bennett, <i>Alternate</i>
N. A. Finney	H. C. Graber, <i>Honorary Member</i>
A. F. Garbolevsky	O. F. Hedden, <i>Honorary Member</i>
J. F. Halley	J. R. MacKay, <i>Honorary Member</i>
J. W. Houf	T. G. McCarty, <i>Honorary Member</i>
S. A. Johnson	

Executive Committee (BPV V)

F. B. Kovacs, <i>Chair</i>	N. Y. Faransso
G. W. Hembree, <i>Vice Chair</i>	N. A. Finney
J. S. Brzuszkiewicz, <i>Staff Secretary</i>	S. A. Johnson
J. E. Batey	A. B. Nagel
B. Caccamise	

Subgroup on General Requirements/Personnel Qualifications and Inquiries (BPV V)

C. Emslander, <i>Chair</i>	S. A. Johnson
J. W. Houf, <i>Vice Chair</i>	F. B. Kovacs
S. J. Akryn	D. I. Morris
J. E. Batey	A. B. Nagel
N. Carter	A. S. Birks, <i>Contributing Member</i>
N. Y. Faransso	J. P. Swezy, Jr., <i>Contributing Member</i>
N. A. Finney	
G. W. Hembree	

**Special Working Group on NDE Resource Support (SG-GR/PQ & I)
(BPV V)**

N. A. Finney, <i>Chair</i>	R. Kelso
D. Adkins	C. Magruder
J. Anderson	J. W. Mefford, Jr.
D. Bajula	K. Page
J. Bennett	D. Tompkins
C. T. Brown	D. Van Allen
T. Clausing	T. Vidimos
J. L. Garner	R. Ward
K. Hayes	M. Wolf

Subgroup on Surface Examination Methods (BPV V)

S. A. Johnson, <i>Chair</i>	G. W. Hembree
J. Halley, <i>Vice Chair</i>	R. W. Kruzic
S. J. Akrin	B. D. Laite
J. E. Batey	C. May
P. L. Brown	L. E. Mullins
B. Caccamise	A. B. Nagel
N. Carter	F. J. Sattler
N. Y. Faransso	P. B. Shaw
N. Farenbaugh	G. M. Gatti, <i>Delegate</i>
N. A. Finney	A. S. Birks, <i>Contributing Member</i>

Subgroup on Volumetric Methods (BPV V)

A. B. Nagel, <i>Chair</i>	G. W. Hembree
N. A. Finney, <i>Vice Chair</i>	S. A. Johnson
S. J. Akrin	F. B. Kovacs
J. E. Batey	R. W. Kruzic
P. L. Brown	C. May
B. Caccamise	L. E. Mullins
J. M. Davis	T. L. Plasek
N. Y. Faransso	F. J. Sattler
A. F. Garbolevsky	C. Vorwald
J. F. Halley	G. M. Gatti, <i>Delegate</i>
R. W. Hardy	

Working Group on Acoustic Emissions (SG-VM) (BPV V)

N. Y. Faransso, <i>Chair</i>	S. R. Doctor
J. E. Batey, <i>Vice Chair</i>	R. K. Miller

Working Group on Radiography (SG-VM) (BPV V)

B. Caccamise, <i>Chair</i>	G. W. Hembree
F. B. Kovacs, <i>Vice Chair</i>	S. A. Johnson
S. J. Akrin	R. W. Kruzic
J. E. Batey	B. D. Laite
P. L. Brown	C. May
C. Emslander	R. J. Mills
N. Y. Faransso	A. B. Nagel
A. F. Garbolevsky	T. L. Plasek
R. W. Hardy	B. White

Working Group on Ultrasonics (SG-VM) (BPV V)

N. A. Finney, <i>Chair</i>	R. W. Kruzic
J. F. Halley, <i>Vice Chair</i>	B. D. Laite
B. Caccamise	C. May
J. M. Davis	L. E. Mullins
C. Emslander	A. B. Nagel
N. Y. Faransso	F. J. Sattler
P. T. Hayes	C. Vorwald
S. A. Johnson	

Working Group on Guided Wave Ultrasonic Testing (SG-VM) (BPV V)

N. Y. Faransso, <i>Chair</i>	S. A. Johnson
J. E. Batey, <i>Vice Chair</i>	G. M. Light
D. Alleyne	P. Mudge
N. Amir	M. J. Quarry
J. F. Halley	J. Vanvelsor

Italy International Working Group (BPV V)

P. L. Dinelli, <i>Chair</i>	M. A. Grimoldi
A. Veroni, <i>Secretary</i>	G. Luoni
R. Bertolotti	O. Oldani
F. Bresciani	P. Pedersoli
G. Campos	A. Tintori
N. Caputo	M. Zambon
M. Colombo	G. Gobbi, <i>Contributing Member</i>
F. Ferrarese	G. Pontiggia, <i>Contributing Member</i>
E. Ferrari	

COMMITTEE ON PRESSURE VESSELS (BPV VIII)

R. J. Basile, <i>Chair</i>	G. B. Rawls, Jr.
S. C. Roberts, <i>Vice Chair</i>	F. L. Richter
E. Lawson, <i>Staff Secretary</i>	C. D. Rodery
S. J. Rossi, <i>Staff Secretary</i>	E. Soltow
G. Auriolles, Sr.	J. C. Sowinski
J. Cameron	D. B. Stewart
A. Chaudouet	D. A. Swanson
D. B. DeMichael	J. P. Swezy, Jr.
J. P. Gaspie	S. Terada
J. F. Grubb	E. Uptis
L. E. Hayden, Jr.	R. Duan, <i>Delegate</i>
G. G. Karcher	P. A. McGowan, <i>Delegate</i>
D. L. Kurle	H. Michael, <i>Delegate</i>
K. T. Lau	K. Oyamada, <i>Delegate</i>
M. D. Lower	M. E. Papponetti, <i>Delegate</i>
R. Mahadeen	X. Tang, <i>Delegate</i>
R. W. Mikitka	M. Gold, <i>Contributing Member</i>
U. R. Miller	W. S. Jacobs, <i>Contributing Member</i>
B. R. Morelock	K. Mokhtarian, <i>Contributing Member</i>
T. P. Pastor	
D. T. Peters	
M. J. Pischke	C. C. Neely, <i>Contributing Member</i>
M. D. Rana	K. K. Tam, <i>Honorary Member</i>

Subgroup on Design (BPV VIII)

D. A. Swanson, <i>Chair</i>	M. D. Rana
J. C. Sowinski, <i>Vice Chair</i>	G. B. Rawls, Jr.
M. Faulkner, <i>Secretary</i>	S. C. Roberts
G. Auriolles, Sr.	C. D. Rodery
S. R. Babka	T. G. Seipp
O. A. Barsky	D. Srnica
R. J. Basile	S. Terada
M. R. Breach	J. Vattappilly
F. L. Brown	R. A. Whipple
D. Chandiramani	K. Xu
B. F. Hantz	K. Oyamada, <i>Delegate</i>
C. E. Hinnant	M. E. Papponetti, <i>Delegate</i>
C. S. Hinson	W. S. Jacobs, <i>Contributing Member</i>
M. H. Jawad	P. K. Lam, <i>Contributing Member</i>
D. L. Kurle	K. Mokhtarian, <i>Contributing Member</i>
M. D. Lower	
R. W. Mikitka	
U. R. Miller	S. C. Shah, <i>Contributing Member</i>
T. P. Pastor	K. K. Tam, <i>Contributing Member</i>

Working Group on Design-By-Analysis (BPV VIII)

B. F. Hantz, <i>Chair</i>	S. Krishnamurthy
T. W. Norton, <i>Secretary</i>	A. Mann
R. G. Brown	G. A. Miller
D. Dewees	C. Nadarajah
R. D. Dixon	P. Prueter
Z. Gu	M. D. Rana
C. F. Heberling II	T. G. Seipp
C. E. Hinnant	M. A. Shah
R. Jain	S. Terada
M. H. Jawad	D. Arnett, <i>Contributing Member</i>

Task Group on U-2(g) (BPV VIII)

G. Auriolles, Sr.	R. F. Reedy, Sr.
S. R. Babka	S. C. Roberts
R. J. Basile	M. A. Shah
D. K. Chandiramani	D. Srnic
R. Mahadeen	D. A. Swanson
U. R. Miller	J. P. Swezy, Jr.
T. W. Norton	R. Uebel
T. P. Pastor	K. K. Tam, <i>Contributing Member</i>

Subgroup on Fabrication and Examination (BPV VIII)

J. P. Swezy, Jr., <i>Chair</i>	B. F. Shelley
D. I. Morris, <i>Vice Chair</i>	P. L. Sturgill
E. A. Whittle, <i>Vice Chair</i>	E. Uptis
B. R. Morelock, <i>Secretary</i>	K. Oyamada, <i>Delegate</i>
N. Carter	W. J. Bees, <i>Contributing Member</i>
S. Flynn	L. F. Campbell, <i>Contributing Member</i>
S. Heater	W. S. Jacobs, <i>Contributing Member</i>
O. Mulet	J. Lee, <i>Contributing Member</i>
M. J. Pischke	R. Uebel, <i>Contributing Member</i>
M. J. Rice	
C. D. Rodery	

Subgroup on Heat Transfer Equipment (BPV VIII)

G. Auriolles, Sr., <i>Chair</i>	U. R. Miller
S. R. Babka, <i>Vice Chair</i>	D. Srnic
P. Matkovichs, <i>Secretary</i>	A. M. Voytko
D. Angstadt	R. P. Wiberg
M. Bahadori	I. G. Campbell, <i>Contributing Member</i>
J. H. Barbee	I. Garcia, <i>Contributing Member</i>
O. A. Barsky	J. Mauritz, <i>Contributing Member</i>
L. Bower	T. W. Norton, <i>Contributing Member</i>
A. Chaudouet	F. Osweiller, <i>Contributing Member</i>
M. D. Clark	J. Pasek, <i>Contributing Member</i>
S. Jeyakumar	R. Tiwari, <i>Contributing Member</i>
G. G. Karcher	S. Yokell, <i>Contributing Member</i>
D. L. Kurle	S. M. Caldwell, <i>Honorary Member</i>
R. Mahadeen	
S. Mayeux	

Subgroup on General Requirements (BPV VIII)

M. D. Lower, <i>Chair</i>	K. T. Lau
J. P. Glaspie, <i>Vice Chair</i>	T. P. Pastor
F. L. Richter, <i>Secretary</i>	S. C. Roberts
R. J. Basile	J. C. Sowinski
D. T. Davis	P. Speranza
D. B. DeMichael	D. B. Stewart
M. Faulkner	D. A. Swanson
F. Hamtak	R. Uebel
L. E. Hayden, Jr.	C. C. Neely, <i>Contributing Member</i>

Task Group on Plate Heat Exchangers (BPV VIII)

P. Matkovichs, <i>Chair</i>	R. Mahadeen
S. R. Babka	D. I. Morris
K. Devlin	M. J. Pischke
S. Flynn	C. M. Romero
J. F. Grubb	E. Soltow
F. Hamtak	D. Srnic

Task Group on Subsea Applications (BPV VIII)

R. Cordes, <i>Chair</i>	F. Kirkemo
L. P. Antalffy	C. Lan
R. C. Biel	N. McKie
P. Bunch	S. K. Parimi
J. Ellens	M. Sarzynski
S. Harbert	Y. Wada
X. Kaculi	D. T. Peters, <i>Contributing Member</i>
K. Karpanan	

Subgroup on High Pressure Vessels (BPV VIII)

D. T. Peters, <i>Chair</i>	E. A. Rodriguez
G. M. Mital, <i>Vice Chair</i>	E. D. Roll
A. P. Maslowski, <i>Staff Secretary</i>	K. C. Simpson, Jr.
L. P. Antalffy	J. R. Sims
R. C. Biel	D. L. Stang
P. N. Chaku	F. W. Tatar
R. Cordes	S. Terada
R. D. Dixon	J. L. Traud
L. Fridlund	R. Wink
R. T. Hallman	K.-J. Young
A. H. Honza	R. M. Hoshman, <i>Contributing Member</i>
J. A. Kapp	D. J. Burns, <i>Honorary Member</i>
J. Keltjens	D. M. Fryer, <i>Honorary Member</i>
A. K. Khare	G. J. Mraz, <i>Honorary Member</i>
N. McKie	E. H. Perez, <i>Honorary Member</i>
S. C. Mordre	
G. T. Nelson	

Task Group on UG-20(f) (BPV VIII)

S. Krishnamurthy, <i>Chair</i>	B. R. Macejko
T. Anderson	J. Penso
K. Bagnoli	M. Prager
R. P. Deubler	M. D. Rana
B. F. Hantz	

Subgroup on Materials (BPV VIII)

J. Cameron, <i>Chair</i>	D. W. Rahoi
P. G. Wittenbach, <i>Vice Chair</i>	R. C. Sutherland
K. Xu, <i>Secretary</i>	E. Upitis
A. Di Rienzo	G. S. Dixit, <i>Contributing Member</i>
J. D. Fritz	M. Gold, <i>Contributing Member</i>
J. F. Grubb	M. Katcher, <i>Contributing Member</i>
M. Kowalczyk	J. A. McMaster, <i>Contributing Member</i>
W. M. Lundy	E. G. Nisbett, <i>Contributing Member</i>
J. Penso	

Italy International Working Group (BPV VIII)

G. Pontiggia, <i>Chair</i>	M. Guglielmetti
A. Veroni, <i>Secretary</i>	P. Mantovani
B. G. Alborali	M. Massobrio
P. Angelini	L. Moracchioli
R. Boatti	C. Sangaletti
A. Camanni	S. Sarti
P. Conti	A. Teli
P. L. Dinelli	I. Venier
F. Finco	G. Gobbi, <i>Contributing Member</i>

Subgroup on Toughness (BPV II & BPV VIII)

D. L. Kurle, <i>Chair</i>	J. P. Swezy, Jr.
K. Xu, <i>Vice Chair</i>	S. Terada
N. Carter	E. Upitis
W. S. Jacobs	J. Vattappilly
K. E. Orié	K. Oyamada, <i>Delegate</i>
M. D. Rana	K. Mokhtarian, <i>Contributing Member</i>
F. L. Richter	C. C. Neely, <i>Contributing Member</i>
K. Subramanian	
D. A. Swanson	

Special Working Group on Bolted Flanged Joints (BPV VIII)

R. W. Mikitka, <i>Chair</i>	J. R. Payne
W. Brown	G. B. Rawls, Jr.
H. Chen	M. S. Shelton
W. J. Koves	

Subgroup on Graphite Pressure Equipment (BPV VIII)

A. Viet, <i>Chair</i>	C. W. Cary
G. C. Becherer	E. Soltow
F. L. Brown	A. A. Stupica

Working Group on Design (BPV VIII Div. 3)

E. D. Roll, <i>Chair</i>	K. C. Simpson
C. Becht V	J. R. Sims
R. C. Biel	D. L. Stang
R. Cordes	K. Subramanian
R. D. Dixon	S. Terada
L. Fridlund	J. L. Traud
R. T. Hallman	R. Wink
K. Karpanan	Y. Xu
J. Keltjens	F. Kirkemo, <i>Contributing Member</i>
N. McKie	D. J. Burns, <i>Honorary Member</i>
G. M. Mital	D. M. Fryer, <i>Honorary Member</i>
S. C. Mordre	G. J. Mraz, <i>Honorary Member</i>
G. T. Nelson	E. H. Perez, <i>Honorary Member</i>
D. T. Peters	

China International Working Group (BPV VIII)

X. Chen, <i>Chair</i>	D. Luo
B. Shou, <i>Vice Chair</i>	Y. Luo
Z. Fan, <i>Secretary</i>	C. Miao
Y. Chen	X. Qian
Z. Chen	B. Wang
J. Cui	F. Xu
R. Duan	F. Xuan
W. Guo	K. Zhang
B. Han	Y. Zhang
J. Hu	S. Zhao
Q. Hu	J. Zheng
H. Hui	G. Zhu

Working Group on Materials (BPV VIII Div. 3)

F. W. Tatar, <i>Chair</i>	J. A. Kapp
L. P. Antalffy	A. K. Khare
P. N. Chaku	

Germany International Working Group (BPV VIII)

P. Chavdarov, <i>Chair</i>	D. Koelbl
A. Spangenberg, <i>Vice Chair</i>	S. Krebs
H. P. Schmitz, <i>Secretary</i>	T. Ludwig
B. Daume	R. A. Meyers
A. Emrich	H. Michael
J. Fleischfresser	P. Paluszkiewicz
A. Gastberg	H. Schroeder
R. Helmholdt	M. Sykora
R. Kauer	

Task Group on Impulsively Loaded Vessels (BPV VIII)

E. A. Rodriguez, <i>Chair</i>	R. A. Leishear
G. A. Antaki	P. O. Leslie
J. K. Asahina	F. Ohlson
D. D. Barker	C. Romero
A. M. Clayton	N. Rushton
J. E. Didlake, Jr.	J. H. Stofleth
T. A. Duffey	Q. Dong, <i>Contributing Member</i>
B. L. Haroldsen	H.-P. Schildberg, <i>Contributing Member</i>
K. Hayashi	J. E. Shephard, <i>Contributing Member</i>
D. Hilding	M. Yip, <i>Contributing Member</i>
K. W. King	
R. Kitamura	

Subgroup on Interpretations (BPV VIII)

U. R. Miller, <i>Chair</i>	D. I. Morris
E. Lawson, <i>Staff Secretary</i>	D. T. Peters
G. Auriolles, Sr.	S. C. Roberts
R. J. Basile	C. D. Rodery
J. Cameron	D. B. Stewart
R. D. Dixon	P. L. Sturgill
M. Kowalczyk	D. A. Swanson
D. L. Kurle	J. P. Swezy, Jr.
M. D. Lower	J. Vattappilly
R. Mahadeen	P. G. Wittenbach
G. M. Mital	T. P. Pastor, <i>Contributing Member</i>

Subgroup on Plastic Fusing (BPV IX)

E. W. Woelfel, <i>Chair</i>	J. E. O'Sullivan
D. Burwell	E. G. Reichelt
M. Ghahremani	M. J. Rice
K. L. Hayes	S. Schuessler
R. M. Jessee	M. Troughton
J. Johnston, Jr.	J. Wright

COMMITTEE ON WELDING, BRAZING, AND FUSING (BPV IX)

D. A. Bowers, <i>Chair</i>	W. J. Sperko
M. J. Pischke, <i>Vice Chair</i>	M. J. Stanko
S. J. Rossi, <i>Staff Secretary</i>	P. L. Sturgill
M. Bernasek	J. P. Swezy, Jr.
M. A. Boring	P. L. Van Fosson
J. G. Feldstein	E. W. Woelfel
P. D. Flenner	A. Roza, <i>Delegate</i>
S. E. Gingrich	M. Consonni, <i>Contributing Member</i>
K. L. Hayes	S. A. Jones, <i>Contributing Member</i>
R. M. Jessee	A. S. Olivares, <i>Contributing Member</i>
J. S. Lee	S. Raghunathan, <i>Contributing Member</i>
W. M. Lundy	R. K. Brown, Jr., <i>Honorary Member</i>
T. Melfi	M. L. Carpenter, <i>Honorary Member</i>
W. F. Newell, Jr.	B. R. Newmark, <i>Honorary Member</i>
D. K. Peetz	S. D. Reynolds, Jr., <i>Honorary Member</i>
E. G. Reichelt	
M. J. Rice	
M. B. Sims	

Subgroup on Welding Qualifications (BPV IX)

M. J. Rice, <i>Chair</i>	E. G. Reichelt
J. S. Lee, <i>Vice Chair</i>	M. B. Sims
M. Bernasek	W. J. Sperko
M. A. Boring	S. A. Sprague
D. A. Bowers	P. L. Sturgill
R. B. Corbit	J. P. Swezy, Jr.
P. D. Flenner	P. L. Van Fosson
L. S. Harbison	T. C. Wiesner
K. L. Hayes	A. D. Wilson
W. M. Lundy	D. Chandiramani, <i>Contributing Member</i>
T. Melfi	M. Consonni, <i>Contributing Member</i>
W. F. Newell, Jr.	M. Degan, <i>Contributing Member</i>
B. R. Newton	
S. Raghunathan	

Subgroup on Brazing (BPV IX)

M. J. Pischke, <i>Chair</i>	A. F. Garbolevsky
E. W. Beckman	N. Mohr
L. F. Campbell	A. R. Nywening
M. L. Carpenter	J. P. Swezy, Jr.

Italy International Working Group (BPV IX)

A. Camanni, <i>Chair</i>	N. Maestri
A. Veroni, <i>Secretary</i>	M. Mandina
P. Angelini	M. Massobrio
R. Boatti	L. Moracchioli
P. L. Dinelli	G. Pontiggia
F. Ferrarese	S. Verderame
A. Ghidini	A. Volpi
E. Lazzari	G. Gobbi, <i>Contributing Member</i>
L. Lotti	

Subgroup on General Requirements (BPV IX)

P. L. Sturgill, <i>Chair</i>	R. M. Jessee
E. W. Beckman	D. Mobley
J. P. Bell	D. K. Peetz
D. A. Bowers	J. Pillow
G. Chandler	H. B. Porter
P. R. Evans	J. P. Swezy, Jr.
S. Flynn	K. R. Willens
P. Gilston	E. W. Woelfel
F. Hamtak	E. Molina, <i>Delegate</i>
A. Howard	B. R. Newmark, <i>Honorary Member</i>

COMMITTEE ON FIBER-REINFORCED PLASTIC PRESSURE VESSELS (BPV X)

D. Eisberg, <i>Chair</i>	D. H. Hodgkinson
B. F. Shelley, <i>Vice Chair</i>	L. E. Hunt
P. D. Stumpf, <i>Staff Secretary</i>	D. L. Keeler
A. L. Beckwith	B. M. Linnemann
D. Bentley	D. H. McCauley
F. L. Brown	N. L. Newhouse
J. L. Bustillos	D. J. Painter
B. R. Colley	A. A. Pollock
T. W. Cowley	G. Ramirez
I. L. Dinovo	J. R. Richter
M. R. Gorman	D. O. Yancey, Jr.
B. Hebb	P. H. Ziehl
M. J. Hendrix	

Subgroup on Materials (BPV IX)

M. Bernasek, <i>Chair</i>	M. J. Pischke
T. Anderson	A. Roza
J. L. Arnold	C. E. Sainz
E. Cutlip	W. J. Sperko
S. S. Fiore	M. J. Stanko
S. E. Gingrich	P. L. Sturgill
L. S. Harbison	J. Warren
R. M. Jessee	C. Zanfir
T. Melfi	

COMMITTEE ON NUCLEAR INSERVICE INSPECTION (BPV XI)

G. C. Park, <i>Chair</i>	S. A. Norman
S. D. Kulat, <i>Vice Chair</i>	J. E. O'Sullivan
R. W. Swayne, <i>Vice Chair</i>	R. K. Rhyne
L. Powers, <i>Staff Secretary</i>	A. T. Roberts III
V. L. Armentrout	D. A. Scarth
J. F. Ball	F. J. Schaaf, Jr.
W. H. Bamford	J. C. Spanner, Jr.
S. B. Brown	D. J. Tilly
T. L. Chan	D. E. Waskey
R. C. Cipolla	J. G. Weicks
D. R. Cordes	H. D. Chung, <i>Delegate</i>
D. D. Davis	C. Ye, <i>Delegate</i>
R. L. Dyle	R. E. Gimple, <i>Contributing Member</i>
E. V. Farrell, Jr.	R. D. Kerr, <i>Contributing Member</i>
M. J. Ferlisi	B. R. Newton, <i>Contributing Member</i>
P. D. Fisher	R. A. West, <i>Contributing Member</i>
E. B. Gerlach	R. A. Yonekawa, <i>Contributing Member</i>
T. J. Griesbach	
J. Hakii	M. L. Benson, <i>Alternate</i>
D. O. Henry	J. T. Lindberg, <i>Alternate</i>
W. C. Holston	R. O. McGill, <i>Alternate</i>
D. W. Lamond	C. J. Wirtz, <i>Alternate</i>
D. R. Lee	C. D. Cowfer, <i>Honorary Member</i>
G. A. Lofthus	F. E. Gregor, <i>Honorary Member</i>
E. J. Maloney	O. F. Hedden, <i>Honorary Member</i>
G. Navratil	P. C. Riccardella, <i>Honorary Member</i>

Executive Committee (BPV XI)

S. D. Kulat, <i>Chair</i>	W. C. Holston
G. C. Park, <i>Vice Chair</i>	D. W. Lamond
L. Powers, <i>Staff Secretary</i>	J. T. Lindberg
W. H. Bamford	R. K. Rhyne
R. L. Dyle	J. C. Spanner, Jr.
M. J. Ferlisi	R. W. Swayne
E. B. Gerlach	M. L. Benson, <i>Alternate</i>

Argentina International Working Group (BPV XI)

O. Martinez, <i>Staff Secretary</i>	R. J. Lopez
D. A. Cipolla	M. Magliocchi
A. Claus	L. R. Miño
D. Costa	J. Monte
D. P. Delfino	M. D. Pereda
D. N. Dell'Erba	A. Politi
A. Dominguez	C. G. Real
S. A. Echeverria	F. M. Schroeter
E. P. Fresquet	G. J. Scian
M. M. Gamizo	M. J. Solari
I. M. Guerreiro	P. N. Torano
M. F. Liendo	O. A. Verastegui
F. Llorente	P. Yamamoto

China International Working Group (BPV XI)

J. H. Liu, <i>Chair</i>	Y. Liu
Y. Nie, <i>Vice Chair</i>	W. N. Pei
C. Ye, <i>Vice Chair</i>	G. L. Peng
M. W. Zhou, <i>Secretary</i>	G. X. Tang
J. F. Cai	Q. Wang
D. X. Chen	Q. W. Wang
H. Chen	Z. S. Wang
H. D. Chen	L. Wei
Y. B. Guo	F. Xu
Y. Hou	Z. Y. Xu
D. M. Kang	Q. Yin
S. W. Li	K. Zhang
X. Y. Liang	X. L. Zhang
S. X. Lin	Y. Zhang
L. Q. Liu	Z. M. Zhong

Germany International Working Group (BPV XI)

H.-R. Bath	U. Jendrich
R. Doring	H. Schau
B. Erhard	H.-J. Scholtka
M. Hagenbruch	X. Schuler
B. Hoffmann	J. Wendt
E. Iacopetta	

Special Working Group on Editing and Review (BPV XI)

R. W. Swayne, <i>Chair</i>	J. E. Staffiera
C. E. Moyer	D. J. Tilly
K. R. Rao	C. J. Wirtz

Task Group on Inspectability (BPV XI)

J. T. Lindberg, <i>Chair</i>	D. Lieb
M. J. Ferlisi, <i>Secretary</i>	G. A. Lofthus
W. H. Bamford	D. E. Matthews
A. Cardillo	P. J. O'Regan
D. R. Cordes	J. Ossmann
D. O. Henry	R. Rishel
E. Henry	S. A. Sabo
J. Honcharik	P. Sullivan
J. Howard	C. Thomas
R. Klein	J. Tucker
C. Latiolais	

Task Group on ISI of Spent Nuclear Fuel Storage and Transportation Containment Systems (BPV XI)

K. Hunter, <i>Chair</i>	R. M. Meyer
A. Alleshwaram, <i>Secretary</i>	B. L. Montgomery
D. J. Ammerman	M. Moran
W. H. Borter	T. Nuoffer
J. Broussard	M. Orihuela
S. Brown	R. Pace
C. R. Bryan	E. L. Pleins
T. Carraher	R. Sindelar
D. Dunn	H. Smith
N. Fales	J. C. Spanner, Jr.
R. C. Folley	C. J. Temus
B. Gutherman	G. White
S. Horowitz	X. J. Zhai
M. W. Joseph	P.-S. Lam, <i>Alternate</i>
H. Jung	J. Wise, <i>Alternate</i>
M. Liu	

Subgroup on Evaluation Standards (SG-ES) (BPV XI)

W. H. Bamford, <i>Chair</i>	Y. S. Li
N. A. Palm, <i>Secretary</i>	R. O. McGill
H. D. Chung	H. S. Mehta
R. C. Cipolla	K. Miyazaki
R. L. Dyle	R. Pace
C. M. Faidy	J. C. Poehler
B. R. Ganta	S. Ranganath
T. J. Griesbach	D. A. Scarth
K. Hasegawa	T. V. Vo
K. Hojo	K. R. Wichman
D. N. Hopkins	S. X. Xu
K. Koyama	M. L. Benson, <i>Alternate</i>
D. R. Lee	T. Hardin, <i>Alternate</i>

Task Group on Evaluation of Beyond Design Basis Events (SG-ES) (BPV XI)

R. Pace, <i>Chair</i>	S. A. Kleinsmith
K. E. Woods, <i>Secretary</i>	H. S. Mehta
G. A. Antaki	D. V. Sommerville
P. R. Donavin	T. V. Vo
R. G. Gilada	K. R. Wichman
T. J. Griesbach	G. M. Wilkowski
H. L. Gustin	S. X. Xu
M. Hayashi	T. Weaver, <i>Contributing Member</i>
K. Hojo	

Working Group on Flaw Evaluation (SG-ES) (BPV XI)

R. C. Cipolla, <i>Chair</i>	D. R. Lee
S. X. Xu, <i>Secretary</i>	Y. S. Li
W. H. Bamford	M. Liu
M. L. Benson	H. S. Mehta
B. Bezensek	G. A. A. Miessi
M. Brumovsky	K. Miyazaki
H. D. Chung	R. K. Qashu
T. E. Demers	S. Ranganath
C. M. Faidy	P. J. Rush
B. R. Ganta	D. A. Scarth
R. G. Gilada	W. L. Server
H. L. Gustin	D.-J. Shim
F. D. Hayes	A. Udyawar
P. H. Hoang	T. V. Vo
K. Hojo	B. Wasiluk
D. N. Hopkins	K. R. Wichman
Y. Kim	G. M. Wilkowski
K. Koyama	D. L. Rudland, <i>Alternate</i>
V. Lacroix	

Task Group on Crack Growth Reference Curves (BPV XI)

D. A. Scarth, <i>Chair</i>	D. N. Hopkins
H. I. Gustin, <i>Secretary</i>	K. Kashima
W. H. Bamford	K. Koyama
M. L. Benson	D. R. Lee
F. W. Brust	H. S. Mehta
R. C. Cipolla	K. Miyazaki
R. L. Dyle	S. Ranganath
K. Hasegawa	T. V. Vo

Task Group on Evaluation Procedures for Degraded Buried Pipe (WG-PFE) (BPV XI)

R. O. McGill, <i>Chair</i>	G. A. A. Miessi
S. X. Xu, <i>Secretary</i>	M. Moenssens
G. A. Antaki	D. P. Munson
R. C. Cipolla	R. Pace
K. Hasegawa	P. J. Rush
K. M. Hoffman	D. A. Scarth

Working Group on Operating Plant Criteria (SG-ES) (BPV XI)

N. A. Palm, <i>Chair</i>	A. D. Odell
A. E. Freed, <i>Secretary</i>	R. Pace
V. Marthandam, <i>Secretary</i>	J. C. Poehler
K. R. Baker	S. Ranganath
W. H. Bamford	W. L. Server
M. Brumovsky	D. V. Sommerville
T. L. Dickson	C. A. Tomes
R. L. Dyle	A. Udyawar
S. R. Gosselin	T. V. Vo
T. J. Griesbach	D. P. Weakland
M. Hayashi	K. E. Woods
S. A. Kleinsmith	H. Q. Xu
H. Kobayashi	T. Hardin, <i>Alternate</i>
H. S. Mehta	

Working Group on Pipe Flaw Evaluation (SG-ES) (BPV XI)

D. A. Scarth, <i>Chair</i>	E. J. Houston
G. M. Wilkowski, <i>Secretary</i>	R. Janowiak
K. Azuma	S. Kalyanam
W. H. Bamford	K. Kashima
M. L. Benson	V. Lacroix
M. Brumovsky	Y. S. Li
F. W. Brust	R. O. McGill
H. D. Chung	H. S. Mehta
R. C. Cipolla	G. A. A. Miessi
N. G. Cofie	K. Miyazaki
J. M. Davis	S. H. Pellet
T. E. Demers	H. Rathbun
C. M. Faidy	P. J. Rush
B. R. Ganta	D.-J. Shim
S. R. Gosselin	A. Udyawar
C. E. Guzman-Leong	T. V. Vo
K. Hasegawa	B. Wasiluk
P. H. Hoang	S. X. Xu
K. Hojo	A. Alleswaram, <i>Alternate</i>
D. N. Hopkins	

Subgroup on Nondestructive Examination (SG-NDE) (BPV XI)

J. C. Spanner, Jr., <i>Chair</i>	J. T. Lindberg
D. R. Cordes, <i>Secretary</i>	G. A. Lofthus
T. L. Chan	G. R. Perkins
S. E. Cumblidge	S. A. Sabo
F. E. Dohmen	F. J. Schaaf, Jr.
K. J. Hacker	R. V. Swain
J. Harrison	C. J. Wirtz
D. O. Henry	C. A. Nove, <i>Alternate</i>

Working Group on Personnel Qualification and Surface Visual and Eddy Current Examination (SG-NDE) (BPV XI)

J. T. Lindberg, *Chair*
J. E. Aycock, *Secretary*
C. Brown, *Secretary*
S. E. Cumblidge
A. Diaz
N. Farenbaugh

D. O. Henry
J. W. Houf
C. Shinsky
J. C. Spanner, Jr.
J. T. Timm
C. J. Wirtz

Working Group on Procedure Qualification and Volumetric Examination (SG-NDE) (BPV XI)

G. A. Lofthus, *Chair*
J. Harrison, *Secretary*
G. R. Perkins, *Secretary*
M. T. Anderson
M. Briley
A. Bushmire
D. R. Cordes
M. Dennis
S. R. Doctor

F. E. Dohmen
K. J. Hacker
D. A. Kull
C. A. Nove
D. Nowakowski
S. A. Sabo
R. V. Swain
S. J. Todd
D. K. Zimmerman

Subgroup on Repair/Replacement Activities (SG-RRA) (BPV XI)

E. B. Gerlach, *Chair*
E. V. Farrell, Jr., *Secretary*
J. F. Ball
S. B. Brown
R. Clow
P. D. Fisher
K. J. Karwoski
S. L. McCracken
B. R. Newton

J. E. O'Sullivan
S. Schuessler
R. R. Stevenson
R. W. Swayne
D. J. Tilly
D. E. Waskey
J. G. Weicks
P. Raynaud, *Alternate*

Working Group on Welding and Special Repair Processes (SG-RRA) (BPV XI)

D. E. Waskey, *Chair*
D. J. Tilly, *Secretary*
D. Barborak
S. J. Findlan
P. D. Fisher
M. L. Hall
K. J. Karwoski
C. C. Kim

M. Kris
S. L. McCracken
D. B. Meredith
B. R. Newton
J. E. O'Sullivan
D. Segletes
J. G. Weicks

Working Group on Nonmetals Repair/Replacement Activities (SG-RRA) (BPV XI)

J. E. O'Sullivan, *Chair*
S. Schuessler, *Secretary*
J. Johnston, Jr.
M. Lashley
M. P. Marohl

T. M. Musto
S. Patterson
A. Pridmore
P. Raynaud
F. J. Schaaf, Jr.

Task Group on Repair by Carbon Fiber Composites (WGN-MRR) (BPV XI)

J. E. O'Sullivan, *Chair*
B. Davenport
M. Golliet
L. S. Gordon
M. P. Marohl
N. Meyer
R. P. Ojdrovic
D. Peguero
A. Pridmore

P. Raynaud
C. W. Rowley
V. Roy
J. Sealey
N. Stoeva
M. F. Uddin
J. Wen
T. Jimenez, *Alternate*
G. M. Lupia, *Alternate*

Working Group on Design and Programs (SG-RRA) (BPV XI)

S. B. Brown, *Chair*
A. B. Meichler, *Secretary*
O. Bhatti
R. Clow
R. R. Croft
E. V. Farrell, Jr.
E. B. Gerlach

H. Malikowski
M. A. Pyne
P. Raynaud
R. R. Stevenson
R. W. Swayne
R. Turner

Subgroup on Water-Cooled Systems (SG-WCS) (BPV XI)

D. W. Lamond, *Chair*
G. Navratil, *Secretary*
J. M. Agold
V. L. Armentrout
J. M. Boughman
S. B. Brown
S. T. Chesworth
D. D. Davis
H. Q. Do
M. J. Ferlisi

K. W. Hall
P. J. Hennessey
K. Hoffman
S. D. Kulat
T. Nomura
T. Nuoffer
G. C. Park
H. M. Stephens, Jr.
M. J. Homiack, *Alternate*

Task Group on High Strength Nickel Alloys Issues (SG-WCS) (BPV XI)

R. L. Dyle, *Chair*
B. L. Montgomery, *Secretary*
W. H. Bamford
P. R. Donavin
K. Hoffman
K. Koyama
C. Lohse

H. Malikowski
S. E. Marlette
G. C. Park
G. R. Poling
J. M. Shuping
J. C. Spanner, Jr.
D. P. Weakland

Working Group on Containment (SG-WCS) (BPV XI)

H. M. Stephens, Jr., *Chair*
S. G. Brown, *Secretary*
P. S. Ghosal
H. T. Hill
R. D. Hough
B. Lehman

J. McIntyre
J. A. Munshi
M. Sircar
S. Walden, *Alternate*
T. J. Herrity, *Alternate*

Working Group on Inspection of Systems and Components (SG-WCS) (BPV XI)

M. J. Ferlisi, *Chair*
N. Granback, *Secretary*
J. M. Agold
R. W. Blyde
C. Cueto-Felgueroso
H. Q. Do
K. W. Hall
K. M. Hoffman

S. D. Kulat
A. Lee
G. J. Navratil
T. Nomura
J. C. Nygaard
R. Rishel
J. C. Younger

Working Group on Pressure Testing (SG-WCS) (BPV XI)

J. M. Boughman, <i>Chair</i>	A. E. Keyser
S. A. Norman, <i>Secretary</i>	D. W. Lamond
T. Anselmi	J. K. McClanahan
Y.-K. Chung	B. L. Montgomery
M. J. Homiack	C. Thomas

Task Group on Buried Components Inspection and Testing (WG-PT) (BPV XI)

D. W. Lamond, <i>Chair</i>	B. Davenport
J. M. Boughman, <i>Secretary</i>	A. Hiser
M. Moenssens, <i>Secretary</i>	J. Ossmann
T. Anselmi	

Working Group on Risk-Informed Activities (SG-WCS) (BPV XI)

M. A. Pyne, <i>Chair</i>	D. W. Lamond
S. T. Chesworth, <i>Secretary</i>	R. K. Mattu
J. M. Agold	A. McNeill III
C. Cueto-Felgueroso	G. J. Navratil
R. Haessler	P. J. O'Regan
J. Hakii	N. A. Palm
K. W. Hall	D. Vetter
M. J. Homiack	J. C. Younger
S. D. Kulat	

Working Group on General Requirements (BPV XI)

R. K. Rhyne, <i>Chair</i>	P. J. Hennessey
C. E. Moyer, <i>Secretary</i>	E. J. Maloney
J. F. Ball	R. K. Mattu
T. L. Chan	T. Nuoffer

Special Working Group on Reliability and Integrity Management Program (BPV XI)

F. J. Schaaf, Jr., <i>Chair</i>	D. M. Jones
A. T. Roberts III, <i>Secretary</i>	A. L. Krinzman
N. Broom	D. R. Lee
S. R. Doctor	R. K. Miller
S. Downey	M. N. Mitchell
J. D. Fletcher	R. Morrill
J. T. Fong	T. Roney
T. Graham	R. W. Swayne
N. Granback	S. Takaya
J. Grimm	

JSME/ASME Joint Task Group for System-Based Code (SWG-RIM) (BPV XI)

T. Asayama, <i>Chair</i>	D. R. Lee
S. R. Doctor	H. Machida
K. Dozaki	M. Morishita
S. R. Gosselin	A. T. Roberts III
M. Hayashi	F. J. Schaaf, Jr.
D. M. Jones	S. Takaya
Y. Kamishima	D. Watanabe
A. L. Krinzman	

COMMITTEE ON TRANSPORT TANKS (BPV XII)

M. D. Rana, <i>Chair</i>	M. Pitts
N. J. Paulick, <i>Vice Chair</i>	T. A. Rogers
R. Lucas, <i>Staff Secretary</i>	S. Staniszewski
A. N. Antoniou	A. P. Varghese
P. Chilukuri	J. A. Byers, <i>Contributing Member</i>
W. L. Garfield	R. Meyers, <i>Contributing Member</i>
G. G. Karcher	M. R. Ward, <i>Contributing Member</i>

Executive Committee (BPV XII)

N. J. Paulick, <i>Chair</i>	M. D. Rana
R. Lucas, <i>Staff Secretary</i>	S. Staniszewski
M. Pitts	A. P. Varghese

Subgroup on Design and Materials (BPV XII)

A. P. Varghese, <i>Chair</i>	T. A. Rogers
R. C. Sallash, <i>Secretary</i>	S. Staniszewski
D. K. Chandiramani	K. Xu
P. Chilukuri	A. T. Duggleby, <i>Contributing Member</i>
Y. Doron	T. J. Hitchcock, <i>Contributing Member</i>
R. D. Hayworth	M. R. Ward, <i>Contributing Member</i>
G. G. Karcher	J. Zheng, <i>Contributing Member</i>
S. L. McWilliams	
N. J. Paulick	
M. D. Rana	

Subgroup on Fabrication, Inspection, and Continued Service (BPV XII)

M. Pitts, <i>Chair</i>	L. Selensky
P. Chilukuri, <i>Secretary</i>	S. Staniszewski
R. D. Hayworth	S. E. Benet, <i>Contributing Member</i>
K. Mansker	J. A. Byers, <i>Contributing Member</i>
G. McRae	A. S. Olivares, <i>Contributing Member</i>
O. Mulet	L. H. Strouse, <i>Contributing Member</i>
T. A. Rogers	S. V. Voorhees, <i>Contributing Member</i>
M. Rudek	
R. C. Sallash	

Subgroup on General Requirements (BPV XII)

S. Staniszewski, <i>Chair</i>	P. Chilukuri, <i>Contributing Member</i>
B. F. Pittel, <i>Secretary</i>	K. L. Gilmore, <i>Contributing Member</i>
A. N. Antoniou	T. J. Hitchcock, <i>Contributing Member</i>
Y. Doron	G. McRae, <i>Contributing Member</i>
J. L. Freiler	S. L. McWilliams, <i>Contributing Member</i>
W. L. Garfield	T. A. Rogers, <i>Contributing Member</i>
O. Mulet	D. G. Shelton, <i>Contributing Member</i>
M. Pitts	L. H. Strouse, <i>Contributing Member</i>
T. Rummel	M. R. Ward, <i>Contributing Member</i>
R. C. Sallash	
L. Selensky	

Subgroup on Nonmandatory Appendices (BPV XII)

N. J. Paulick, <i>Chair</i>	D. G. Shelton
S. Staniszewski, <i>Secretary</i>	S. E. Benet, <i>Contributing Member</i>
P. Chilukuri	D. D. Brusewitz, <i>Contributing Member</i>
R. D. Hayworth	T. J. Hitchcock, <i>Contributing Member</i>
K. Mansker	A. P. Varghese, <i>Contributing Member</i>
S. L. McWilliams	M. R. Ward, <i>Contributing Member</i>
N. J. Paulick	
M. Pitts	
T. A. Rogers	
R. C. Sallash	

Subcommittee on Safety Valve Requirements (SC-SVR)

D. B. DeMichael, <i>Chair</i>	W. F. Hart
C. E. O'Brien, <i>Staff Secretary</i>	D. Miller
J. F. Ball	B. K. Nutter
J. Burgess	T. Patel
S. Cammeresi	M. Poehlmann
J. A. Cox	Z. Wang
R. D. Danzy	J. A. West
J. P. Glaspie	S. R. Irvin, Sr., <i>Alternate</i>
S. F. Harrison	

COMMITTEE ON OVERPRESSURE PROTECTION (BPV XIII)

D. B. DeMichael, <i>Chair</i>	S. F. Harrison
C. E. O'Brien, <i>Staff Secretary</i>	W. F. Hart
J. F. Ball	D. Miller
J. Burgess	B. K. Nutter
S. Cammeresi	T. Patel
J. A. Cox	M. Poehlmann
R. D. Danzy	Z. Wang
J. P. Glaspie	J. A. West

Subgroup on Design (SC-SVR)

D. Miller, <i>Chair</i>	T. Patel
C. E. Bear	J. A. West
B. Joergensen	R. D. Danzy, <i>Contributing Member</i>
B. J. Mollitor	

COMMITTEE ON BOILER AND PRESSURE VESSEL CONFORMITY ASSESSMENT (CBPVCA)

P. D. Edwards, <i>Chair</i>	D. Cheetham, <i>Contributing Member</i>
L. E. McDonald, <i>Vice Chair</i>	T. P. Beirne, <i>Alternate</i>
K. I. Baron, <i>Staff Secretary</i>	J. B. Carr, <i>Alternate</i>
M. Vazquez, <i>Staff Secretary</i>	J. W. Dickson, <i>Alternate</i>
J. P. Chicoine	J. M. Downs, <i>Alternate</i>
D. C. Cook	B. J. Hackett, <i>Alternate</i>
T. E. Hansen	B. L. Krasium, <i>Alternate</i>
K. T. Lau	D. W. Linaweaver, <i>Alternate</i>
D. Miller	P. F. Martin, <i>Alternate</i>
B. R. Morelock	I. Powell, <i>Alternate</i>
J. D. O'Leary	R. Rockwood, <i>Alternate</i>
G. Scribner	L. Skarin, <i>Alternate</i>
B. C. Turczynski	R. D. Troutt, <i>Alternate</i>
D. E. Tuttle	S. V. Voorhees, <i>Alternate</i>
R. Uebel	P. Williams, <i>Alternate</i>
E. A. Whittle	A. J. Spencer, <i>Honorary Member</i>
R. V. Wielgoszinski	

Subgroup on General Requirements (SC-SVR)

J. F. Ball, <i>Chair</i>	J. P. Glaspie
G. Brazier	B. F. Pittel
J. Burgess	M. Poehlmann
D. B. DeMichael	D. E. Tuttle
S. T. French	J. White

Subgroup on Testing (SC-SVR)

W. F. Hart, <i>Chair</i>	A. Donaldson
T. P. Beirne	G. D. Goodson
J. E. Britt	B. K. Nutter
J. Buehrer	C. Sharpe
S. Cammeresi	Z. Wang
J. A. Cox	A. Wilson
J. W. Dickson	S. R. Irvin, Sr., <i>Alternate</i>

COMMITTEE ON NUCLEAR CERTIFICATION (CNC)

R. R. Stevenson, <i>Chair</i>	S. F. Harrison, <i>Contributing Member</i>
J. DeKleine, <i>Vice Chair</i>	S. Andrews, <i>Alternate</i>
E. Suarez, <i>Staff Secretary</i>	D. Arrigo, <i>Alternate</i>
G. Gobbi	J. Ball, <i>Alternate</i>
S. M. Goodwin	P. J. Coco, <i>Alternate</i>
J. W. Highlands	P. D. Edwards, <i>Alternate</i>
K. A. Huber	D. P. Gobbi, <i>Alternate</i>
J. C. Krane	K. M. Hottle, <i>Alternate</i>
M. A. Lockwood	K. A. Kavanagh, <i>Alternate</i>
R. P. McIntyre	P. Krane, <i>Alternate</i>
L. M. Plante	D. Nenstiel, <i>Alternate</i>
H. B. Prasse	M. Paris, <i>Alternate</i>
T. E. Quaka	G. Szabatura, <i>Alternate</i>
C. T. Smith	A. Torosyan, <i>Alternate</i>
C. Turylo	S. V. Voorhees, <i>Alternate</i>
D. M. Vickery	S. Yang, <i>Alternate</i>
E. A. Whittle	
C. S. Withers	

U.S. Technical Advisory Group ISO/TC 185 Safety Relief Valves

T. J. Bevilacqua, <i>Chair</i>	D. Miller
C. E. O'Brien, <i>Staff Secretary</i>	B. K. Nutter
J. F. Ball	T. Patel
G. Brazier	J. A. West
D. B. DeMichael	

SUMMARY OF CHANGES

Errata to the BPV Code may be posted on the ASME Web site to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in the BPV Code. Such Errata shall be used on the date posted.

Information regarding Special Notices and Errata is published by ASME at <http://go.asme.org/BPVCerrata>.

Changes given below are identified on the pages by a margin note, **(17)**, placed next to the affected area.

The Record Numbers listed below are explained in more detail in “List of Changes in Record Number Order” following this Summary of Changes.

<i>Page</i>	<i>Location</i>	<i>Change (Record Number)</i>
xvi	List of Sections	Updated
xxi	Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees	Revised in its entirety (13-2222)
xxiv	Personnel	Updated
2	1.2.1.2	First paragraph revised (14-553)
	1.2.3	In subpara. (a)(1), cross-reference revised (12-880)
3	1.2.4.2	In first paragraph, second sentence revised (14-553)
3	1.2.6.1	Revised (16-598, 16-1539)
4	1.2.6.2	First sentence revised (16-598)
4	1.4	In subpara. (h), second sentence revised (09-619)
5	Table 1.1	Revised (13-1791, 14-2323, 15-1843, 15-2605, 16-533, 16-1102)
7	1-B.2	(1) Paragraphs 1-B.2.2, 1-B.2.3, and 1-B.2.17 (formerly 1-B.2.15) revised (12-603, 13-1791) (2) New 1-B.2.9 and 1-B.2.10 added, and existing 1-B.2.9 through 1-B.2.16 redesignated as 1-B.2.11 through 1-B.2.18, respectively (14-553)
15	2.1.3	Revised (14-554)
15	2.2.1	Revised (14-554)
15	2.2.2	Paragraph 2.2.2.3 deleted (14-554)
17	2.3.1.2	First sentence revised (14-554, 16-1539)
17	2.3.3	Revised (14-554)
19	2.4.3.1	Last sentence revised (08-921)
19	2.4.3.2	First sentence revised (08-921)
21	2-A.1	First sentence revised (14-554)
21	2-A.2.2	Subparagraphs (b) and (c) revised (16-1213)
22	Table 2-A.1	Revised (14-554, 16-1213)
23	2-B.1	First sentence revised (14-554)

<i>Page</i>	<i>Location</i>	<i>Change (Record Number)</i>
23	2-B.2.2	Subparagraphs (b) and (c) revised (16-1213)
24	Table 2-B.1	Revised (14-554, 16-1213)
25	2-C.1	Revised (13-1858, 14-554, 16-598, 16-1539)
26	2-C.2	Revised (13-1858, 14-645, 16-598)
26	2-C.3.1	Subparagraphs (d) and (d)(9) revised (13-1858, 15-2606)
28	2-D.1.3	Revised (13-1858, 16-598)
28	2-D.1.6	Revised (13-1858)
28	Table 2-D.1	Revised (13-1858, 14-554, 14-1595, 16-1095)
31	Form A-1	Revised (13-1858, 14-554, 16-1095)
34	Form A-1P	Added (14-1595)
36	Form A-2	Revised (13-1858, 14-554, 16-1095, 16-1539)
38	Form A-3	Revised (13-1858, 16-1095)
39	Form A-3L	Revised (13-1858, 16-1095)
40	Form A-4	Revised (13-1858, 16-1095)
44	2-F.1	First paragraph and subparas. (a) and (g) through (j) revised (14-554, 16-1539)
45	2-F.3	Revised (14-554, 16-1539)
45	2-F.4.1	Subparagraph (a) revised (14-554, 16-1539)
46	2-F.6	Second sentence revised (14-554)
48	Figure 2-F.1	Revised (14-554, 16-1539)
49	Annex 2-G	Revised in its entirety (13-1791, 14-554, 16-1539)
52	Table 2-H.1	Revised (14-554, 16-1539)
53	Figure 2-H.1	Updated by ASME Conformity Assessment
55	3.2.2.2	First sentence revised (11-737)
56	3.2.3.2	Revised (11-737)
57	3.2.6.1	Revised (12-603)
57	3.2.7.1	Subparagraph (b) revised (11-737)
61	3.2.12	Revised (06-1384)
62	3.3.4.1	Revised (16-1102)
62	3.3.5.1	First sentence revised (16-1303)
63	3.3.6.4	Second sentence revised (11-737)
64	3.4.4	Title and 3.4.4.1, 3.4.4.2, and 3.4.4.5 revised (14-2323, 14-2496)
65	3.5.3.1	Revised (14-1176)
65	3.5.3.3	Added (14-1176)
69	3.8.2.2	Subparagraphs (d) and (e) revised (15-2591)
70	3.8.2.3	Subparagraphs (b) and (b)(1) revised (15-2591)
72	3.10.3.2	Revised (16-449)

<i>Page</i>	<i>Location</i>	<i>Change (Record Number)</i>
75	3.11.2.1	Subparagraph (b)(1) revised (13-940)
76	3.11.2.4	Former subpara. (b)(10) deleted, and former subpara. (b)(11) redesignated as (b)(10) (16-234)
76	3.11.2.5	In subpara. (a), Steps 5(a) and 5(b) revised (14-920)
77	3.11.2.6	In subpara. (b), penultimate sentence revised (13-940)
78	3.11.2.9	Subparagraphs (a) and (b) revised (13-940, 14-920)
78	3.11.2.10	Subparagraph (a) revised (13-567)
79	3.11.3.1	Subparagraphs (b), (c)(1), and (c)(2) revised (14-920, 16-234)
79	3.11.3.2	In subpara. (d), cross-reference revised (13-881)
80	3.11.4.3	In subpara. (e), first sentence revised (14-920)
81	3.11.4.5	In subpara. (d)(3), second sentence revised (11-737)
83	3.11.7.6	In subpara. (b)(2), second sentence revised (13-940)
84	3.11.8.2	In subpara. (c), second sentence added (14-248)
84	3.11.8.3	Subparagraph (g) added (15-2021)
92	Table 3.13	Title revised (13-940)
95	Table 3.18	Added (14-248)
98	Figure 3.3	Editorially revised
99	Figure 3.3M	Editorially revised
100	Figure 3.4	(1) Title revised (13-940) (2) Notes editorially revised
101	Figure 3.4M	(1) Title revised (13-940) (2) Notes editorially revised
104	Figure 3.7	Under “Material Assignment” for Curves B and D, entry for SA-299 added (13-1110)
106	Figure 3.7M	Under “Material Assignment” for Curves B and D, entry for SA-299 added (13-1110)
108	Figure 3.8	Under “Material Assignment” for Curves B and D, entry for SA-299 added (13-1110)
110	Figure 3.8M	Under “Material Assignment” for Curves B and D, entry for SA-299 added (13-1110)
113	Figure 3.10	Illustrations (b) and (c) revised (13-597)
115	Figure 3.12	Revised (14-920)
116	Figure 3.12M	Revised (14-920)
117	Figure 3.13	Revised (14-920)
118	Figure 3.13M	Revised (14-920)
120	Figure 3.16	Added (14-248)
121	3-A.1.2	Revised (16-537)
122	Table 3-A.1	SA/EN 10028-2, Grade 13CrMo4–5, and Note (1) added (11-1276, 16-537)

<i>Page</i>	<i>Location</i>	<i>Change (Record Number)</i>
127	Table 3-A.2	Duplicate entries for SA-333 and SA-334 deleted (15-1583)
128	Table 3-A.3	Note (1) added (16-537)
134	Table 3-A.6	Note (1) added (16-537)
137	Table 3-A.7	Note (1) added (16-537)
152	Annex 3-F	Revised in its entirety (08-841)
169	4.1.1.2	Revised (14-813)
169	4.1.1.5	Revised (14-813)
170	4.1.5.1	Revised (14-813)
172	4.1.6.2	Revised in its entirety (11-1266)
174	4.1.13	Definitions of P_T , β , β_T , γ_{\min} , and $\gamma_{St/S}$ added (11-1266)
175	Table 4.1.3	Added (11-1266)
175	4.2.2	Penultimate sentence revised (16-100)
176	4.2.5.1	Subparagraph (h) revised (14-1176)
176	4.2.5.3	Subparagraph (e) revised (12-880)
179	4.2.5.6	Subparagraphs (a)(2), (a)(5), (a)(6), (b)(2), (c), (c)(1), and (d) revised (14-1176)
181	4.2.5.9	Added (12-880)
181	4.2.5.10	Added (16-100)
181	4.2.6	Definitions of t , t_o , and t_{rn} added (12-880, 16-100)
183	Table 4.2.3	For Material Type 1, P-No. 4 entry revised (11-1276)
183	Table 4.2.4	Former Details 7 and 8 deleted, and subsequent Details renumbered (12-880)
193	Table 4.2.10	Detail 8 deleted (16-522)
198	Table 4.2.13	Detail 7 added (16-522)
201	Table 4.2.15	Added (12-880)
201	Table 4.2.16	Added (16-100)
206	Figure 4.2.4	Illustration (f) revised (15-2177)
211	4.3.10.1	Subparagraph (a) revised (08-780)
212	4.3.10.2	In Step 4, first sentence revised (09-1361)
215	4.3.12.2	In Step 3, eq. (4.3.63) corrected by errata to " $t_k \geq t_L$ " (15-2710)
222	Table 4.3.4	In the equation in Note (1), each instance of " a " corrected to " α " and the plus sign at the end of the numerator deleted by errata (17-239)
236	4.4.4.1	Paragraph title revised (13-1552)
237	4.4.4.4	Last sentence added (15-1794)
241	4.4.7.1	In Step 3, eq. (4.4.55), equal sign inserted after " F_{ic} " by errata (15-2793)

<i>Page</i>	<i>Location</i>	<i>Change (Record Number)</i>
243	4.4.12.2	(1) Equations (4.4.72), (4.4.73), and (4.4.90), and subparas. (e)(1) and (e)(2) revised (15-96) (2) Subparagraph (e)(4) added (15-96)
248	4.4.12.4	(1) In subpara. (b), eq. (4.4.126) revised (10-1522) (2) In subpara. (c), “ σ ” corrected by errata to “ σ_2 ,” and “value of determined” corrected by errata to “value of F_{ha} determined” (15-96, 15-1382)
249	4.4.15	Definition of F_{ca} revised (15-96)
265	4.5.10.1	In Step 10, eq. (4.5.148), “2s” corrected by errata to “2S” (15-2793)
270	4.5.11	Revised (14-1888)
273	4.5.14.3	In Step 2(a), eq. (4.5.196), closing parenthesis added to the denominator by errata (16-2176)
275	4.5.16.2	Revised (15-2173)
279	Table 4.5.2	“Minimum Thickness, mm” entry for DN 6 (NPS $\frac{1}{8}$) corrected by errata to 1.51 (15-2793)
289	Figure 4.5.10	Revised (14-1888)
315	4.10.2.1	In subpara. (f)(2), SI units revised (14-1745)
404	4.15.3.4	Subparagraphs (e)(1) and (e)(2) revised (09-378)
420	4.16.4.3	First sentence and subpara. (a) revised (05-768)
421	4.16.7.2	In Step 6, eq. (4.16.15), “ h_t ” corrected by errata to “ h_T ” (16-2176)
444	4.17.1	Second sentence revised (15-1228)
453	4.18.1	In subpara. (b), cross-reference to Part 5 revised to 4.1.1.2 (13-2016)
455	4.18.5.4	In subpara. (a), eq. (4.18.1a), and subpara. (c), eq. (4.18.1b), “S” revised to “ S_{fe} ” (16-991)
462	4.18.8.4	In Step 6, eq. (4.18.93), “ P_w ” added to the numerator by errata (16-2176)
472	4.18.8.9	Added (07-218)
485	4.18.11	Revised (11-1693)
486	4.18.12	(1) Title and 4.18.12.1(a) revised (16-100) (2) Subparagraph 4.18.12.1(c) added (11-1693)
486	4.18.13	Revised (16-154)
488	4.18.15	(1) In subpara. (a), definition of S deleted, and definition of S_{fe} added (16-991) (2) In subpara. (d), definitions of $D_{ecc,L}$; $D_{ecc,S}$; $D_{s,L}$; E_{ecc} ; $E_{ecc,w}$; $E_{s,L}$; $E_{s,L,w}$; L_{ecc} ; L_s ; $L_{s,L}$; S_{ecc} ; $S_{ecc,b}$; $S_{s,L}$; $S_{s,L,b}$; $S_{PS,ecc}$; $S_{PS,s,L}$; t_{ecc} ; $t_{s,L}$; X_L' ; X_S' ; $\alpha_{ecc,m}$; $\alpha_{s,m,L}$; Δ_j ; Δ_s ; θ_{ecc} ; v_{ecc} ; and $v_{s,L}$ added, and definition of S revised (07-218, 11-1693, 16-991)
496	Table 4.18.5	Title revised (16-100)
513	Figure 4.18.17	Added (07-218)
513	4.19.1	Revised (13-2017, 16-98)

<i>Page</i>	<i>Location</i>	<i>Change (Record Number)</i>
513	4.19.2	In subpara. (g), cross-references revised (16-98)
514	4.19.3.1	Subparagraph (d) revised (16-154)
515	4.19.5.1	Revised (14-1629, 16-98)
515	4.19.5.2	Subparagraphs (e) and (f) added (14-1629)
516	4.19.5.6	Subparagraph (b) and eqs. (4.19.13) and (4.19.14) revised (14-1629)
517	4.19.6.1	Revised (14-1629, 16-98)
517	4.19.6.2	Revised (14-1629)
518	4.19.7.1	Cross-reference revised (16-98)
519	4.19.7.6	Subparagraph (a) revised (13-360, 13-2017)
519	4.19.8	Title revised (16-98)
522	4.19.11	(1) Definition of e_{eq} deleted (14-1629) (2) Definitions of E_s and t_{eq} added (14-1629) (3) Definitions of q and S_1''' revised (14-1629, 16-98)
525	Table 4.19.2	Revised (14-1629, 16-102)
531	Table 4.19.9	(1) In second equation for "Circumferential membrane stress in reinforcing collar," operational sign following " L_{rt} " corrected by errata to ">" (15-2793) (2) Before nomenclature, the word "where" inserted by errata (15-2793)
534	Figure 4.19.1	Former Figure 4.19.1-1 redesignated as Figure 4.19.1, and illustration (a) revised (14-1629, 16-98)
535	Figure 4.19.2	(1) Former Figure 4.19.1-2 redesignated as Figure 4.19.2, and subsequent figures editorially redesignated (16-98) (2) Illustration (a) revised (14-1629)
537	Figure 4.19.5	Formerly Figure 4.19.4, title revised (16-98)
537	Figure 4.19.6	Formerly Figure 4.19.5, title revised (16-98)
545	Form 4.19.1	Revised (13-2017, 16-154)
546	Form 4.19.2	Revised (13-2017, 16-154)
547	4.20	Title revised (16-100)
547	4.20.1	Revised (14-138, 16-100)
547	4.20.2	Subparagraphs (d) and (e) revised (16-100)
548	4.20.6	Subparagraph (b)(2) revised (14-138)
548	4.20.7	Definition of t_o added (16-100)
549	Figure 4.20.1	Revised (16-100)
550	Figure 4.20.2	Revised (16-100)
565	Annex 4-E	"(Informative)" added following title by errata (15-1382)
575	5.1.1.3.1	Added (14-824)
577	5.2.2.2	In first paragraph, last sentence deleted (11-1266)
579	5.2.2.5	Added (11-1266)

<i>Page</i>	<i>Location</i>	<i>Change (Record Number)</i>
580	5.2.3.6	Added (11-1266)
581	5.2.4.5	Added (11-1266)
585	5.5.2.4	Steps 4, 6, and 7 revised (15-2852)
589	5.5.5.1	Subparagraph (c) deleted (15-2781)
599	5.13	Definitions of β , β_T , and P_T added (11-1266)
603	Table 5.2	Entry for P_T added (11-1266)
604	Table 5.3	Under "Design Load Combination," entry (9) added (11-1266)
605	Table 5.4	Revised (11-1266)
605	Table 5.5	Revised (11-1266)
609	Table 5.12	"Definition" entry for Fatigue-Strength-Reduction Factor 1.7 revised (14-2485)
628	Figure 5-A.9	Note (1) inserted by errata (15-1382)
639	5-D.2.1	Designation of eq. (5-D.5) corrected by errata (15-1382)
656	Table 5-E.5	Second equation under "Generalized Plane Strain" revised (16-2737)
657	Table 5-E.6	Second equation under "Generalized Plane Strain" revised (16-2737)
658	Table 5-E.7	Second equation under "Generalized Plane Strain" revised (16-2737)
685	6.1.1.2	In subpara. (a), third sentence revised (11-737)
686	6.1.2.1	Revised (14-668)
686	6.1.2.2	Revised (14-668)
686	6.1.2.3	Subparagraph (c)(4) added (14-668)
688	6.1.3.1	Subparagraph (a) revised (14-668)
689	6.1.4.2	Revised (14-668)
690	6.2.1	Revised (14-669, 15-1848)
690	6.2.2.1	(1) Subparagraphs (c) and (c)(1) revised (14-669) (2) Subparagraph (c)(5) and Note added (14-669)
692	6.2.4.2	Title of subpara. (c) revised (14-669)
692	6.2.4.3	In subpara. (b), spelling of "corner" corrected (14-669)
693	6.2.5.4	Subparagraph (a) revised (14-669)
695	6.4.1.1	Last sentence added (14-670)
696	6.4.2.2	Subparagraphs (a) and (e)(8) revised (14-670, 15-2608, 16-676)
696	6.4.2.4	Revised (14-670)
696	6.4.2.5	Revised (14-670)
697	6.4.2.7	Revised (06-5, 14-670)
697	6.4.2.9	Added (16-538)
698	6.4.3.5	Revised (14-670)
699	6.4.4	Subparagraphs (a), (b), and (e) revised (15-1229, 15-1579, 16-629)
699	6.4.5.2	Subparagraphs (b) and (f)(1) revised (14-670)

<i>Page</i>	<i>Location</i>	<i>Change (Record Number)</i>
700	6.4.6.3	Revised (16-629)
701	6.4.6.5	Added (14-670)
701	6.5.2	Revised (14-671)
702	6.5.6.3	First sentence revised (14-671)
702	6.6.1	Revised (14-671, 15-1000, 16-676)
703	6.6.5.2	Revised (14-671)
707	6.7.3	Subparagraph (a) revised (14-672)
707	6.7.5.2	Revised (14-672)
708	6.7.6.1	Revised (14-672)
708	6.7.6.3	Subparagraph (c) added (14-672)
708	6.7.7.1	Last sentence added (14-672)
709	6.7.7.2	(1) Subparagraphs editorially redesignated (2) First paragraph revised (14-672)
709	6.7.8.3	Subparagraph (b)(2) revised (14-672)
710	6.7.9.1	Revised (14-672)
710	6.7.9.3	Cross-reference revised (14-672)
713	6.9.2	Revised in its entirety (16-100)
716	Table 6.2.B	Minimum Heat Treatment Temperature, °C, for Grade 321H revised, and entry for Grade 347LN added (14-668)
717	Table 6.3	Entries for UNS No. N06230 and Grade 600 added (14-668)
717	Table 6.5	In second column, third and fifth entries revised (14-669)
718	Table 6.6	In first column, first entry revised (16-866)
718	Table 6.7	Entry for P-No. 10F deleted (14-670)
720	Table 6.8	In first column, subpara. (a)(3) added (14-670)
721	Table 6.9	In first column, subpara. (c)(5) added (15-2352)
722	Table 6.10	In first column, subparas. (b)(4) and (b)(5) added, and in second column, holding times for Class 1 and Class 2 added (14-670, 15-2352)
723	Table 6.11	In first column, subparas. (a)(4) and (a)(5) added, and in second column, holding times for Class 1 and Class 2 added (14-670, 15-2352)
724	Table 6.11.A	In first column, subpara. (a) revised, and in second column, minimum holding temperatures revised (15-2553)
725	Table 6.12	In first column, subpara. (a) revised, and in second column, holding times for Class 1 and Class 2 added (14-670, 15-1063)
725	Table 6.13	In first column, subpara. (a) revised, and in second column, holding times for Class 1 and Class 2 added (14-670, 15-1063)
726	Table 6.14	In first column, subparas. (b)(1)(-b) and (d) for P-No. 9A, and subpara. (e) for P-No. 9B revised (15-1063, 16-629)
728	Table 6.15	Revised (14-670, 15-2608, 16-322, 16-629)

<i>Page</i>	<i>Location</i>	<i>Change (Record Number)</i>
731	Table 6.17	Revised (14-671, 16-676)
732	Table 6.20	Entries in third column revised (14-672)
733	Table 6.21	In Note (1), cross-reference revised (16-98)
741	6-A.4.1	Revised (13-233)
741	6-A.4.3	Revised (13-233)
748	7.3	Revised in its entirety (15-2605)
749	7.4.3.1	Last sentence added (14-1781)
749	7.4.3.3	First paragraph revised (15-2471)
749	7.4.3.4	First paragraph revised (15-2471)
750	7.4.5	First sentence revised (15-2591)
750	7.4.8.2	Subparagraph (a) revised, and subpara. (c)(4) added (14-863)
751	7.4.9.3	In subpara. (b), first sentence revised (15-2591)
752	7.4.11.4	In subpara. (a), first sentence revised (14-863)
754	7.4.12.2	Title and subparas. (b) and (c) revised (16-100)
754	7.5.2.1	First sentence revised (14-864)
756	7.5.4.1	First paragraph revised (15-2471)
756	7.5.5.1	First paragraph and subparas. (b)(3) and (f) revised (14-1783)
757	7.5.5.3	Subparagraph (c) revised (14-2507)
758	7.5.6.1	Subparagraph (a) revised (15-1845)
758	7.5.6.2	In first paragraph, penultimate sentence revised (14-865)
760	7.5.8.4	Subparagraph (c) revised (16-1888)
761	7.6.1	Revised (15-2591)
762	Table 7.1	Revised in its entirety (14-862)
763	Table 7.2	Revised in its entirety (14-862, 15-2607, 16-522, 16-2887)
768	Table 7.6	In third entry under “Acceptance Criteria,” reference to Note (2) added by errata (15-1382)
789	7-A.3.2.3	In subpara. (a), last sentence revised (11-737)
790	Table 7-A.1	“Acceptance Criteria” and Manufacturer’s Responsibilities” entries for “Nondestructive examinations” revised (15-2606)
795	8.2.1	Subparagraphs (a), (c), and (d), and eqs. (8.1) and (8.2) revised (11-1266)
796	8.3.1	(1) Subparagraphs (a) and (c), and eq. (8.3) revised (11-1266) (2) Equation (8.4) added (11-1266)
797	8.6	Definitions of β_T , γ_{\min} , and $\gamma_{St/S}$ added (11-1266)

LIST OF CHANGES IN RECORD NUMBER ORDER

Record Number	Change
05-768	Editorially corrected the English in 4.16.4.3.
06-5	Revised 6.4.2.7 to clarify nominal thickness definitions for purposes of PWHT, to address double-groove welds and tube-to-tubesheet welds. Added new 6.4.2.7(h) to clarify thickness that may be used in the case of plate materials.
06-1384	Revised 3.2.12 to address the proper and complete recertification process.
07-218	Added new equations for the calculation of kettle shell stiffness to use in 4.18.
08-780	Replaced the term “major” with “gross” in 4.3.10.1(a).
08-841	Developed new fatigue curve-fit equations and added them to Annex 3-F. Generated new fatigue curves using the new curve-fit equations and placed them in a newly created 3-F.5. Developed new 3-F.1.1 to inform the user of the necessity of correcting the stress amplitude for temperature, and redesignated existing 3-F.1.1 and 3-F.1.2 as 3-F.1.2 and 3-F.1.3, respectively. Deleted Tables 3-F.1 through 3-F.9, inserted new Table 3-F.1, and redesignated existing Table 3-F.10 as Table 3-F.2. In the nomenclature, added S_{ac} , redefined Y , and deleted nonapplicable variables.
08-921	Removed redundant requirement in 2.4.3.1 and clarified Inspector’s responsibilities for design calculations in 2.4.3.2.
09-378	In 4.15.3.4, revised the procedure for determining the acceptance criteria for shear stresses based on whether or not the material carries Section II, Part D, Table 5A, Note G2, or Table 5B, Note G1.
09-619	Replaced a sentence in 1.4(h).
09-1361	Removed the term “meridional” and replaced it with “axial membrane” in 4.3.10.2, Step 4.
10-1522	Corrected eq. (4.4.126) of 4.4.12.4.
11-737	In various paragraphs, deleted the word “certified” with regard to Material Test Reports.
11-1266	Revised 4.1.6.2. Added Table 4.1.3. Deleted a sentence in 5.2.2.2. Added 5.2.2.5, 5.2.3.6, and 5.2.4.5. Added several variables to the nomenclatures in 4.1.13, 5.13, and 8.6. Revised Tables 5.2, 5.3, 5.4, and 5.5. Revised 8.2.1(a), 8.2.1(d), 8.3.1(a), and 8.3.1(c). All changes made to clarify the limits regarding evaluation of stresses for the hydrostatic and pneumatic test condition and to parameterize the equations to simplify the equations for multiple classes of construction.
11-1276	Added SA/EN 10028-2, Grade 13CrMo4-5 to Tables 3-A.1 and 4.2.3.
11-1693	Added new paragraphs to 4.18.11 and 4.18.12.1.
12-603	Revised 1-B.2.15 definition of “Material Test Report” and revised 3.2.6.1(b).
12-880	Revised 1.2.3(a)(1) and 4.2.5.3(e). Added the definition of t_{rn} to 4.2.6 and added new 4.2.5.9. Removed Details 7 and 8 from Table 4.2.4. Added new Table 4.2.15 with Details 7 and 8 formerly of Table 4.2.4 corrected and redesignated as Details 1 and 2.
13-233	Revised 6-A.4.1 and 6-A.4.3 of the Positive Material Identification Practice to state that positive material identification of carbon steels should be considered when certain service conditions are anticipated.
13-360	Revised 4.19.7.6(a) to state the following: “Toroidal bellows designed per the rules of this Division are suitable for external design pressures up to 103 kPa (15 psi) or full vacuum. For external design pressures greater than 103 kPa (15 psi), see Part 5.”
13-567	Revised 3.11.2.10(a) to eliminate conflicts with the requirements of 3.11.8.3(b) and 3.11.4.3.
13-597	Revised Figure 3.10, illustrations (b) and (c) to clarify the governing thickness with flat components.
13-881	Revised 3.11.3.2(d) to clarify lateral expansion acceptance criteria for all Table 3-A.2 quenched and tempered high-strength low alloy steels.
13-940	Revised 3.11.2.1(b)(1), 3.11.2.6(b), 3.11.2.9(b), 3.11.7.6(b)(2), Table 3.13, and Figures 3.4 and 3.4M to indicate applicability of the rules to nonwelded parts.
13-1110	Added “SA-299” to Curve C and “SA-299 if normalized” to Curve D of the Impact Exemption Curve notes in Figures 3.7, 3.7M, 3.8, and 3.8M.
13-1552	Deleted the words “and Spherical” in 4.4.4.1.

Record Number	Change
13-1791	Added reference to ASME CA-1 (latest edition) to Table 1.1. Replaced conformity assessment requirements in Annex 2-G and in other paragraphs with references to ASME CA-1.
13-1858	Revised Annex 2-C and Annex 2-D.
13-2016	Revised 4.18.1.
13-2017	Revised 4.19.1 to indicate that bellows expansion joints outside the scope of 4.19 shall be in accordance with 4.1.1.2. Revised 4.19.7.6 to indicate that the design of toroidal bellows under external pressure greater than 103 kPa (15 psi) shall be in accordance with 4.1.1.2. Added class of vessel to the metric and U.S. Customary specification sheets in 4.19.4.
13-2222	Revised the front guidance on interpretations in its entirety.
14-138	Revised 4.20.1(b). Revised 4.20.6(b)(2) to read “new and corroded spring rates.”
14-248	Revised 3.11.8.2(c), and added Table 3.18 and Figure 3.16.
14-553	Revised 1.2.1.2 and 1.2.4.2. Added definitions for “Class 1 Vessel” and “Class 2 Vessel” in 1-B.2.9 and 1-B.2.10, respectively.
14-554	Revised 2.1.3, 2.2.1, 2.2.2.3, 2.3.1.2, 2.3.3, 2.3.3.2, 2-A.1, 2-B.1, 2-C.1.1(b), 2-F.1, 2-F.1(a), 2-F.1(g), 2-F.1(i), 2-F.3, 2-F.4.1(a), 2-F.6, 2-G.1, and 2-G.5. Revised Tables 2-A.1 and 2-B.1, and Table 2-D.1, Notes (12), (42), and (49). Revised Forms A-1 and A-2, and Figure 2-F.1. Added Class 1 and Class 2 to Table 2-H.1.
14-645	Revised 2-C.2.3 to clarify who signs Form A-1 if there are both shop and field components to assembly of a pressure vessel.
14-668	Revised 6.1.2.1, 6.1.2.2, 6.1.3.1, 6.1.4.2, and Tables 6.2.B and 6.3. Added 6.1.2.3(c)(4).
14-669	Added 6.2.1.1(b) and 6.2.5.4(b). Revised 6.2.1.2, 6.2.2.1(c), 6.2.4.2(c), 6.2.4.3(b), and 6.2.5.4(a), and Table 6.5.
14-670	Revised 6.4.1.1, 6.4.2.2(e)(8), 6.4.2.4, 6.4.2.5, 6.4.3.5, 6.4.5.2(b), 6.4.5.2(f)(1), and Tables 6.7, 6.8, 6.10, 6.11, 6.12, 6.13, and 6.15. Added new 6.4.2.7(e)(2), renumbered subsequent subparagraphs, and revised 6.4.2.7(e)(3). Added 6.4.6.5.
14-671	Added 6.5.2(b). Revised 6.5.6.3, 6.6.1, 6.6.5.2(e)(6), and Table 6.17. Designated 6.6.5.2(c) and 6.6.5.2(d) as applicable to Class 2 vessels only.
14-672	Revised 6.7.3(a), 6.7.7.1, 6.7.7.2(a), 6.7.8.3(b)(2), 6.7.9.1, 6.7.9.3, and Table 6.20. Added 6.7.5.2(b), 6.7.6.1(c), and 6.7.6.3(c).
14-813	Added Class 1 and Class 2 design by rule and design by analysis to 4.1.1.2. Added Class 1 and Class 2 limitations to 4.1.1.5. Added Class 1 and Class 2 design thickness to 4.1.5.1.
14-824	Revised 5.1.1.3 to define limitations for the use of the design-by-analysis methodology for Class 1 and Class 2 vessels.
14-862	Revised Tables 7.1 and 7.2.
14-863	Revised 7.4.8.2(a) and added 7.4.8.2(c)(4). Revised 7.4.11.4(a) to correct incorrect dimension.
14-864	Revised 7.5.2.1. Extended the existing content in 7.5.1 through 7.5.4 to cover Class 1 vessels.
14-865	Extended the existing content in 7.5.5 through 7.8 to cover Class 1 vessels.
14-920	Added stress ratio of 0.3 for Class 1 in 3.11.2.5, 3.11.2.9, 3.11.3.1, 3.11.4.3, and Figures 3.12, 3.12M, 3.13, and 3.13M. Deleted “or computed” in last sentence of 3.11.2.5(a), Step 5(b).
14-1176	Added the words “other than minor attachments specified in 3.5.3.3” in the first sentence of 3.5.3.1. Added the requirements for minor attachments in 3.5.3.3. Added the words “less than or equal to” after “Parts of small size” in 4.2.5.1(h). Revised Type 2 to Type 3 in 4.2.5.6(a)(2) and 4.2.5.6(a)(6). Revised Type 3 to Type 2 in 4.2.5.6(a)(5). Added the words “other than minor attachments [see 3.5.3.3 and 4.2.5.1(h)]” after “all permanent structural attachments” in 4.5.6.2(b)(2). Replaced “may be of non-certified material” with “made from material that does not conform to a material specification permitted in this Division may be used” in 4.2.5.6(c) and 4.2.5.6(d). Added the words “in accordance with 3.2.1.3” after “suitable for welding” in 4.2.5.6(c)(1).
14-1595	Added new Form A-1P to Annex 2-D.
14-1629	In 4.19, added new rules for bellows internally attached to the shell.
14-1745	Revised 4.10.2.1(f)(2) to update metric conversions.
14-1781	Revised 7.4.3.1 to clarify that the extents of examination shown in Table 7.2 do not supersede examination requirements specified elsewhere in Section VIII, Division 2.
14-1783	Revised 7.5.5.1(f) to clarify the inclusion of semi-automated ultrasonic examinations within its scope.

Record Number	Change
14-1888	Revised the title of 4.5.11. Moved sentences in existing 4.5.11 to new 4.5.11.2. Added new 4.5.11.1 for a spherical shell or hemispherical head. Added the sketch for a spherical shell or hemispherical head in Figure 4.5.10.
14-2323	Added ASTM E139 to Table 1.1. Revised 3.4.4.5 to reference ASTM E139 (or other equivalent national or international test standard) for the performance of stress rupture testing when required.
14-2485	Deleted the words “or ground weld” in Table 5.12.
14-2496	Revised the title of 3.4.4 and the first sentence of 3.4.4.1. Added a sentence after the first sentence of 3.4.4.2.
14-2507	Revised 7.5.5.3(c).
15-96	In 4.4.12.2(b)(2) and eqs. (4.4.72) and (4.4.73), revised “1.147” to “1.2.” Revised eq. (4.4.90) by errata. Added two sentences at the end of 4.4.12.2(e)(1), revised 4.4.12.2(e)(2), and added 4.4.12.2(e)(4). Revised 4.4.12.4(c) by errata. Revised the definition of F_{ca} in 4.4.15.
15-1000	Revised 6.6.1 to correctly reference Table 3-A.2.
15-1063	Revised Tables 6.12, 6.13, and 6.14 to mirror the wording in Section VIII, Division 1, Table UHA-32-2.
15-1228	Revised 4.17.1.
15-1229	Revised 6.4.4(b).
15-1382	Errata correction. See Summary of Changes for details.
15-1579	Revised 6.4.4(e) to implement thermal gradient limitations during the cooling phase of the PWHT process.
15-1583	Deleted duplicate lines from Table 3-A.2.
15-1794	Added the following statement in 4.4.4.4: “For spherical shells, the out-of-roundness requirements in 4.3.2.1 shall also be satisfied.”
15-1843	Removed reference to ACCP CP-1 in Table 1.1.
15-1845	Revised 7.5.6.1(a) to correct references for magnetic particle examination documentation requirements.
15-1848	Revised 6.2.1.
15-2021	Added 3.11.8.3(g) to address testing requirements for impact test qualifications of multiple-process welding procedures.
15-2173	Revised 4.5.16.2 to indicate exemptions to the requirement for inspection openings on the shell side of some shell-and-tube heat exchangers.
15-2177	Revised text associated with Figure 4.2.4, sketch (f).
15-2352	Revised Tables 6.9, 6.10, and 6.11 to add PWHT exemptions for tube-to-tubesheet seal welds.
15-2471	Revised 7.4.3.3, 7.4.3.4, and 7.5.4.1 to clarify when 7.5.4 may be used for performing UT examinations, and when 7.5.5 is required for performing UT examinations in lieu of radiography.
15-2553	In Table 6.11.A, revised the minimum holding temperatures from 730°C (1,350°F) to 705°C (1,300°F), and the minimum holding temperature in subpara. (a) from 720°C (1,325°F) to 675°C (1,250°F).
15-2591	Changed “nonmagnetic” to “nonferromagnetic” in 3.8.2.2(e), 3.8.2.3(b)(1), 7.4.9.3(b), and 7.6.1. Changed “magnetic” to “ferromagnetic” in 3.8.2.2(d). Changed “nonmagnetic” to “nonferromagnetic” and “magnetic” to “ferromagnetic” in 3.8.2.3(b). Changed “nonmagnetic” to “nonferromagnetic,” “non-magnetic” to “nonferromagnetic,” and “magnetic” to “ferromagnetic” in 7.4.5.
15-2605	Revised Tables 1.1 and 7.3 to reference Section V, Article 1, T-120(e), T-120(f), T-120(g), T-120(h), or T-120(i), as applicable, for NDE personnel qualification and certification requirements.
15-2606	Revised Table 7-A.1 to clarify the Manufacturer’s responsibilities in documenting their acceptance of NDE results.
15-2607	Consolidated notes in Table 7.2 for greater clarity and user friendliness.
15-2608	In 6.4.2.2(e)(8) and Table 6.15, revised references to “P-No. 10B, Group 2” to “P-No. 10B, Group 1.” Also in Table 6.15, deleted references and PWHT requirements for P-No. 10E, Group 1; P-No. 10F, Group 6; and P-No. 10G, Group 1.
15-2710	Errata correction. See Summary of Changes for details.
15-2781	Deleted 5.5.5.1(c).
15-2793	Errata correction. See Summary of Changes for details.

Record Number	Change
15-2852	In 5.5.2.4, Step 4, replaced “3” in the denominator with “ C_1 .” In 5.5.2.4, Steps 6 and 7, replaced “2” in the denominator with “ C_2 .”
16-98	Editorially revised 4.19.
16-100	Updated 4.20.1 and 4.20.2, specifically Figures 4.20.1 and 4.20.2, to include corner-corner and flued-only flexible shell element expansion joints and to allow thin liners. Generalized the terminology from “flanged-and-flued or flanged-only” to “flexible shell element” expansion joints in 4.18.12.1, 4.20, 6.9.2, and 7.4.12.2. Added references to “outer shell elements,” the cylinder between flexible elements, to 4.20.2(d), 4.20.2(e), 6.9.2(b), 6.9.2(d), 7.4.12.2(c), and Figures 4.20.1 and 4.20.2. Separated fabrication requirements for welds within the flexible element from welds attaching the flexible element to the shell in 6.9.2(a) and 6.9.2(b). Clarified flexible shell element corner weld categorization, design, and fillet sizing in 4.2.2, 4.2.5.9, and 6.9.2(b)(2). Added permission to use a thin liner in 6.9.2(c). Added requirement for welds to Type 1 butts in the shell adjacent to the flexible element in 6.9.2(d). Separated inspection requirements for welds within the flexible element from welds attaching the flexible element to the shell in 7.4.12.2(b) and 7.4.12.2(c).
16-102	Revised Table 4.19.2 to restrict circumferential membrane stress in end convolution of externally attached bellows to short tangents.
16-154	Revised 4.18.13, 4.19.3.1(d), and Forms in 4.19.14 to ensure that bellows expansion joints are properly hydrotested.
16-234	Deleted SA-723 from 3.11.2.4(b). Revised 3.11.3.1(b).
16-322	Deleted “P-No. 10F, Group 6” from the title of Table 6.15.
16-449	Editorially revised 3.10.3.2 to correct the PWHT Table reference.
16-522	Revised Tables 4.2.10, 4.2.13, and 7.2.
16-533	Revised Table 1.1 to update year of acceptable edition for those standards that were reviewed.
16-537	Revised 3-A.1.2. Added notes to Tables 3-A.1, 3-A.3, 3-A.6, and 3-A.7.
16-538	Added 6.4.2.9.
16-598	Added references to Form A-1P in 1.2.6 and Annexes 2-C and 2-D.
16-629	Revised 6.4.4(a), 6.4.4(b), 6.4.4(e), 6.4.6.3, and Tables 6.14 and 6.15 to correct metrication values for 800°F in accordance with the approved metrication guidelines.
16-676	Editorially revised 6.4.2.2(a), 6.6.1, and Table 6.17.
16-866	Revised the first line in Table 6.6 for applicability to thicknesses less than 2.5 mm ($\frac{3}{32}$ in.).
16-991	Revised 4.18.5.4 and 4.18.15 by replacing S with S_{fe} in the nomenclature and in both equations of 4.18.5.4.
16-1095	Changed “Nat’l Board (inc. Endorsements)” to “National Board Commission Authorized Inspector number” on all Manufacturer’s Data Reports.
16-1102	Revised Table 1.1 to include referenced document SA-388, Standard Practice for Ultrasonic Examination of Steel Forgings, and added information to 3.3.4.1 to communicate its location in Section V.
16-1213	Revised 2-A.2.2(b) and 2-B.2.2(b) to add requirement for engineer to have received proper approval from applicable authority. Revised 2-A.2.2(c) and 2-B.2.2(c) to update Engineer Mobility Forum to current format for International Professional Engineers Agreement. Revised Tables 2-A.1 and 2-B.1 to have engineers document the registration authority, the location of the registration authority, and the engineer’s registration number, if applicable.
16-1303	Revised 3.3.5.1 for improved clarity.
16-1539	Established a new Certificate of Authorization for organizations fabricating parts without design responsibility. Revised 1.2.6.1(c), 2.3.1.2, 2-C.1.1, 2-F.1, 2-F.3, 2-F.4, 2-G.1, 2-G.4.1, 2-G.5, 2-G.6.1, Form A-2, Figure 2-F.1, and Table 2-H.1.
16-1888	Revised 7.5.8.4(c) to point toward 7.3 for examination personnel qualification and certification requirements.
16-2176	Errata correction. See Summary of Changes for details.
16-2737	Revised the Generalized Plane Strain equation in Tables 5-E.5, 5-E.6, and 5-E.7 such that the last term is subtracted instead of added.
16-2887	Removed Note (3) from Table 7.2 concerning volumetric examination of Class 1 vessels.
17-239	Errata correction. See Summary of Changes for details.

CROSS-REFERENCING AND STYLISTIC CHANGES IN THE BOILER AND PRESSURE VESSEL CODE

There have been structural and stylistic changes to BPVC, starting with the 2011 Addenda, that should be noted to aid navigating the contents. The following is an overview of the changes:

Subparagraph Breakdowns/Nested Lists Hierarchy

- First-level breakdowns are designated as (a), (b), (c), etc., as in the past.
- Second-level breakdowns are designated as (1), (2), (3), etc., as in the past.
- Third-level breakdowns are now designated as (-a), (-b), (-c), etc.
- Fourth-level breakdowns are now designated as (-1), (-2), (-3), etc.
- Fifth-level breakdowns are now designated as (+a), (+b), (+c), etc.
- Sixth-level breakdowns are now designated as (+1), (+2), etc.

Footnotes

With the exception of those included in the front matter (roman-numbered pages), all footnotes are treated as endnotes. The endnotes are referenced in numeric order and appear at the end of each BPVC section/subsection.

Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees

Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees has been moved to the front matter. This information now appears in all Boiler Code Sections (except for Code Case books).

Cross-References

It is our intention to establish cross-reference link functionality in the current edition and moving forward. To facilitate this, cross-reference style has changed. Cross-references within a subsection or subarticle will not include the designator/identifier of that subsection/subarticle. Examples follow:

- *(Sub-)Paragraph Cross-References.* The cross-references to subparagraph breakdowns will follow the hierarchy of the designators under which the breakdown appears.
 - If subparagraph (-a) appears in X.1(c)(1) and is referenced in X.1(c)(1), it will be referenced as (-a).
 - If subparagraph (-a) appears in X.1(c)(1) but is referenced in X.1(c)(2), it will be referenced as (1)(-a).
 - If subparagraph (-a) appears in X.1(c)(1) but is referenced in X.1(e)(1), it will be referenced as (c)(1)(-a).
 - If subparagraph (-a) appears in X.1(c)(1) but is referenced in X.2(c)(2), it will be referenced as X.1(c)(1)(-a).
- *Equation Cross-References.* The cross-references to equations will follow the same logic. For example, if eq. (1) appears in X.1(a)(1) but is referenced in X.1(b), it will be referenced as eq. (a)(1)(1). If eq. (1) appears in X.1(a)(1) but is referenced in a different subsection/subarticle/paragraph, it will be referenced as eq. X.1(a)(1)(1).

PART 1

GENERAL REQUIREMENTS

1.1 GENERAL

1.1.1 INTRODUCTION

1.1.1.1 This Division contains mandatory requirements, specific prohibitions, and nonmandatory guidance for the design, materials, fabrication, examination, inspection, testing, and certification of pressure vessels and their associated pressure relief devices.

1.1.1.2 The Code does not address all aspects of these activities. Those aspects that are not specifically addressed should not be considered prohibited and shall be addressed by appropriate engineering judgment. Engineering judgment shall be consistent with the philosophy of this Division, and such judgments shall never be used to overrule mandatory requirements or specific prohibitions of this Division.

1.1.2 ORGANIZATION

1.1.2.1 The requirements of this Division are contained in the nine Parts listed below. Each of these Parts and Annexes is composed of paragraphs that are identified by an alphanumeric numbering system in accordance with the ISO Standard Template for the Preparation of Normative-Type Documents. References to paragraphs are made directly by reference to the paragraph number. For example, the Scope is referenced as [1.2](#).

- (a) **Part 1** – General Requirements, provides the scope of this division and establishes the extent of coverage
- (b) **Part 2** – Responsibilities and Duties, sets forth the responsibilities of the user and Manufacturer, and the duties of the Inspector
- (c) **Part 3** – Materials Requirements, provides the permissible materials of construction, applicable material specification and special requirements, physical properties, allowable stresses, and design fatigue curves
- (d) **Part 4** – Design by Rule Requirements, provides requirements for design of vessels and components using rules
- (e) **Part 5** – Design by Analysis Requirements, provides requirements for design of vessels and components using analytical methods
- (f) **Part 6** – Fabrication Requirements, provides requirements governing the fabrication of vessels and parts
- (g) **Part 7** – Examination and Inspection Requirements, provides requirements governing the examination and inspection of vessels and parts
- (h) **Part 8** – Pressure Testing Requirements, provides pressure testing requirements
- (i) **Part 9** – Pressure Vessel Overpressure Protection, provides rules for pressure relief devices

1.1.2.2 Mandatory and nonmandatory requirements are provided as normative and informative annexes, respectively, to the specific Part under consideration. The Normative Annexes address specific subjects not covered elsewhere in this Division and their requirements are mandatory when the subject covered is included in construction under this Division. Informative Annexes provide information and suggested good practices.

1.1.2.3 The materials, design, fabrication, examination, inspection, testing, and certification of pressure vessels and their associated pressure relief devices shall satisfy all applicable Parts and Normative Annexes shown above in order to qualify the construction in accordance with this Division.

1.1.3 DEFINITIONS

The definitions for the terminology used in this Part are contained in [Annex 1-B](#).

1.2 SCOPE

1.2.1 OVERVIEW

1.2.1.1 In the scope of this division, pressure vessels are containers for the containment of pressure, either internal or external. This pressure may be obtained from an external source or by the application of heat from a direct or indirect source as a result of a process, or any combination thereof.