


Hydraulic Institute Standard for

Methods for Rotodynamic Pump Efficiency Testing



This page intentionally blank.

Hydraulic Institute Standard for
Methods for Rotodynamic Pump
Efficiency Testing

Sponsor
Hydraulic Institute
www.Pumps.org

Approved by Hydraulic Institute
October 27, 2016

Hydraulic Institute Standard

Approval of a Hydraulic Institute Standard requires verification by the Hydraulic Institute that the requirements for due process and the criteria for approval have been met by the committee responsible for authoring the standard.

Approval is established when, in the judgement of the Hydraulic Institute Standards Committee, substantial agreement has been reached by the authoring committee, HI Standards Voting Representatives, and by peer reviewers, where applicable. Substantial agreement signifies that much more than a simple majority was achieved, but does not necessarily indicate unanimity. Approval requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of Hydraulic Institute Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the guidelines or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

CAUTION NOTICE: This Hydraulic Institute Standard may be revised or withdrawn at any time. The procedures of the Hydraulic Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of Hydraulic Institute Standards may obtain current information on all standards by calling or writing the Hydraulic Institute or by visiting the HI e-Store at <http://estore.Pumps.org>.

Published By

Hydraulic Institute
6 Campus Drive, First Floor North
Parsippany, NJ 07054-4406

www.Pumps.org

Copyright © 2016 Hydraulic Institute
All rights reserved.

No part of this publication may be reproduced in any form,
in an electronic retrieval system or otherwise, without prior
written permission of the publisher.

Printed in the United States of America

ISBN 978-1-935762-53-9



Recycled
paper

Contents

Page

Foreword	vii	
40.6	Methods for rotodynamic pump efficiency testing	1
40.6.1	Scope	1
40.6.1.1	Introduction	1
40.6.2	Terms and definitions	1
40.6.2.1	Lists of symbols and subscripts	5
40.6.3	Pump efficiency testing	6
40.6.3.1	General	7
40.6.3.2	Measurement uncertainty	7
40.6.4	Considerations when determining the efficiency of certain pumps	9
40.6.4.1	Vertically suspended pumps	9
40.6.4.2	Submersible pumps	9
40.6.4.3	All other pump types	9
40.6.4.4	Determination of pump overall efficiency	10
40.6.5	Test procedures	10
40.6.5.1	General	10
40.6.5.2	Testing equipment	10
40.6.5.3	Test report	10
40.6.5.4	Test arrangements	10
40.6.5.5	Test conditions	10
40.6.6	Analysis	11
40.6.6.1	Translation of the test results to the specified speed of rotation (n_{sp})	11
40.6.6.2	Pump efficiency	11
40.6.6.3	Performance curve	12
Appendix A	Test arrangements (normative)	13
A.1	General	13
A.2	Measurement principles to determine pump total head	13
A.3	Various methods to determine pump total head	13
A.4	Pumps tested with fittings	17
A.5	Pumping installation under submerged conditions	17
A.6	Friction losses at inlet and outlet	18
Appendix B	Reporting of test results (informative)	21
B.1	DOE certification reports	21
Appendix C	Measurement equipment (normative)	22
C.1	Measurement of head	22
C.2	Measurement of rotating speed	22
C.3	Measurement of flow rate	23
C.4	Measurement of pump, driver, or control power input	24
C.5	Temperature	26
Appendix D	Suitable time periods for calibration of test instruments (normative)	27
D.1	Recalibration interval	27
Appendix E	Unit conversions (informative)	28
Appendix F	DOE compared to HI 40.6 nomenclature	30

Appendix G	Determination, application, and calculation of instrument (systematic) uncertainty (informative)	31
G.1	Determination, application, and calculation of instrument (systematic) uncertainty	31
G.2	Distribution of probability	32
G.3	Examples of measurement uncertainty calculations	33
Appendix H	References	43
Appendix I	Index	46
Figures		
A.1	— Determination of pump head	14
A.2	— Outlet pressure tapping	16
A.3	— Requirements for static pressure tap	16
A.4	— One pressure tapping (minimum requirement)	16
A.5	— Bowl assembly total head determination for vertically suspended pumps	19
A.6	— Bowl assembly total head determination for vertically suspended pump with a closed suction	20
C.1	— Arrangement for determination of reference plane of spring pressure gauges	22
G.1	— Output signal vs. pressure value	40
Tables		
40.6.2	— List of quantities, terms, and definitions	2
40.6.2.1a	— List of symbols	5
40.6.2.1b	— List of subscripts	6
40.6.3.2.2	— Permissible amplitude of fluctuation as a percentage of mean value of quantity being measured at any test point	7
40.6.3.2.3	— Maximum permissible measurement device uncertainty	8
D.1	— Instrument recalibration maximum intervals	27
E.1	— Conversion factors	28
F.1	— Comparison of equivalent nomenclature	30
G.1	— Lab pressure calibrator calibration data	34
G.2	— Published accuracy of lab calibration devices	34
G.3	— Lab precision DC current measurement device calibration data	35
G.4	— Lab DC current source calibration data	35
G.5	— Pressure transducer calibration	36
G.6	— DA system current measurement module (output) calibration data	36
G.7	— Calculation of percent uncertainty for the discharge pressure, full system of 300 psi pressure transducer and data acquisition system	38
G.8	— Differential pressure transducer information	39
G.9	— Signal measurement device information	39
G.10	— Venturi information - BIF 2-in s/n 12345	39
G.11	— Differential pressure transducer calibration data	40
G.12	— Differential pressure transducer calibration data analysis	40
G.13	— Venturi flowmeter calibration data and analysis	41
G.14	— Calculation of individual device uncertainty and total uncertainty	41

Foreword (Not part of Standard)

Purpose and aims of the Hydraulic Institute

The purpose and aims of the Hydraulic Institute are to promote the advancement of the pump manufacturing industry and further the interests of the public and to this end, among other things:

- a) Develop and publish standards.
- b) Address pump systems.
- c) Expand knowledge and resources.
- d) Educate the marketplace.
- e) Advocate for the industry.

Purpose of Standards and Guidelines

- a) Hydraulic Institute Standards and Guidelines are adopted in the public interest and are designed to help eliminate misunderstandings between the manufacturer, the purchaser, and/or the user and to assist the purchaser in selecting and obtaining the proper product for a particular need.
- b) Use of Hydraulic Institute Standards and Guidelines is completely voluntary. The existence of Hydraulic Institute Standards does not in any respect preclude a member from manufacturing or selling products not conforming to the standards.

Definition of a Standard of the Hydraulic Institute

Quoting from Article XV, Standards, of the By-Laws of the Institute, Section B:

“An Institute Standard defines the product, material, process or procedure with reference to one or more of the following: nomenclature, composition, construction, dimensions, tolerances, safety, operating characteristics, performance, quality, rating, testing and service for which designed.”

Definition of a Hydraulic Institute Guideline

A Hydraulic Institute Guideline is not normative. The guideline is tutorial in nature, to help the reader better understand the subject matter.

Comments from users

Comments from users of this standard will be appreciated, to help the Hydraulic Institute prepare even more useful future editions. Questions arising from the content of this standard may be directed to the Technical Director of the Hydraulic Institute. If appropriate, the inquiry will then be directed to the appropriate technical committee for provision of a suitable answer.

Revisions

Standards and Guidelines of the Hydraulic Institute are subject to constant review, and revisions are undertaken whenever it is found necessary because of new developments and progress in the art. If no revisions are made for five years, the standards are reaffirmed using the HI balloting procedures.

Disclaimer

This document was prepared by a committee of the Hydraulic Institute and approved by following Hydraulic Institute procedures. Neither the Hydraulic Institute, Hydraulic Institute committees, nor any person acting on behalf of the Hydraulic Institute: 1) makes any warranty, expressed or implied, with respect to the use of any information, apparatus, method, or process disclosed in this document or guarantees that such may not infringe privately owned rights; 2) assumes any liabilities with respect to the use of, or for damages resulting from the use of, any information, apparatus, method, or process disclosed in this guideline. The Hydraulic Institute is in no way

responsible for any consequences to an owner, operator, user, or anyone else resulting from reference to the content of this document, its application, or use.

This document does not contain a complete statement of all requirements, analyses, and procedures necessary to ensure safe or appropriate selection, installation, testing, inspection, and operation of any pump or associated products. Each application, service, and selection is unique with process requirements that shall be determined by the owner, operator, or its designated representative.

Units of measurement

Metric units of measurement are used, and corresponding US customary units appear in parentheses. Charts, graphs, and sample calculations are also shown in both metric and US customary units. Because values given in metric units are not exact equivalents to values given in US customary units, it is important that the selected units of measure to be applied be stated in reference to this standard. If no such statement is provided, metric units shall govern.

Committee list

A working committee met many times to facilitate the development of this document. At the time it was developed, the committee had the following members:

Co-Chair – Paul Ruzicka, Xylem Inc. – Applied Water Systems

Co-Chair – Arnie Sdano, Pentair Fairbanks Nijhuis

Committee members

Timothy R. Albers
Jack Claxton
Michael Coussens
Frank Ennenbach
Al Iseppon
Gabor Lechner
Rodney S. Mrkvicka
Michael L. Mueller
Albert B. Ticknor, III
James Volk

Company

Nidec Motor Corporation
Patterson Pump Company
Peerless Pump Company
Sulzer Pumps Ltd.
Pentair - Berkeley
Armstrong Fluid Technology
Smith & Loveless, Inc.
Flowserve Corporation
National Pump Company
Franklin Electric Company, Inc.

Alternate committee members

Mark Heiser
James E. McKee

Company

Xylem Inc. - Applied Water Systems
Pentair - Berkeley

Special acknowledgement – peer review

Several independent experts in the industry provided their time to review and evaluate the committee draft. They conducted a thorough review of the material, ensuring the document met the intended goal established by the committee chairs, and provided accurate, coordinated, and relevant information to the reader. Their work was extremely valuable, and the committee thanks all of them for their time and efforts.

Sarah Widder

Pacific Northwest National Laboratory