

ASCE STANDARD

ANSI/ASCE/EWRI

62-16

63-16

64-16

Standard Guidelines for the Design, Installation, and Operation and Maintenance of Stormwater Impoundments



ENVIRONMENTAL &
WATER RESOURCES
INSTITUTE



ASCE STANDARD

ANSI/ASCE/EWRI

62-16

63-16

64-16

Standard Guidelines for the Design, Installation, and Operation and Maintenance of Stormwater Impoundments

Three Complete Standards

***Standard Guidelines for the Design
of Stormwater Impoundments***

ANSI/ASCE/EWRI 62-16

***Standard Guidelines for the Installation
of Stormwater Impoundments***

ANSI/ASCE/EWRI 63-16

***Standard Guidelines for the Operation and
Maintenance of Stormwater Impoundments***

ANSI/ASCE/EWRI 64-16



PUBLISHED BY THE AMERICAN SOCIETY OF CIVIL ENGINEERS

Library of Congress Cataloging-in-Publication Data

Names: American Society of Civil Engineers, author.

Title: ASCE standard, ANSI/ASCE/EWRI, 62-16, 63-16, 64-16 : standard guidelines for the design, installation, and operation and maintenance of stormwater impoundments.

Other titles: Standard guidelines for the design, installation, and operation and maintenance of stormwater impoundments

Description: Reston, Virginia : American Society of Civil Engineers, 2017. | "Three Complete Standards, Standard Guidelines for the Design of Stormwater Impoundments ANSI/ASCE/EWRI 62-16 Standard Guidelines for the Installation of Stormwater Impoundments ANSI/ASCE/EWRI 63-16 Standard Guidelines for the Operation and Maintenance of Stormwater Impoundments ANSI/ASCE/EWRI 64-16." | Includes bibliographical references and index.

Identifiers: LCCN 2017002963 | ISBN 9780784414262 (soft cover : alk. paper)

Subjects: LCSH: Storm water retention basins—Standards—United States.

Classification: LCC TD722 .A83 2017 | DDC 628/.21—dc23 LC record available at <https://lccn.loc.gov/2017002963>

Published by American Society of Civil Engineers

1801 Alexander Bell Drive

Reston, Virginia, 20191-4382

www.asce.org/bookstore | ascelibrary.org

This standard was developed by a consensus standards development process that has been accredited by the American National Standards Institute (ANSI). Accreditation by ANSI, a voluntary accreditation body representing public and private sector standards development organizations in the United States and abroad, signifies that the standards development process used by ASCE has met the ANSI requirements for openness, balance, consensus, and due process.

While ASCE's process is designed to promote standards that reflect a fair and reasoned consensus among all interested participants, while preserving the public health, safety, and welfare that is paramount to its mission, it has not made an independent assessment of and does not warrant the accuracy, completeness, suitability, or utility of any information, apparatus, product, or process discussed herein. ASCE does not intend, nor should anyone interpret, ASCE's standards to replace the sound judgment of a competent professional, having knowledge and experience in the appropriate field(s) of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the contents of this standard.

ASCE has no authority to enforce compliance with its standards and does not undertake to certify products for compliance or to render any professional services to any person or entity.

ASCE disclaims any and all liability for any personal injury, property damage, financial loss, or other damages of any nature whatsoever, including without limitation any direct, indirect, special, exemplary, or consequential damages, resulting from any person's use of, or reliance on, this standard. Any individual who relies on this standard assumes full responsibility for such use.

ASCE and American Society of Civil Engineers—Registered in U.S. Patent and Trademark Office.

Photocopies and permissions. Permission to photocopy or reproduce material from ASCE publications can be requested by sending an e-mail to permissions@asce.org or by locating a title in ASCE's Civil Engineering Database (<http://cedb.asce.org>) or ASCE Library (<http://ascelibrary.org>) and using the "Permissions" link.

Errata: Errata, if any, can be found at <https://doi.org/10.1061/9780784414262>.

Copyright © 2017 by the American Society of Civil Engineers.

All Rights Reserved.

ISBN 978-0-7844-1426-2 (print)

ISBN 978-0-7844-8020-5 (PDF)

Manufactured in the United States of America.

ASCE STANDARDS

In 2014, the Board of Direction approved revisions to the ASCE Rules for Standards Committees to govern the writing and maintenance of standards developed by ASCE. All such standards are developed by a consensus standards process managed by the ASCE Codes and Standards Committee (CSC). The consensus process includes balloting by a balanced standards committee and reviewing during a public comment period. All standards are updated or reaffirmed by the same process every five to 10 years. Requests for formal interpretations shall be processed in accordance with Section 7 of ASCE Rules for Standards Committees, which are available at www.asce.org. Errata, addenda, supplements, and interpretations, if any, for this standard can also be found at www.asce.org.

This standard has been prepared in accordance with recognized engineering principles and should not be used without the user's competent knowledge for a given application. The publication of this standard by ASCE is not intended to warrant that the information contained therein is suitable for any general or specific use, and ASCE takes no position respecting the validity of patent rights. Users are advised that the determination of patent rights or risk of infringement is entirely their own responsibility.

A complete list of currently available standards is available in the ASCE Library (<http://ascelibrary.org/page/books/s-standards>).

This page intentionally left blank

ACKNOWLEDGMENTS

The American Society of Civil Engineers (ASCE) acknowledges the work of the Urban Drainage Standards Committee of the Environmental and Water Resources Institute of ASCE (EWRI of ASCE).

This group comprises individuals from many backgrounds, including consulting, engineering, research, the construction industry, education, and government.

Urban Drainage Standards Committee

William Curtis Archdeacon, P.E., R.L.S., L.S., *Past Chair*
William P. Bulloch Jr., P.E., D.WRE, M.ASCE
Christopher B. Burke, Ph.D., P.E., D.WRE, F.ASCE
Richard Field, P.E., D.WRE
Robert S. Giurato
Jeffrey S. Glenn, P.E., D.WRE, F.ASCE
S. David Graber, P.E., F.ASCE, *Vice Chair and Corresponding Editor*
Jay M. Herskowitz, P.E., M.ASCE
Kathlie S. Jeng-Bulloch, Ph.D., P.E., D.WRE, M.ASCE, *Chair*
Conrad G. Keyes Jr., Ph.D., P.E., L.S., D.WRE, Dist.M.ASCE
James H. Lenhart Jr., P.E., D.WRE, M.ASCE

Lawrence M. Magura, P.E., M.ASCE, *Secretary*
Garvin J. Pederson, P.E., M.ASCE
Anthony N. Tafuri, P.E., D.WRE, M.ASCE
Kenneth E. Waite, P.E., M.ASCE
Keh-Han Wang, Ph.D., M.ASCE
William J. Weaver, D.WRE, P.E., M.ASCE
Donald E. Woodward, P.E., M.ASCE

The Corresponding Editor recognizes the following current Committee members whose efforts as authors of these standards ranged from writing partial to multiple chapters: William Curtis Archdeacon, Kathlie S. Jeng-Bulloch, Christopher B. Burke, Robert S. Giurato, S. David Graber, James H. Lenhart Jr., Lawrence M. Magura, and William J. Weaver. Those authors also participated in informal commenting and formal balloting on the chapters; to those names in this category are added the following: Jeffrey S. Glenn, Jay M. Herskowitz, Conrad G. Keyes Jr., Keh-Han Wang, and Donald E. Woodward. Participation by the following is also acknowledged: William P. Bulloch Jr., Richard Field, Anthony N. Tafuri, and Kenneth E. Waite.

This page intentionally left blank

CONTENTS

STANDARD GUIDELINES FOR THE DESIGN OF STORMWATER IMPOUNDMENTS, ANSI/ASCE/EWRI 62-16	1
STANDARD GUIDELINES FOR THE INSTALLATION OF STORMWATER IMPOUNDMENTS, ANSI/ASCE/EWRI 63-16	63
STANDARD GUIDELINES FOR THE OPERATION AND MAINTENANCE OF STORMWATER IMPOUNDMENTS, ANSI/ASCE/EWRI 64-16	87
INDEX	101

This page intentionally left blank

ASCE STANDARD

ANSI/ASCE/EWRI

62-16

**Standard Guidelines
for the Design of
Stormwater Impoundments**

This page intentionally left blank

CONTENTS

1	SCOPE	1
1.1	Applicable Standards	1
1.2	Scope of Chapters	1
2	DEFINITIONS	3
2.1	General	3
2.2	Key Terms	3
3	OBJECTIVES OF STORMWATER IMPOUNDMENTS.	5
3.1	Flood Attenuation	5
3.2	Aesthetics	5
3.3	Multiuse Facilities	5
3.4	Water Quality	5
3.5	Underground Recharge	5
4	TYPES OF STORMWATER IMPOUNDMENT	7
4.1	Detention Facilities	7
4.1.1	Surface Detention	7
4.1.2	Underground Detention	7
4.2	Retention Facilities.	8
4.3	Combined Detention and Infiltration Facilities	10
4.4	Wetlands	10
4.5	Streets	10
4.6	Pipes or Conduits	10
4.7	Ditches, Swales, and Filter Strips	10
4.8	Pump-Evacuated Impoundments.	11
5	REGULATIONS AND PERMITS.	13
5.1	Project-Permitting Strategies.	13
5.2	Permitting and Regulatory Agency Requirements	13
5.2.1	Local Government	13
5.2.1.1	Water Quality Improvement Standards	14
5.2.1.2	Land Use Considerations	14
5.2.1.3	Hydromodification	14
5.2.1.4	Low-Impact Development (LID)	15
5.2.1.5	Floodplain Management Considerations/FEMA	15
5.2.2	State Government	15
5.2.2.1	Environmental Impact Analysis	15
5.2.2.2	Dam Safety	15
5.2.2.3	Water Rights	16
5.2.2.4	Air Quality	16
5.2.3	U.S. Federal Government	16
5.2.3.1	National Pollution Discharge Elimination System (NPDES)	16
5.2.3.2	Section 303 of the U.S. Clean Water Act	17
5.2.3.3	Section 401 of the U.S. Clean Water Act	17
5.2.3.4	Section 404 of the U.S. Clean Water Act	17
5.2.3.5	Section 10, U.S. Rivers and Harbors Act of 1899	18
5.2.3.6	National Historic Preservation Act (36 CFR, Part 800)	18
5.2.3.7	Project-Permitting Coordinator	18
6	DESIGN REQUIREMENTS	19
6.1	Basic Requirements	19
6.1.1	Land Use.	19
6.1.2	Zoning Regulations	19

6.1.3	Other Governmental Regulations	19
6.1.4	Topography	19
6.1.5	Geography	19
6.1.6	Water Table	19
6.1.7	Geology	19
6.1.8	Water Source.	20
6.1.9	Soils Information	20
6.1.9.1	Soil Classification	20
6.1.9.2	Strata and Layers	20
6.1.9.3	Permeability and Drainability	20
6.1.9.4	Soil-Water Chemistry	20
6.1.9.5	Temperature	20
6.1.9.6	Vegetation	20
6.1.9.7	Embankment Construction.	20
6.1.10	Environmental Factors.	20
6.1.10.1	Water Quality	20
6.1.10.2	Flooding	20
6.1.10.3	Wetlands	21
6.1.10.4	Principal or Primary Aquifers	21
6.1.11	Physical Constraints	21
7	SAFETY	23
7.1	Structural Issues	23
7.2	Mosquito Control	23
7.3	Physical Security.	24
8	INFLOW HYDROLOGY	25
8.1	General Information	25
8.2	Data Required	25
8.2.1	Rainfall.	25
8.2.2	Factors Affecting Runoff	26
8.2.2.1	Runoff Coefficient	26
8.2.2.2	Runoff Curve Number.	26
8.2.2.3	Time of Concentration/Travel Time.	26
8.2.3	Unit Hydrograph.	26
8.2.3.1	NRCS Unit Hydrograph	27
8.2.3.2	Clark Unit Hydrograph	28
8.3	Hydrologic Procedures for Computing Inflow Hydrographs	28
8.3.1	Rational Method	28
8.3.2	NRCS CN Method.	28
8.3.3	Clark Unit Hydrograph Method.	29
8.3.4	Hydrologic Simulation Program-Fortran	29
8.3.5	Stormwater Management Model.	29
9	HYDRAULIC DESIGN	31
9.1	Hydraulic Principles	32
9.1.1	Flow Classification.	32
9.1.2	Energy Principle	32
9.1.3	Momentum Principle.	33
9.2	Elements of Hydraulic Analysis.	33
9.2.1	Normal Depth Analysis	33
9.2.2	Hydraulic Jump	34
9.2.3	Hydraulic Head Losses Due to Friction.	34
9.2.4	Form Losses	34
9.3	Hydraulic Structures	35
9.3.1	Culvert Spillways	36
9.3.1.1	Opening Size Determination.	36
9.3.1.2	Special Considerations.	37
9.3.2	Lined Outlet Channel	37
9.3.3	Straight Drop Spillway	37
9.3.4	Weir Spillway	37
9.3.4.1	Broad-Crested and Ogee Crest Weir	38

9.3.4.2	Sharp-Crested Weir	38
9.3.5	Conduit or Tunnel Spillways	38
9.3.6	Flip or Roller Bucket Spillways.	38
9.3.7	Impact-Stilling Basin	38
9.3.8	Hydraulic Jump Stilling Basins	38
9.3.9	Baffled Chute Spillway	38
9.3.10	Energy Dissipation Headwalls.	39
9.3.11	Impoundment Berms and Embankments	39
9.3.12	Emergency Spillway Flows over Impoundment Berms and Embankments	39
9.3.12.1	Articulated Concrete Block (ACB) Mattress	39
9.3.12.2	Rock Riprap- Lined Embankment.	39
9.3.12.3	Open Channel Flow Spillway	39
9.4	Hydraulic Analysis Procedures	39
9.5	Computer Models	40
10	ROUTING	43
10.1	Conservation of Mass	43
10.2	Difference Formulation	43
10.3	Inflow	44
10.4	Storage-Elevation Relationship	45
10.5	Outflow-Elevation Relationship	45
10.6	Analytical and Generalized Numerical Solutions.	45
10.7	Relation to Other Event-Based Methods	46
10.8	Storage and Outflow Characteristics and Data Arrays	47
10.9	Practical Applications	48
10.9.1	Successive Trapezoidal Hydrographs	48
10.9.2	Locus-of-Maxima Method.	49
10.9.3	SCS/NRDC Method	49
10.10	More Sophisticated Methods	49
10.11	Field Monitoring and the Use of Models.	50
11	WATER QUALITY	51
11.1	Stormwater Pollutants	51
11.1.1	Nutrients	51
11.1.2	Sediment	52
11.1.3	Pathogens	52
11.1.4	Oxygen-Demanding Organic Materials	52
11.1.5	Petroleum Hydrocarbons.	52
11.1.6	Metals	52
11.1.7	Organic Compounds.	53
11.1.8	Deicing Chemicals and Other Cold Weather Sources	53
11.1.9	Trash and Debris.	53
11.1.10	Other Issues	53
11.2	Water Quality Considerations in Urban Impoundment Design.	53
11.2.1	Configuration of Stormwater Impoundments	54
11.2.2	Water Quality Volume.	54
11.3	Stormwater Control Measures (Best Management Practices).	55
11.3.1	Infiltration Systems	56
11.3.2	Detention Systems.	56
11.3.3	Retention Systems.	56
11.3.4	Wetlands	57
11.3.5	Filtration Systems	57
11.3.6	Vegetated Systems (Biofilters)	57
11.3.7	Impoundment Aeration	57
11.3.8	Dosing	58
11.3.9	Skimming	58
11.3.10	Floating Vegetated Islands.	58
11.3.11	Nonstructural BMPs.	58
11.4	SUSTAIN Model	58
12	REFERENCES	59

This page intentionally left blank

CHAPTER 1

SCOPE

These guidelines intend to present design guidance for stormwater impoundments. The guidelines' purpose is to focus on local and regional impoundments to manage, treat, and/or attenuate stormwater runoff, thus reducing the impact of stormwater on downstream areas due to land-use changes from water discharge and water quality perspectives.

The guidelines do not address the broader issues associated with larger-scale flood control impoundments and reservoirs, which have unique and multipurpose aspects. These guidelines also do not address applications such as injection systems or impoundments of combined sewer overflows (CSOs).

Both International System (SI) units and customary units are used throughout the guidelines for the narrative, figures, and tables. The formulas are written in dual units or written separately to show the use of either SI or customary units.

1.1 APPLICABLE STANDARDS

The following standards are available from the offices of the cited organizations, e.g., American Society of Civil Engineers (ASCE) in Reston, Virginia, or the U.S. Government Printing Office where indicated. The standards are mentioned in these guidelines at the sections in which they are applicable. Other references as needed for these guidelines are listed in Chapter 12, References.

ASCE. (2004). "Regulated riparian model water code." *ASCE/EWRI 40-03*, Reston, VA.

ASCE. (2009). "Comprehensive transboundary water quality management agreement." *ASCE/EWRI 33-09*, Reston, VA.

OSHA (U.S. Occupational Safety and Health Administration). (2002a). "Occupational safety and health standards." 29CFR1910.146, Dept. of Labor, Code of Federal Regulations, U.S. Government Printing Office, Washington, DC, 467–488.

OSHA (U.S. Occupational Safety and Health Administration). (2002b). "Safety and health regulations for construction." 29CFR1926.652, Dept. of Labor, Code of Federal Regulations, U.S. Government Printing Office, Washington, DC, 377–410.

1.2 SCOPE OF CHAPTERS

Chapter 2, Definitions, defines the specific terms used in these guidelines. Common dictionary definitions will not be included in this document.

Chapter 3, Objectives of Stormwater Impoundments, includes (a) flood attenuation, (b) aesthetics, (c) multiuse facilities, (d) water quality, and (e) underground recharge.

Chapter 4, Types of Stormwater Impoundment Systems, addresses major types of stormwater impoundments, including retention, detention, and combined detention/infiltration facilities. Best management practice aspects of impoundments such as water quality enhancement and infiltration systems and underground stormwater detention, wetlands, and common problems

of detention and retention are also discussed in this chapter. Infiltration and evaporation are additional topics discussed in this chapter.

Chapter 5, Regulations and Permits, describes basic requirements for permitting and plan approvals for stormwater impoundments projects. This chapter also describes the general guidance to assist the engineer or designer in developing a project permitting strategy. Local, state, and federal government requirements are discussed separately in this chapter. Local government requirements include land use and floodplain management considerations. State government requirements include environmental impact analysis, dam safety, water rights, and air quality. Federal government requirements include National Pollution Discharge Elimination System (NPDES), Section 401 of the U.S. Environmental Protection Agency (USEPA) Clean Water Act, Section 404 of the Clean Water Act, and Section 10 of the Rivers and Harbors Act of 1899.

Chapter 6, Design Requirements, describes basic requirements for proper design and contract documents. Investigation areas needed are also listed.

Chapter 7, Safety, addresses means of mitigating possible risks of stormwater impoundments to public health, safety, and welfare. This section discusses structural adequacy, drowning risk, and insect problems.

Chapter 8, Inflow Hydrology, describes the hydrologic methodologies and parameters used to quantify the stormwater peak flow rate, volumes, and distribution that are used as the primary inputs to the sizing of stormwater impoundments.

Chapter 9, Hydraulic Design, addresses stormwater conveyance and management as flows enter and leave impoundments and downstream issues that can affect outfall capacity and performance. The summary guidelines covered in this chapter include the hydraulic design of structure inlet and outlet works. The guidelines consider each hydraulic structure element individually and in combination to address the influences that they may have on upstream and downstream system capacity. This chapter covers the hydraulic analysis approach and summarizes design considerations that can affect system capacity and performance.

Chapter 10, Routing, brings together the three essential ingredients in the design and analysis for the attenuation performance of a detention basin, be it constructed, a natural or modified pond, or wetland area, and retention basins or combined detention/infiltration basins. First is the inflow hydrograph (discussed in Chapter 8), which provides the temporal characteristics of the stormwater flow entering the basin. Second is the discharge-elevation relationship (discussed in Chapter 10), which establishes the discharge (flow rate) through the outlet control at various water-surface elevations in the basin. For retention or detention basins with infiltration features, a percolation-elevation