

ACI 315R-18

# Guide to Presenting Reinforcing Steel Design Details

Reported by Joint ACI-CRSI Committee 315



American Concrete Institute  
*Always advancing*



## **Guide to Presenting Reinforcing Steel Design Details**

Copyright by the American Concrete Institute, Farmington Hills, MI. All rights reserved. This material may not be reproduced or copied, in whole or part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of ACI.

The technical committees responsible for ACI committee reports and standards strive to avoid ambiguities, omissions, and errors in these documents. In spite of these efforts, the users of ACI documents occasionally find information or requirements that may be subject to more than one interpretation or may be incomplete or incorrect. Users who have suggestions for the improvement of ACI documents are requested to contact ACI via the errata website at <http://concrete.org/Publications/DocumentErrata.aspx>. Proper use of this document includes periodically checking for errata for the most up-to-date revisions.

ACI committee documents are intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. Individuals who use this publication in any way assume all risk and accept total responsibility for the application and use of this information.

All information in this publication is provided “as is” without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose or non-infringement.

ACI and its members disclaim liability for damages of any kind, including any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use of this publication.

It is the responsibility of the user of this document to establish health and safety practices appropriate to the specific circumstances involved with its use. ACI does not make any representations with regard to health and safety issues and the use of this document. The user must determine the applicability of all regulatory limitations before applying the document and must comply with all applicable laws and regulations, including but not limited to, United States Occupational Safety and Health Administration (OSHA) health and safety standards.

Participation by governmental representatives in the work of the American Concrete Institute and in the development of Institute standards does not constitute governmental endorsement of ACI or the standards that it develops.

Order information: ACI documents are available in print, by download, through electronic subscription, or reprint and may be obtained by contacting ACI.

Most ACI standards and committee reports are gathered together in the annually revised the ACI Collection of Concrete Codes, Specifications, and Practices.

**American Concrete Institute**  
**38800 Country Club Drive**  
**Farmington Hills, MI 48331**  
**Phone: +1.248.848.3700**  
**Fax: +1.248.848.3701**

[www.concrete.org](http://www.concrete.org)

# Guide to Presenting Reinforcing Steel Design Details

Reported by Joint ACI-CRSI Committee 315

Richard H. Birley, Chair

Anthony L. Felder, Secretary

Mark Douglas Agee  
Gregory P. Birley  
David H. DeValve  
Grant Doherty

Pedro Estrada  
David A. Grundler Jr.  
Robert W. Hall  
Todd R. Hawkinson

Dennis L. Hunter  
David W. Johnston  
William M. Klorman  
Javed B. Malik

Christopher J. Perry  
Peter Zdziebloski

## Consulting Member

Dale Rinehart

*This document guides designers of concrete structures how to determine information and design details that are required to prepare reinforcing steel fabrication details and placing drawings. The guide stresses the importance of this information to ensure that the reinforcing steel detailer effectively and accurately captures the intent of the designer, presenting it in a manner that is clear and unambiguous to the reinforcing steel fabricator and placer. Recommendations are also provided concerning the review of placing drawings.*

**Keywords:** concrete structures; design details; detailing; engineering drawings; fabrication details; placing drawings; reinforcement; reinforcing steel; tolerances.

## CONTENTS

### CHAPTER 1—INTRODUCTION AND SCOPE, p. 2

- 1.1—Introduction, p. 2
- 1.2—Scope, p. 2

### CHAPTER 2—NOTATION AND DEFINITIONS, p. 2

- 2.1—Notation, p. 2
- 2.2—Definitions, p. 2

ACI Committee Reports, Guides, and Commentaries are intended for guidance in planning, designing, executing, and inspecting construction. This document is intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. The American Concrete Institute disclaims any and all responsibility for the stated principles. The Institute shall not be liable for any loss or damage arising therefrom.

Reference to this document shall not be made in contract documents. If items found in this document are desired by the Architect/Engineer to be a part of the contract documents, they shall be restated in mandatory language for incorporation by the Architect/Engineer.

### CHAPTER 3—GENERAL CONSIDERATIONS, p. 2

- 3.1—Building information modeling (BIM), p. 2
- 3.2—Tolerance considerations, p. 4
- 3.3—General cautions, p. 11
- 3.4—Drawing types and purposes, p. 12

### CHAPTER 4—STRUCTURAL DRAWINGS, p. 12

- 4.1—Scope, p. 12
- 4.2—General, p. 12
- 4.3—Order of sheets, p. 13
- 4.4—General notes sheets, p. 13
- 4.5—Plan sheets, p. 20
- 4.6—Elevation sheets, p. 22
- 4.7—Section sheets, p. 23
- 4.8—Large-scale view sheets, p. 23
- 4.9—Detail sheets, p. 24
- 4.10—Schedule and diagram sheets, p. 26
- 4.11—Foundation sheets and schedules, p. 31
- 4.12—User-defined sheets, p. 32
- 4.13—Three-dimensional representations, p. 32

### CHAPTER 5—DESIGNING FOR CONSTRUCTABILITY, p. 32

- 5.1—Defining requirements for concrete cover, clearance, development, and splices, p. 33
- 5.2—Defining bar placing configuration, p. 33
- 5.3—Foundations, p. 34
- 5.4—Walls, p. 36
- 5.5—Columns, p. 40
- 5.6—Beams, p. 42

ACI 315R-18 supersedes ACI 315-99 and was adopted and published January 2018. Copyright © 2018, American Concrete Institute.

All rights reserved including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by electronic or mechanical device, printed, written, or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.

5.7—Slabs, p. 43

## CHAPTER 6—REVIEW OF PLACING DRAWINGS, p. 46

- 6.1—Scope, p. 46
- 6.2—Definition, p. 46
- 6.3—Overview, p. 46
- 6.4—Procedure, p. 46
- 6.5—Review of placing drawings, p. 48
- 6.6—Levels of approval, p. 49

## CHAPTER 7—REFERENCES, p. 49

Authored documents, p. 50

### CHAPTER 1—INTRODUCTION AND SCOPE

#### 1.1—Introduction

The purpose of this document is to guide the licensed design professional (LDP) in determining the information a reinforcing steel detailer requires to properly prepare reinforcing steel fabrication details and placing drawings. Guidance to the LDP is provided on how to present that information on their structural drawings so that the design intent is effectively and accurately conveyed.

The intent of this guide is to encourage clarity and consistency in reinforcing steel design details to help improve the quality and uniformity of steel reinforcement detailing, fabrication, and installation. It is intended to facilitate clear communication between LDPs, reinforcing steel detailers, fabricators, and placers by encouraging clear presentation of design details and information. Information presented is consistent with the requirements and recommendations of several ACI documents, including [ACI 318](#), [ACI 301](#), [ACI 117](#), [ACI 131.1R](#), and [ACI 132R](#).

#### 1.2—Scope

This guide provides general and specific information, as well as illustrative design details that are required for steel-reinforced concrete members such as slabs, beams, and columns. The importance of this information is emphasized to ensure that the reinforcing steel detailer effectively and accurately captures the intent of the LDP, and presents it in a manner that is clear and unambiguous to the reinforcing steel fabricator and placer. Recommendations are also provided concerning the review of placing drawings by the LDP.

### CHAPTER 2—NOTATION AND DEFINITIONS

#### 2.1—Notation

- $A_g$  = gross area of concrete section, in.<sup>2</sup> (mm<sup>2</sup>) where for a hollow section,  $A_g$  is the area of the concrete only and does not include the area of the void(s)
- $A_{st}$  = total area of nonprestressed longitudinal reinforcement, including bars or steel shapes and excluding prestressing reinforcement, in.<sup>2</sup> (mm<sup>2</sup>)
- $b$  = width of member, in. (mm)
- $d$  = distance from extreme compression fiber to centroid of tension reinforcement, in. (mm)

- $d_{agg}$  = nominal maximum size of coarse aggregate, in. (mm)
- $d_b$  = nominal diameter of bar or wire, in. (mm)
- $f'_c$  = specified compressive strength of concrete, psi (MPa)
- $f_y$  = specified yield strength for nonprestressed reinforcement, psi (MPa)
- $h$  = overall thickness, height, or depth of member, in. (mm)
- $\ell_d$  = development length in tension of deformed bar, deformed wire, or plain and deformed welded wire reinforcement, in. (mm)
- $\ell_{dh}$  = development length in tension of deformed bar or deformed wire with a standard hook, measured from outside end of hook, point of tangency, toward critical section, in. (mm)
- $\ell_{ext}$  = straight extension at the end of a standard hook, in. (mm)
- $V_u$  = factored shear force

#### 2.2—Definitions

ACI provides a comprehensive list of definitions through an online resource, ACI Concrete Terminology. The definitions provided herein complement that resource.

**design details**—drawings or other information presented by the licensed design professional (LDP) defining steel reinforcement sizes, locations, clearances, splices, geometry, points of termination, relationships, and tolerances.

**detailer**—person, firm, or corporation producing the reinforcing steel fabrication details and placing drawings based on the design drawings and design details for the structure.

**detailing**—the process of determining fabrication details based on design details.

**fabrication details**—dimensions and geometry of steel reinforcement determined for fabrication.

**fabricator**—person, firm, or corporation producing the reinforcing steel cut and bent to needed dimensions and geometry.

**federated model**—a building information model (BIM) that electronically links, but does not merge, single-discipline models together for analysis or presentation; the model databases remain distinct and are not combined into a single database.

**placing drawings**—detailed drawings that give the quantity, size, dimensions, spacing, locations, and other information required for reinforcement fabrication and installation.

### CHAPTER 3—GENERAL CONSIDERATIONS

#### 3.1—Building information modeling (BIM)

**3.1.1 Introduction to BIM**—Building information modeling is a three-dimensional process used to generate and manage digital models of buildings and other structures. This process is used by those who plan, design, and build structures, as well as those who manage these facilities. The process involves creating and maintaining intelligent models with attributes that represent characteristics of a facility and contain parametric data about the elements within the model. Many software packages exist that fall within the definition