



American National Standard for

Rotodynamic Pumps

for Pump Intake Design



American National Standard for
Rotodynamic Pumps
for Pump Intake Design

Sponsor
Hydraulic Institute
www.Pumps.org

Approved January 8, 2018
American National Standards Institute, Inc.

American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published By

Hydraulic Institute
6 Campus Drive, First Floor North
Parsippany, NJ 07054-4406
www.Pumps.org

Copyright © 2018 Hydraulic Institute
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

Printed in the United States of America
ISBN 978-1-935762-71-3



Contents

Page

Foreword	xi
9.8 Pump intake design	1
9.8.1 Introduction.	1
9.8.1.1 Purpose	1
9.8.1.2 Scope	1
9.8.1.3 Nomenclature, primary symbols, and units	1
9.8.2 Design objectives	8
9.8.3 Intake structures for clear liquids	10
9.8.3.1 Rectangular intakes	10
9.8.3.1.1 Approach flow patterns.	10
9.8.3.1.2 Open versus partitioned structures	10
9.8.3.1.3 Trash racks and screens.	10
9.8.3.1.4 Recommendations for dimensioning rectangular intake structures	11
9.8.3.2 Formed suction intakes	16
9.8.3.2.1 General.	16
9.8.3.2.2 Recommended dimensions for FSI	17
9.8.3.2.3 Application standards	18
9.8.3.2.4 Alternative FSI designs	18
9.8.3.3 Circular pump stations (clear liquids)	18
9.8.3.3.1 General.	18
9.8.3.3.2 Recommendations for dimensioning circular pump stations	20
9.8.3.3.2.1 Nomenclature.	20
9.8.3.3.2.2 Floor clearance C_f	20
9.8.3.3.2.3 Wall clearance C_w	20
9.8.3.3.2.4 Inlet bell clearance C_b	20
9.8.3.3.2.5 Sump diameter D_s	20
9.8.3.3.2.6 Inlet bell or volute diameter D_b	20
9.8.3.3.2.7 Inflow pipe	20
9.8.3.4 Trench-type intakes (clear liquids)	21

9.8.3.4.1	General	21
9.8.3.4.2	Objectives	21
9.8.3.4.3	Orientation	21
9.8.3.4.4	Approach flow	22
9.8.3.4.5	Width	22
9.8.3.4.6	Intake submergence	22
9.8.3.4.7	End wall clearance	22
9.8.3.4.8	Floor clearance	22
9.8.3.4.9	Centerline spacing	22
9.8.3.4.10	Inlet conduit elevation	22
9.8.3.5	Tanks – pump suction	22
9.8.3.5.1	General	22
9.8.3.5.2	Objectives	23
9.8.3.5.3	Discussion	23
9.8.3.5.4	Submergence	23
9.8.3.5.5	Application options	24
9.8.3.5.6	NPSH considerations	25
9.8.3.5.7	Simultaneous inflow and outflow	25
9.8.3.5.8	Multiple inlets or outlets	25
9.8.3.6	Can vertical turbine pump intakes (clear liquids), including those with submersible motors (refer to Appendix G)	26
9.8.3.6.1	General	26
9.8.3.6.2	Objective	26
9.8.3.6.3	Design considerations	26
9.8.3.6.4	Open bottom can intakes (Figure 9.8.3.6.4)	26
9.8.3.6.5	Closed bottom can (Figure 9.8.3.6.5)	28
9.8.3.7	Unconfined intakes (Figure 9.8.3.7)	30
9.8.3.7.1	Scope	30
9.8.3.7.2	Cross-flow velocities and pump location	30
9.8.3.7.3	Debris and screens	31
9.8.3.7.4	Submergence	31

9.8.4	Intake structures for solids-bearing liquids	32
9.8.4.1	General.	32
9.8.4.1.1	Scope	32
9.8.4.1.2	Objectives.	32
9.8.4.1.3	Principles	32
9.8.4.1.4	Vertical transitions	33
9.8.4.1.5	Horizontal surfaces near inlet.	34
9.8.4.1.6	Cleaning procedures	34
9.8.4.1.7	Wet-well volume	34
9.8.4.2	Trench-type wet wells for solids-bearing liquids	34
9.8.4.2.1	General.	34
9.8.4.2.2	Objectives.	34
9.8.4.2.3	Approach flow.	35
9.8.4.2.3.1	Inlet transition.	35
9.8.4.2.3.2	Inlet floor clearance	35
9.8.4.2.3.3	Inlet splitters and cones	36
9.8.4.2.3.4	Anti-rotation baffle and vanes.	36
9.8.4.2.3.5	Cleaning procedure	36
9.8.4.3	Circular plan wet pit for solids-bearing liquids	36
9.8.4.3.1	Wet-pit design	36
9.8.4.3.2	Accessories	36
9.8.4.3.3	Cleaning procedure and low liquid level.	37
9.8.4.3.4	Floor clearance C.	37
9.8.4.4	Rectangular wet wells for solids-bearing liquids.	40
9.8.4.4.1	General.	40
9.8.4.4.2	Objectives.	40
9.8.4.4.3	Control of sediments	40
9.8.4.4.4	Confined wet-well design	40
9.8.4.4.4.1	Suction inlet clearance	41
9.8.4.4.4.2	Anti-rotation baffle	41
9.8.4.4.4.3	Cleaning procedure	41

9.8.5	Inlet bell design diameter (<i>D</i>)	42
9.8.5.1	General.	42
9.8.5.2	Objective	42
9.8.6	Required submergence for minimizing surface vortices.	44
9.8.6.1	General.	44
9.8.6.2	Controlling parameters.	45
9.8.6.3	Application considerations	46
9.8.7	Physical model studies of intake structures and pump suction piping	48
9.8.7.1	Need for a physical model study	48
9.8.7.2	Physical model study objectives.	48
9.8.7.3	Physical model similitude and scale selection	49
9.8.7.4	Physical model study scope.	51
9.8.7.5	Instrumentation and measuring techniques	51
9.8.7.6	Test plan.	53
9.8.7.7	Acceptance criteria.	54
9.8.7.8	Report preparation	54
9.8.8	Use of computational fluid dynamics (CFD).	55
9.8.8.1	General.	55
9.8.8.2	Simulation methods	55
9.8.8.3	Acceptable uses of CFD modeling in pump suction hydraulics	55
Appendices		56
Appendix A	Remedial measures for problem intakes (informative)	56
A.1	Introduction.	56
A.2	Approach flow patterns.	56
A.2.1	Open versus partitioned structures	57
A.3	Controlling cross-flow	58
A.4	Expanding concentrated flows	62
A.4.1	Free surface approach	62
A.4.2	Closed conduit approach	62
A.5	Pump inlet disturbances.	65

A.5.1	Free surface vortices	65
A.5.2	Subsurface vortices	66
A.5.3	Pre-swirl	66
A.5.4	Velocities in pump bell throat	67
A.6	Deviations from standard dimensions	68
A.7	Tanks – pump suction.	69
A.7.1	General.	69
A.7.2	Vertical tank, simultaneous inflow and outflow	69
A.7.3	Horizontal tank, simultaneous inflow and outflow.	69
Appendix B	Sump volume (informative).	72
B.1	Scope	72
B.2	General.	72
B.3	Construction of a graph	73
B.4	Example for a simple controller	73
B.5	Example for programmable controllers.	75
Appendix C	Intake basin entrance conditions, trench-type wet wells for solids-bearing liquids (informative)	76
C.1	Scope	76
C.2	Entrance conditions	76
C.3	Variable-speed pumps in trench-type wet wells	76
C.4	Constant-speed pumps in trench-type wet wells	76
C.4.1	Auxiliary storage.	76
C.4.2	Approach pipes	77
C.4.3	Transition manhole, sewer to approach pipe	80
C.4.4	Lining	80
C.5	Design examples	80
Appendix D	Performance enhancements for trench-type wet wells (informative)	81
D.1	Scope	81
D.2	Performance of bare trenches	81
D.2.1	Normal operation	81
D.2.2	Cleaning operations for wastewater and stormwater wet wells	81

D.3	Enhancing normal operation	82
D.3.1	Inlet baffles	82
D.3.2	Suction bell vanes	82
D.3.3	Floor cones	83
D.3.4	Flow splitters in wastewater wet wells	84
D.3.5	Fillets	85
D.3.6	Maintaining cleaning velocity	85
D.3.7	Last pump	85
D.3.8	Ramps	85
D.3.9	Choice of enhancements	85
D.3.10	Omission of enhancements	86
Appendix E	Aspects of design of rectangular wet wells for solids-bearing liquids (informative)	87
E.1	Introduction	87
E.2	Design capacity	87
E.3	Design alternatives – general	88
E.4	Front – high-level entry intake structure	88
E.5	Side – high-level entry intake structure	88
E.6	Side – low-level entry intake structure	88
E.7	Cleaning procedures	88
E.8	Sump dimensions	88
Appendix F	Suction bell design (informative)	93
F.1	Introduction	93
F.2	Bell outside diameter	93
F.3	Ratio of bell outside diameter to throat diameter	93
F.4	Suction bell length	93
F.5	Bell intake shape	93
Appendix G	Submersible pumps – well motor type (informative)	95
G.1	Submersible pumps – well motor type	95
Appendix H	Modification of existing pumping systems (informative)	96
H.1	Scope	96

H.2	Purpose	96
H.3	Recommendations	96
Appendix I	Alternate formed suction intake designs (informative)	97
I.1	Stork-type formed suction intake	97
I.2	Shoe-box-type formed suction intake	97
Appendix J	Rectangular intakes for shallow liquid source (informative)	100
J.1	General.	100
J.2	Entrance conditions	100
J.3	Vertical transition	101
J.4	Pump bay dividing walls and details near the entrance	101
J.5	Pump bay details near the pumps	101
Appendix K	Influence of pump selection on intake design (informative)	104
K.1	Influence of pump selection on intake design	104
Appendix L	Sediment and debris issues at surface water pump station intakes (informative)	107
L.1	Issues with surface water intakes.	107
L.2	Selection of intake location.	107
L.2.1	River intakes.	107
L.2.2	Fresh water lakes, reservoirs, aqueducts, and canals	108
L.2.3	Flow regime at the intake	109
L.3	Sediment and debris control and removal	109
L.3.1	Eliminating/minimizing sediment into intakes	109
L.3.2	Collection, removal and sediment treatment	109
Appendix M	References (informative)	110
Appendix N	Index.	112

This page inintentionally blank

Foreword

Purpose and aims of the Hydraulic Institute

The purpose and aims of the Hydraulic Institute are to promote the advancement of the pump manufacturing industry and further the interests of the public and to this end, among other things:

- a) Develop and publish standards.
- b) Address pump systems.
- c) Expand knowledge and resources.
- d) Educate the marketplace.
- e) Advocate for the industry.

Purpose of Standards and Guidelines

- a) Hydraulic Institute Standards and Guidelines are adopted in the public interest and are designed to help eliminate misunderstandings between the manufacturer, the purchaser, and/or the user and to assist the purchaser in selecting and obtaining the proper product for a particular need.
- b) Use of Hydraulic Institute Standards and Guidelines is completely voluntary. Existence of Hydraulic Institute Standards does not in any respect preclude a member from manufacturing or selling products not conforming to the standards.

Definition of a Standard of the Hydraulic Institute

Quoting from Article XV, Standards, of the By-Laws of the Institute, Section B:

“An Institute Standard defines the product, material, process or procedure with reference to one or more of the following: nomenclature, composition, construction, dimensions, tolerances, safety, operating characteristics, performance, quality, rating, testing and service for which designed.”

Definition of a Hydraulic Institute Guideline

A Hydraulic Institute Guideline is not normative. The guideline is tutorial in nature, to help the reader better understand the subject matter.

Comments from users

Comments from users of this standard will be appreciated, to help the Hydraulic Institute prepare even more useful future editions. Questions arising from the content of this standard may be directed to the Technical Director of the Hydraulic Institute. If appropriate, the inquiry will then be directed to the appropriate technical committee for provision of a suitable answer.

Revisions

American National Standards of the Hydraulic Institute are subject to constant review, and revisions are undertaken whenever it is found necessary because of new developments and progress in the art. If no revisions are made for five years, the standards are reaffirmed using the ANSI canvass procedure.

Disclaimer

This document was prepared by a committee of the Hydraulic Institute and approved by following ANSI essential requirements. Neither the Hydraulic Institute, Hydraulic Institute committees, nor any person acting on behalf of the Hydraulic Institute: 1) makes any warranty, expressed or implied, with respect to the use of any information, apparatus, method, or process disclosed in this document or guarantees that such may not infringe privately owned rights; 2) assumes any liabilities with respect to the use of, or for damages resulting from the use of, any information, apparatus, method, or process disclosed in this guideline. The Hydraulic Institute is in no way responsible for any consequences to an owner, operator, user, or anyone else resulting from reference to the content of this document, its application, or use.

This document does not contain a complete statement of all requirements, analyses, and procedures necessary to ensure safe or appropriate selection, installation, testing, inspection, and operation of any pump or associated products. Each application, service, and selection is unique with process requirements that shall be determined by the owner, operator, or its designated representative.

Units of measurement

Metric units of measurement are used, and corresponding US customary units appear in parentheses. Charts, graphs, and sample calculations are also shown in both metric and US customary units. Because values given in metric units are not exact equivalents to values given in US customary units, it is important that the selected units of measure to be applied be stated in reference to this standard. If no such statement is provided, metric units shall govern.

Consensus

Consensus for this American National Standard was achieved by use of the canvass method. The following organizations, recognized as having an interest in the standardization of pumps, were contacted prior to the approval of this revision of the standard. Inclusion in this list does not necessarily imply that the organization concurred with the submittal of the proposed standard to ANSI.

Alden Research Laboratory, Inc.	MWI Pumps
Camtrack, LLC	MWH Americas, Inc.
Carollo Engineers, Inc.	Patterson Pump Company
Ekwestrel Corp	Pentair – Berkeley
ITT Industrial Process	Pentair – Fairbanks Nijhuis
Kemet Inc.	Sulzer
Las Vegas Valley Water District	Taco, Inc.

Committee list

Although this standard was processed and approved for submittal to ANSI by the canvass method, a working committee met many times to facilitate its development. At the time it was developed, the committee had the following members:

Chair - Jack Claxton, Patterson Pump Company
Vice Chair – Andrew Johansson, Alden Research Laboratory, Inc.

Committee Member	Company
Charlie Allaben	HDR, Inc.
Paul Behnke	ITT – Industrial Process
Ravindra Birajdar	Kirloskar Brothers Ltd.
Michael Cugal	Weir Minerals North America
Thomas Demlow	Northwest Hydraulic Consultants Inc.
Anton de Fockert	Deltares

Committee Member (continued)

Carl Frizzell
 Bob Hawboldt
 Patricia McCarthy
 Paul Moulton
 Michael Mueller
 David Nailor
 John Saenz
 Arnold Sdano
 Constantino Senon
 Jerry Szofer
 Dave Werth
 Mike Zappone

Alternates

Mark Allen
 Lech Bobowski
 David Cowan
 Zbigniew Czarnota
 Steven Fehniger
 Kara Hurtig
 Jason Kerns
 Randy Kosmicki
 Michael Murazzi
 Joseph Orlins
 Edward Pascua
 Jan Schyberg
 Ernest Sturtz
 George Tey
 Femke Verhaart
 Ed Wicklein
 Kristel Zaman

Company (continued)

CDM Smith – Water Services Group
 AE – Associated Engineering
 Xylem Inc. – Water Solutions
 AECOM
 Flowserve Corporation
 Hazen and Sawyer, P.C.
 Simflo Pumps, Inc.
 Pentair – Fairbanks Nijhuis
 MWH Americas, Inc.
 Grundfos Water Utility
 Clemson Engineering Hydraulics, Inc.
 Carollo Engineers, Inc.

Company

CDM Smith – Water Services Group
 Flowserve Corporation
 ITT – Industrial Process
 Xylem Inc. – Water Solutions
 CDM Smith – Water Services Group
 Northwest Hydraulic Consultants Inc.
 HDR, Inc.
 Weir Minerals North America
 Patterson Pump Company
 Alden Research Laboratory, Inc.
 MWH Americas, Inc.
 Xylem Inc. – Water Solutions
 CDM Smith – Water Services Group
 MWH Americas, Inc.
 Deltares
 Carollo Engineers, Inc.
 Xylem Inc. – Water Solutions