

# Inspection Methods for Corrosion Evaluation of Conventionally Reinforced Concrete Structures

This NACE International standard represents a consensus of those individual members who have reviewed this document, its scope, and provisions. Its acceptance does not in any respect preclude anyone, whether he or she has adopted the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not in conformance with this standard. Nothing contained in this NACE standard is to be construed as granting any right, by implication or otherwise, to manufacture, sell, or use in connection with any method, apparatus, or product covered by letters patent, or as indemnifying or protecting anyone against liability for infringement of letters patent. This standard represents minimum requirements and should in no way be interpreted as a restriction on the use of better procedures or materials. Neither is this standard intended to apply in all cases relating to the subject. Unpredictable circumstances may negate the usefulness of this standard in specific instances. NACE assumes no responsibility for the interpretation or use of this standard by other parties and accepts responsibility for only those official NACE interpretations issued by NACE in accordance with its governing procedures and policies which preclude the issuance of interpretations by individual volunteers.

Users of this NACE standard are responsible for reviewing appropriate health, safety, environmental, and regulatory documents and for determining their applicability in relation to this standard prior to its use. This NACE standard may not necessarily address all potential health and safety problems or environmental hazards associated with the use of materials, equipment, and/or operations detailed or referred to within this standard. Users of this NACE standard are also responsible for establishing appropriate health, safety, and environmental protection practices, in consultation with appropriate regulatory authorities if necessary, to achieve compliance with any existing applicable regulatory requirements prior to the use of this standard.

**CAUTIONARY NOTICE:** NACE standards are subject to periodic review, and may be revised or withdrawn at any time in accordance with NACE technical committee procedures. NACE requires that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of initial publication and subsequently from the date of each reaffirmation or revision. The user is cautioned to obtain the latest edition. Purchasers of NACE standards may receive current information on all standards and other NACE publications by contacting the NACE First-Service Department, 15835 Park Ten Place, Houston, TX 77084-5145 (tel: +1 281-228-6200, email: [firstservice@nace.org](mailto:firstservice@nace.org)).

## **ABSTRACT**

*This NACE International standard practice provides testing procedures and investigative techniques for the evaluation of conventionally reinforced concrete structures. The investigation and evaluation techniques described in this standard focus on degradation resulting from corrosion of the reinforcing steel. These techniques range from simple visual inspections that identify rust staining, cracks, and delamination to physical and chemical inspection methods, which use hammer rebound, ultrasonic testing, electrical resistance, chemical analyses, or electrochemical potential and corrosion rate measurements.*

*This standard is intended for use by corrosion specialists, civil engineers, and structural engineers involved with evaluating corrosion of reinforcing steel in concrete. It also may be useful to owners of reinforced concrete structures whose service life may be affected by reinforcing steel corrosion. It includes commentary for screening corrosion control methods that might be considered for restoration of the reinforced concrete structure being evaluated.*

## **KEYWORDS**

*Reinforced concrete, reinforcing steel, concrete structure inspection, corrosion survey, delamination, cover thickness, corrosion potential, corrosion rate, carbonation depth, concrete resistivity, electrical continuity testing, chloride content measurement, chloride profile, TG 055.*

# Foreword

This NACE International standard practice provides testing procedures and investigative techniques for the evaluation of conventionally reinforced concrete structures. This document does not include epoxy coated, galvanized, stainless, stainless clad, or fiber reinforcing materials. Inspection methods discussed in this standard may not pertain to these other reinforcing materials. The investigation and evaluation techniques described in this standard focus on degradation resulting from corrosion of the reinforcing steel. When distress of a structure is evident, it is important to determine the nature of the degradation to select the best restoration strategy. Although this standard does not specifically address restoration options, additional information on repairs and corrosion mitigation techniques can be found in other NACE International standard practices, test methods, and state-of-the-art reports and publications from other organizations.<sup>1-16</sup>

This standard is intended for use by corrosion specialists, civil engineers, and structural engineers involved with evaluating corrosion of reinforcing steel in concrete. It also may be useful to owners of reinforced concrete structures whose service life may be affected by reinforcing steel corrosion.

NACE Task Group (TG) 055 prepared this standard. The TG is composed of manufacturers, users, consulting engineers, and other interested parties, and this standard represents a consensus of those members. This standard is not intended to be all encompassing. However, it provides information that allows the user to perform testing and evaluation of atmospherically exposed reinforced concrete structures. Note that the information gathered during this investigation may require subsequent investigation and evaluation by qualified structural engineering personnel, depending on the nature and extent of degradation.

This standard was prepared in 2008 and reaffirmed in 2018 by NACE TG 055, "Inspection Methods for Corrosion Evaluation of Conventionally Reinforced Concrete Structures," which is administered by Specific Technology Group (STG) 01, "Reinforced Concrete" and sponsored by STG 62, "Corrosion Monitoring and Measurement: Science and Engineering Applications." It is published under the auspices of STG 01.

In NACE standards, the terms **shall**, **must**, **should**, and **may** are used in accordance with the definitions of these terms in the *NACE Publications Style Manual*. The terms **shall** and **must** are used to state a requirement, and are considered mandatory. The term **should** is used to state something good and is recommended, but is not considered mandatory. The term **may** is used to state something considered optional.

# Inspection Methods for Corrosion Evaluation of Conventionally Reinforced Concrete Structures

1.	General .....	4
2.	Definitions .....	4
3.	Technique Selection .....	4
4.	Corrosion Survey .....	5
5.	Evaluation and Report.....	20
	References.....	21