

Effectiveness of Cathodic Protection on Thermally Insulated Underground Metallic Structures

This NACE International standard represents a consensus of those individual members who have reviewed this document, its scope, and provisions. Its acceptance does not in any respect preclude anyone, whether he has adopted the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not in conformance with this standard. Nothing contained in this NACE International standard is to be construed as granting any right, by implication or otherwise, to manufacture, sell, or use in connection with any method, apparatus, or product covered by Letters Patent, or as indemnifying or protecting anyone against liability for infringement of Letters Patent. This standard represents minimum requirements and should in no way be interpreted as a restriction on the use of better procedures or materials. Neither is this standard intended to apply in all cases relating to the subject. Unpredictable circumstances may negate the usefulness of this standard in specific instances. NACE International assumes no responsibility for the interpretation or use of this standard by other parties and accepts responsibility for only those official NACE International interpretations issued by NACE International in accordance with its governing procedures and policies which preclude the issuance of interpretations by individual volunteers.

Users of this NACE International standard are responsible for reviewing appropriate health, safety, environmental, and regulatory documents and for determining their applicability in relation to this standard prior to its use. This NACE International standard may not necessarily address all potential health and safety problems or environmental hazards associated with the use of materials, equipment, and/or operations detailed or referred to within this standard. Users of this NACE International standard are also responsible for establishing appropriate health, safety, and environmental protection practices, in consultation with appropriate regulatory authorities if necessary, to achieve compliance with any existing applicable regulatory requirements prior to the use of this standard.

CAUTIONARY NOTICE: NACE International standards are subject to periodic review, and may be revised or withdrawn at any time without prior notice. NACE International requires that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of initial publication. The user is cautioned to obtain the latest edition. Purchasers of NACE International standards may receive current information on all standards and other NACE International publications by contacting the NACE International FirstService Department, 15835 Park Ten Place, Houston, Texas 77084 (tel: +1 281-228-6223).

ABSTRACT

The present trend in establishing an effective level of external metallic surface corrosion control is the application of a barrier coating or adhesive on the metallic surface prior to the application of a thermal insulating material. Experience has shown that there is generally a limited beneficial effect from the application of cathodic protection (CP) to a bare or ineffectively coated metallic surface under thermal insulation.

This NACE technical committee report was prepared as an information guide for external corrosion control of thermally insulated underground metallic surfaces and considerations of the effectiveness of CP.

KEYWORDS

Cathodic protection, underground, thermally insulated.

Foreword

The present trend in establishing an effective level of external metallic surface corrosion control is the application of a barrier coating or adhesive on the metallic surface prior to the application of a thermal insulating material. Experience has shown that there is generally a limited beneficial effect from the application of cathodic protection (CP) to a bare or ineffectively coated metallic surface under thermal insulation.

This NACE technical committee report was prepared as an information guide for external corrosion control of thermally insulated underground metallic surfaces and considerations of the effectiveness of CP. This report is intended for those dealing with thermally insulated structures or pipelines.

This report was included as Appendix O of the May 2016 US DOT PHMSA Failure Investigation Report Plains Pipeline, LP Line 901 Crude Oil Release, May 19, 2015, Santa Barbara, California.

Although pipelines are the primary focus of this report, the principles discussed would be applicable when a thermal insulating material has been applied on or in the immediate proximity of an underground metallic surface. This report was originally prepared in 1992 by NACE Task Group (TG) T 10A 19, a component of Unit Committee T-10A on Cathodic Protection and was reaffirmed with editorial changes in 2006 and 2018 by Specific Technology Group (STG) 35* on Pipelines, Tanks, and Well Casings. It is published by NACE under the auspices of STG 35.

In NACE standards, the terms **shall**, **must**, **should**, and **may** are used in accordance with the definitions of these terms in the NACE Publications Style Manual. The terms **shall** and **must** are used to state a requirement, and are considered mandatory. The term **should** is used to state something good and is recommended, but is not considered mandatory. The term **may** is used to state something considered optional.

* Chair Paul R. Nichols, Shell Global Solutions, Houston, Texas.

Effectiveness of Cathodic Protection on Thermally Insulated Underground Metallic Structures

Background	4
Basic Corrosion Mechanism.....	4
Types of Thermal Insulation	6
Application Processes	6
Construction Practices.....	7
Evaluation of External Corrosion Mitigation.....	8
Experiences.....	9
Conclusions	9
References	9
Figures	
Figure 1a: Typical Joint with Damaged Wrap or Sleeve	4
Figure 1b: Insulation Material Not Continuously Bonded to Metal	5
Figure 1c: Pipe with Discontinuity in the Barrier Coating on the Pipe Surface	5
Figure 2: Representative Circuit of Potential Measurement.....	8
Tables	
Table 1: Properties of Thermal Insulation Materials	6
Table 1a: Water Permeability of Various Types of Thermal Insulation	6
Table 2: Experiences with Corrosion of Joints on Thermally Insulated Pipelines	8