

Australian/New Zealand Standard™

**Electroacoustics—Sound level meters**

**Part 2: Pattern evaluation tests**



AS/NZS IEC 61672.2:2019

This Joint Australian/New Zealand Standard™ was prepared by Joint Technical Committee AV-003, Acoustics Human Effects. It was approved on behalf of the Council of Standards Australia on 29 January 2019 and by the New Zealand Standards Approval Board on 30 January 2019.

This Standard was published on 25 February 2019.

The following are represented on Committee AV-003:

- Accident Compensation Corporation (New Zealand)
- Association of Australasian Acoustical Consultants
- Australian Acoustical Society
- Australian Chamber of Commerce and Industry
- Australian Council of Trade Unions
- Australian Hearing
- Engineers Australia
- New Zealand Audiological Society
- Worksafe Division, Department of Commerce, Western Australia

This Standard was issued in draft form for comment as DR AS IEC 61672.2:2018.

### **Keeping Standards up-to-date**

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

[www.standards.org.au](http://www.standards.org.au)

[www.standards.govt.nz](http://www.standards.govt.nz)

ISBN 978 1 76072 371 2

Australian/New Zealand Standard™

## **Electroacoustics—Sound level meters**

### **Part 2: Pattern evaluation tests**

Originated as AS Z37—1967 and AS Z38—1967.  
Previous edition AS 1259.1—1990 and AS 1259.2—1990.  
AS 1259.1—1990 and AS 1259.2—1990 revised, amalgamated and redesignated in part  
as AS IEC 61672.2—2004.  
Revised and redesignated as AS/NZS IEC 61672.2:2019.

#### **COPYRIGHT**

© 2019 — All rights reserved

© Standards Australia Limited/the Crown in right of New Zealand, administered by the New Zealand Standards Executive 2019

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth) or the Copyright Act 1994 (New Zealand).

## Preface

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee AV-003, Acoustics Human Effects, to supersede AS IEC 61672.2—2004, *Electroacoustics—Sound level meters, Part 2: Pattern evaluation tests*.

The objective of this Standard is to provide details of the tests necessary to verify conformance to all mandatory specifications given in AS IEC 61672.1 for time-weighting sound level meters, integrating-averaging sound level meters, and integrating sound level meters. Pattern evaluation tests apply for each channel of a multi-channel sound level meter, as necessary. Tests and test methods are applicable to class 1 and class 2 sound level meters. The aim is to ensure that all laboratories use consistent methods to perform pattern evaluation tests.

This Standard is identical with, and has been reproduced from, IEC 61672-2:2013+AMD 1:2017 (ED 2.1), *Electroacoustics — Sound level meters — Part 2: Pattern evaluation tests*.

As this document has been reproduced from an International Standard, the following applies:

- (a) In the source text “this part of IEC 61672” should read “this Australian/New Zealand Standard”.
- (b) A full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

## NOTES

## CONTENTS

FOREWORD .....	4
1 Scope .....	6
2 Normative references .....	6
3 Terms and definitions .....	7
4 Submission for testing .....	7
5 Marking of the sound level meter and information in the Instruction Manual .....	8
6 Mandatory facilities and general requirements .....	8
7 Environmental, electrostatic, and radio-frequency tests .....	10
7.1 General .....	10
7.2 Uncertainties for measurements of environmental test conditions .....	11
7.3 Influence of static pressure .....	11
7.4 Limits on air temperature, relative humidity and static pressure .....	12
7.5 Acclimatization requirements for tests of the influence of air temperature and relative humidity .....	12
7.6 Abbreviated test of the combined influence of air temperature and relative humidity .....	12
7.7 Influence of air temperature .....	14
7.8 Influence of relative humidity .....	15
7.9 Influence of electrostatic discharges .....	16
7.10 Influence of a.c. power-frequency and radio-frequency fields .....	17
7.10.1 Sound signal .....	17
7.10.2 AC power-frequency tests .....	17
7.10.3 Radio-frequency tests .....	17
8 Radio-frequency emissions and public power supply disturbances .....	19
9 Electroacoustical performance tests .....	20
9.1 General .....	20
9.2 Indication at the calibration check frequency .....	21
9.3 Directional response .....	22
9.4 Tests of frequency weightings with acoustical signals .....	23
9.4.1 General .....	23
9.4.2 Windscreen corrections .....	24
9.4.3 Free-field tests .....	24
9.4.4 Comparison coupler tests .....	25
9.4.5 Conformance .....	26
9.4.6 Random incidence .....	26
9.5 Tests of frequency weightings with electrical signals .....	27
9.5.1 General .....	27
9.5.2 First alternative test procedure (variable input signal level) .....	27
9.5.3 Second alternative test procedure (constant input signal level) .....	28
9.5.4 Conformance .....	28
9.5.5 Frequency weightings C or Z at 1 kHz .....	28
9.6 Corrections for the effect of reflections from the case of a sound level meter and diffraction around a microphone .....	28
9.7 Corrections to obtain free-field or random-incidence sound levels .....	29
9.8 Level linearity .....	30
9.8.1 Tests at an air temperature near the reference air temperature .....	30

9.8.2	Tests at elevated air temperature .....	31
9.9	Under-range indication .....	31
9.10	Self-generated noise level .....	31
9.11	Decay time constants for time weightings F and S .....	32
9.12	Toneburst response for sound level meters that measure time-weighted sound level .....	32
9.13	Toneburst response for sound level meters that measure sound exposure level or time-averaged sound level .....	33
9.14	Response to sequences of repeated tonebursts for sound level meters that measure time-averaged sound level .....	34
9.15	Overload indication .....	35
9.16	C-weighted peak sound level .....	35
9.17	Reset .....	36
9.18	Electrical output .....	36
9.19	Timing facilities .....	36
9.20	Crosstalk in multi-channel sound level meter systems .....	36
9.21	Power supply .....	36
10	Pattern evaluation report .....	37
	Bibliography .....	38

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### **ELECTROACOUSTICS – SOUND LEVEL METERS –**

#### **Part 2: Pattern evaluation tests**

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

#### **DISCLAIMER**

**This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.**

**This Consolidated version of IEC 61672-2 bears the edition number 2.1. It consists of the second edition (2013-09) [documents 29/813/FDIS and 29/824/RVD] and its amendment 1 (2017-04) [documents 29/914/CDV and 29/938/RVC]. The technical content is identical to the base edition and its amendment.**

**This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.**

International Standard IEC 61672-2 has been prepared by IEC technical committee 29, Electroacoustics, in cooperation with the International Organization of Legal Metrology (OIML).

This second edition constitutes a technical revision.

The main technical changes with regard to the previous edition are as follows:

In this second edition, conformance to specifications is demonstrated when:

- a) measured deviations from design goals do not exceed the applicable acceptance limits, and
- b) the uncertainty of measurement does not exceed the corresponding maximum permitted uncertainty, with both uncertainties determined for a coverage probability of 95 %.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61672 series, published under the general title *Electroacoustics – Sound level meters*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

# ELECTROACOUSTICS – SOUND LEVEL METERS –

## Part 2: Pattern-evaluation tests

### 1 Scope

This part of IEC 61672 provides details of the tests necessary to verify conformance to all mandatory specifications given in IEC 61672-1 for time-weighting sound level meters, integrating-averaging sound level meters, and integrating sound level meters. Pattern-evaluation tests apply for each channel of a multi-channel sound level meter, as necessary. Tests and test methods are applicable to class 1 and class 2 sound level meters. The aim is to ensure that all laboratories use consistent methods to perform pattern-evaluation tests.

NOTE 1 In this document, references to IEC 61672-1, IEC 61672-2, and IEC 61672-3 refer to the second editions unless stated otherwise.

NOTE 2 Procedures for the pattern-evaluation testing of sound level meters designed to conform to the specifications of IEC 61672-1:2002 were given in IEC 61672-2:2003.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60942, *Electroacoustics – Sound calibrators*

IEC 61000-4-2:2008, *Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*

IEC 61000-4-3:2010, *Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic-field immunity test*

IEC 61000-4-6:2008, *Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields*

IEC 61000-4-20:2010, *Electromagnetic compatibility (EMC) – Part 4-20: Testing and measurement techniques – Emission and immunity testing in transverse electromagnetic (TEM) waveguides*

IEC 61000-6-2:2005, *Electromagnetic compatibility (EMC) – Part 6-2: Generic standards – Immunity for industrial environments*

IEC 61094-1, *Measurement microphones – Part 1: Specifications for laboratory standard microphones*

IEC 61094-5, *Measurement microphones – Part 5: Methods for pressure calibration of working standard microphones by comparison*

IEC 61183, *Electroacoustics – Random-incidence and diffuse-field calibration of sound level meters*