

Australian Standard™

Masonry structures

Building Code of Australia
primary referenced Standard



This Australian Standard was prepared by Committee BD/4, Masonry Structures. It was approved on behalf of the Council of Standards Australia on 15 May 1998 and published on 5 June 1998.

The following interests are represented on Committee BD/4:

The Association of Consulting Engineers, Australia
Australian Building Codes Board
Australian Chamber of Commerce & Industry
Australian Institute of Building Surveyors
Calcium Silicate Brick Manufacturers
Cement & Concrete Association of Australia
Clay Brick & Paver Institute
Concrete Masonry Association of Australia
CSIRO Division of Building, Construction & Engineering
Department of Contract and Management Services, Western Australia
Department of Public Works & Services, N.S.W.
Housing Industry Association
Institution of Engineers, Australia
Master Builders Australia
University of Newcastle

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Australia web site at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Australian Standard*, has a full listing of revisions and amendments published each month.

We also welcome suggestions for the improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.com.au, or write to the Chief Executive, Standards Australia International Ltd, PO Box 1055, Strathfield, NSW 2135.

This Standard was issued in draft form for comment as DR 96495.

Australian Standard™

Masonry structures

Originated, in part, as AS CA.32—1963.
Previous edition AS 3700—1988.
Second edition 1998.
Reissued incorporating Amendment Nos 1 and 2 (June 2000).

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd
PO Box 1055, Strathfield, NSW 2135, Australia
ISBN 0 7337 2002 1

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee BD/4, Masonry Structures, to supersede AS 3700—1988, *Masonry in buildings (known as the SAA Masonry Code)*.

This Standard incorporates Amendment No. 1 (May 1999) and Amendment No. 2 (June 2000). The changes required by the Amendments are indicated in the text by a marginal bar and amendment number against the clause, figure, or part thereof affected.

The objective of this Standard is to provide minimum requirements for the design and construction of unreinforced, reinforced and prestressed masonry, including built-in components, for use in masonry applications.

The Standard is the result of a consensus among representatives on the Joint Committee that it be produced as an Australian Standard.

In the preparation of this Standard valuable assistance was given by organizations and individuals experienced in various aspects of the design and construction of masonry, and the Committee acknowledges their help.

Acknowledgment is also made of the assistance gained from the following documents and publications:

- (a) *Australian Masonry Manual*, published by a joint committee of the Public Works Department, N.S.W. and the Association of Consulting Structural Engineers, N.S.W.
- (b) Publications of the Clay Brick and Paver Institute; the Concrete Masonry Association of Australia Co-op Limited; the CSIRO Division of Building, Construction and Engineering; and the Department of Civil, Surveying and Environmental Engineering of the University of Newcastle.

Significant new developments incorporated into the Standard include the following:

- (i) An increased use of performance-type specification of requirements, rather than prescription specification, to encourage sound continuing development in all aspects of masonry construction.
- (ii) The inclusion of the virtual work method for the design of unreinforced masonry subject to wind or earthquake loads, which addresses window and door openings of wall panels and also covers panels not fixed at one end.
- (iii) Additional requirements for structures subject to earthquake actions.
- (iv) Requirements for the design of prestressed masonry.
- (v) Requirements for the design and construction with AAC (autoclaved aerated concrete) units.
- (vi) A design method for wall ties.

Statements expressed in mandatory terms in notes to tables and figures are deemed to be requirements of this Standard.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE AND APPLICATION	7
1.2 REFERENCED DOCUMENTS	7
1.3 USE OF ALTERNATIVE MATERIALS OR METHODS	9
1.4 INFORMATION TO BE PROVIDED ON DOCUMENTS	9
1.5 DEFINITIONS	10
1.6 NOTATION	14
SECTION 2 PERFORMANCE REQUIREMENTS FOR DESIGN	
2.1 SCOPE OF SECTION	22
2.2 AIM	22
2.3 PERFORMANCE REQUIREMENTS	22
2.4 DESIGN REQUIREMENTS	22
2.5 SERVICEABILITY, STRENGTH AND STABILITY	23
2.6 LOADS AND LOAD COMBINATIONS	24
2.7 OTHER DESIGN REQUIREMENTS	25
2.8 THERMAL INSULATION	25
2.9 SOUND INSULATION	25
SECTION 3 DESIGN PROPERTIES	
3.1 SCOPE OF SECTION	26
3.2 MASONRY UNITS	26
3.3 MASONRY	26
3.4 TIES AND ACCESSORIES	28
3.5 GROUT	29
3.6 REINFORCEMENT	30
3.7 TENDONS	30
SECTION 4 GENERAL DESIGN ASPECTS	
4.1 SCOPE OF SECTION	32
4.2 MEMBERS OF MIXED CONSTRUCTION	32
4.3 CHASES, HOLES AND RECESSES	32
4.4 CAPACITY REDUCTION FACTORS	32
4.5 CROSS-SECTION PROPERTIES	32
4.6 DESIGN FOR ROBUSTNESS	34
4.7 PREVENTION OF MOISTURE PENETRATION	35
4.8 CONTROL JOINTS	37
4.9 MORTAR JOINTS	37
4.10 WALL TIES	37
4.11 BONDING, TYING AND SUPPORTING	38
4.12 ARCHES AND LINTELS	39
4.13 INTERACTION BETWEEN MASONRY MEMBERS AND SLABS, BEAMS OR COLUMNS	39
4.14 CORBELLING	39
4.15 ATTACHMENT TO FACE OF WALLS	39

SECTION 5 DESIGN FOR DURABILITY	
5.1	SCOPE OF SECTION 40
5.2	EXPOSURE ENVIRONMENTS 40
5.3	MASONRY UNITS 40
5.4	MORTAR 40
5.5	BUILT-IN COMPONENTS 40
5.6	GROUT 41
5.7	REINFORCEMENT AND TENDONS 41
SECTION 6 DESIGN FOR FIRE RESISTANCE	
6.1	SCOPE OF SECTION 43
6.2	FIRE-RESISTANCE LEVELS 43
6.3	STRUCTURAL ADEQUACY 43
6.4	INTEGRITY 47
6.5	INSULATION 47
6.6	RECESSES FOR SERVICES 49
6.7	CHASES 49
6.8	PROTECTION OF STRUCTURAL STEELWORK 50
SECTION 7 STRUCTURAL DESIGN OF UNREINFORCED MASONRY	
7.1	SCOPE OF SECTION 51
7.2	GENERAL BASIS OF DESIGN 51
7.3	DESIGN FOR MEMBERS IN COMPRESSION 51
7.4	DESIGN FOR MEMBERS IN BENDING 64
7.5	DESIGN FOR MEMBERS IN SHEAR 70
7.6	DESIGN OF SHEAR WALLS 72
7.7	DESIGN OF MASONRY VENEER WALLS 72
7.8	DESIGN OF CAVITY WALLS 74
7.9	DESIGN OF DIAPHRAGM WALLS 75
SECTION 8 STRUCTURAL DESIGN OF REINFORCED MASONRY	
8.1	SCOPE OF SECTION 76
8.2	GENERAL BASIS OF DESIGN 76
8.3	GENERAL REINFORCEMENT REQUIREMENT 76
8.4	DESIGN FOR MEMBERS IN COMPRESSION 77
8.5	DESIGN FOR MEMBERS IN BENDING 78
8.6	DESIGN FOR MEMBERS IN SHEAR 79
8.7	DESIGN FOR MEMBERS IN TENSION 81
8.8	DESIGN FOR MEMBERS IN COMBINED BENDING AND COMPRESSION 81
8.9	DESIGN FOR MEMBERS IN COMBINED BENDING AND TENSION 81

SECTION 9 STRUCTURAL DESIGN OF PRESTRESSED MASONRY

9.1	SCOPE OF SECTION	82
9.2	GENERAL BASIS OF DESIGN	82
9.3	DESIGN CRITERIA FOR PRESTRESSING TENDONS	83
9.4	DESIGN FOR MEMBERS IN COMPRESSION	84
9.5	DESIGN FOR MEMBERS IN BENDING	84
9.6	DESIGN FOR MEMBERS IN SHEAR	86
9.7	DESIGN FOR MEMBERS IN TENSION	86
9.8	DESIGN FOR MEMBERS IN COMBINED BENDING AND COMPRESSION	87
9.9	DESIGN FOR MEMBERS IN COMBINED BENDING AND TENSION	87
9.10	DESIGN OF ANCHORAGE ZONES	87

SECTION 10 MATERIALS

10.1	SCOPE OF SECTION	88
10.2	MASONRY	88
10.3	MASONRY UNITS	88
10.4	MORTAR	88
10.5	WALL TIES, CONNECTORS AND ACCESSORIES	89
10.6	DAMP-PROOF COURSES, FLASHINGS AND WEATHERINGS	89
10.7	GROUT	90
10.8	REINFORCEMENT AND TENDONS	90

SECTION 11 CONSTRUCTION

11.1	SCOPE OF SECTION	92
11.2	GENERAL	92
11.3	MATERIALS	92
11.4	WORKMANSHIP	92
11.5	TOLERANCES IN MASONRY	94
11.6	SITE CONTROL	96
11.7	ADDITIONAL SITE CONTROL OF SPECIAL MASONRY	96
11.8	GROUTED MASONRY	96
11.9	MASONRY UNDER CONSTRUCTION	97
11.10	CLEANING	97
11.11	TESTING OF IN-SITU MASONRY	97

APPENDICES

A	ADDITIONAL REQUIREMENTS FOR STRUCTURES SUBJECT TO EARTHQUAKE ACTIONS	98
B	DETERMINATION OF CHARACTERISTIC VALUE	103
C	METHOD OF TEST FOR COMPRESSIVE STRENGTH	105
D	METHOD OF TEST FOR FLEXURAL STRENGTH	108
E	ATMOSPHERIC ENVIRONMENTS	114
F	'Not Applicable'	

	G	GUIDANCE IN THE USE OF MASONRY IN RESTORATION WORK AND MASONRY CONSTRUCTED USING SQUARE-DRESSED NATURAL STONE	118
	H	METHOD OF MEASUREMENT OF BOW	119
	I	ASSESSMENT OF STRENGTH VALUES FROM TEST RESULTS	120
A2	J	TESTING OF IN-SITU MASONRY	122

STANDARDS AUSTRALIA

Australian Standard

Masonry structures

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE AND APPLICATION

1.1.1 Scope This Standard sets out minimum requirements for the design and construction of masonry, including unreinforced, reinforced and prestressed, using manufactured units of clay, calcium silicate and concrete laid in mortar, autoclaved aerated concrete (AAC) laid in thin-bed mortar, and square-dressed natural stone laid in mortar.

The Standard does not give values or material properties for the design and construction of square-dressed natural stone.

NOTES:

- 1 This Standard assumes that the structural design of masonry is entrusted to experienced structural engineers or similar appropriately qualified persons, and that the execution of such work is carried out under the direction of appropriately qualified persons who are experienced in masonry construction and who understand the structural requirements.
- 2 The Standard does not give specific requirements for prefabricated masonry panels or masonry in composite action with steel or concrete structural members. The principles of this Standard should be followed, as far as they are applicable, for such types of construction.
- 3 The provisions of this Standard do not include specification for design and construction of AAC laid in other than thin-bed mortar. However, for masonry so constructed the general principles of this Standard may be used.

1.1.2 Application This Standard will be referenced in the Building Code of Australia by way of BCA Amendment 3 to be published by 1 July 1998, thereby superseding the previous edition, AS 3700—1988, which will be withdrawn 12 months from the date of the publication of this edition.

1.2 REFERENCED DOCUMENTS The following documents are referred to in this Standard:

AS

- | | |
|--------|--|
| 1170 | Minimum design loads on structures (known as the SAA Loading Code) |
| 1170.1 | Part 1: Dead and live loads |
| 1170.2 | Part 2: Wind loads |
| 1170.3 | Part 3: Snow loads |
| 1170.4 | Part 4: Earthquake loads |
| 1302 | Steel reinforcing bars for concrete |
| 1303 | Steel reinforcing wire for concrete |
| 1304 | Welded wire reinforcing fabric for concrete |
| 1310 | Steel wire for tendons in prestressed concrete |
| 1311 | Steel tendons for prestressed concrete—7-wire stress-relieved steel strand for tendons in prestressed concrete |