

Australian Standard™

**Acoustics—Aircraft noise intrusion—
Building siting and construction**

This Australian Standard was prepared by Committee EV/11, Aircraft and Helicopter Noise. It was approved on behalf of the Council of Standards Australia on 7 July 2000 and published on 10 August 2000.

The following interests are represented on Committee EV/11:

Acoustics Consulting Interests, New Zealand
AirServices Australia
Association of Australian Acoustical Consultants
Association of Consulting Engineers, Australia
Australasian Faculty of Occupational Medicine
Australian Acoustical Society
Australian Air Transport Association
Australian and New Zealand Environment and Conservation Council
Australian Hearing
Australian Mayoral Aviation Council
Australian Window Association
Building Industry Authority, New Zealand
Community Advisory Committee on Aircraft Noise and Air Quality Management
Department of Defence, Australia
Environmental Noise Analysis and Advice Service, New Zealand
Helicopter Association of Australia
Institution of Engineers, Australia
Local Government Association of N.S.W.
Sydney Airports Corporation
University of Sydney

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Australia web site at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Australian Standard*, has a full listing of revisions and amendments published each month.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.com.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

Australian Standard™

**Acoustics—Aircraft noise intrusion—
Building siting and construction**

Originated as AS 2021—1977.
Previous edition AS 2021—1994.
Fourth edition 2000.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 3515 0

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EV/11, Aircraft and Helicopter Noise to supersede AS 2021—1994. This Standard is the result of a consensus among representatives on the Joint Committee to produce it as an Australian Standard.

This Standard provides guidance on the siting and construction of buildings in the vicinity of airports to minimize aircraft noise intrusion. The assessment of potential aircraft noise exposure at a given site is based on the Australian Noise Exposure Forecast (ANEF) system (for details of this system refer to Appendix A).

This edition provides expanded aircraft noise tables and incorporates various associated amendments to the text.

The term ‘informative’ has been used in this Standard to define the application of the appendix to which it applies. An ‘informative’ appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
FOREWORD	4
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	5
1.2 OBJECTIVE	5
1.3 APPLICATION.....	6
1.4 REFERENCED DOCUMENTS	6
1.5 DEFINITIONS	7
SECTION 2 BUILDING SITING AGAINST AIRCRAFT NOISE INTRUSION	
2.1 DETERMINATION OF NOISE EXPOSURE OF BUILDING SITE.....	10
2.2 DETERMINATION OF BUILDING SITE ACCEPTABILITY	10
2.3 ACTION RESULTING FROM ACCEPTABILITY DETERMINATION.....	10
SECTION 3 BUILDING CONSTRUCTION AGAINST AIRCRAFT NOISE INTRUSION	
3.1 AIRCRAFT NOISE LEVEL	12
3.2 NOISE REDUCTION REQUIREMENTS	14
3.3 CONSTRUCTION GUIDELINES	14
3.4 COMPLIANCE TEST	15
APPENDICES	
A AUSTRALIAN NOISE EXPOSURE FORECAST SYSTEM.....	41
B EXAMPLE OF APPLICATION OF THIS STANDARD.....	48
C METHOD FOR MEASURING AIRCRAFT NOISE REDUCTION (ANR)	50
D METHOD FOR DETERMINING BUILDING SITE ACCEPTABILITY FOR LIGHT GENERAL AVIATION AERODROMES WITHOUT ANEF CHARTS.....	53
E INSULATION AGAINST AIRCRAFT NOISE—DESIGN AND CONSTRUCTION CONSIDERATIONS.....	55
F SELECTION OF BUILDING COMPONENTS FOR REDUCTION OF AIRCRAFT NOISE.....	60
G DIRECT COMPUTATION OF ANA _c	65

FOREWORD

Aircraft noise intrusion within a building depends substantially on—

- (a) the location, orientation and elevation of the site relative to the aircraft flight paths;
- (b) the types and frequency of aircraft operating from the aerodrome;
- (c) meteorological conditions;
- (d) the types of activity (including sleep) to be, or being, accommodated in the building;
- (e) the type of layout, construction and ventilation used; and
- (f) the internal acoustic environment.

The data contained in the aircraft Noise Level Tables (Tables 3.4 to 3.24) are based on modelling and actual measurement and are estimates of the noise levels emitted by the aircraft currently operating. These data will be amended as new aircraft are commissioned and as otherwise necessary.

Exposure prediction below 25 ANEF may be significantly inaccurate, and therefore caution should be exercised in the evaluation of locations outside the 25 ANEF contour. In addition, the extent of noise reduction required for a building may depend in part on the amount of noise from sources other than aircraft. Because of these factors and of the special acoustic requirements of certain types of building, it will sometimes be necessary to undertake supplementary noise measurements so that a sufficiently representative prediction of the noise exposure at the site under evaluation can be obtained. This is also true for aerodromes at which a significant number of training circuits occur. Such measurements should be performed only by personnel appropriately qualified in acoustics.

Human reaction to aircraft noise is known to depend not only on the amount of noise, but also on psychosocial factors such as personal sensitivity to noise, fear of aircraft crashing and attitudes towards aviation. Thus some individuals will be seriously disturbed by aircraft noise even when the building is sited and constructed according to this Standard.

Some experience has shown that communities which are newly-exposed to aircraft noise (e.g. as a result of the construction of new runways, or the redesign of flight paths near an airport) tend to be more sensitive to such noise than communities which are accustomed to it. Land use planning must by necessity use a long-term horizon, and the building siting acceptability recommendations in this Standard are based on the reactions of noise-accustomed communities. Regulatory authorities are cautioned that a transient heightened reaction could result from substantial new noise exposure.

STANDARDS AUSTRALIA

Australian Standard

Acoustics—Aircraft noise intrusion—Building siting and construction

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard, together with the relevant Australian Noise Exposure Forecast (ANEF) chart or locality map available for the aerodrome under consideration, provides guidelines for determining—

- (a) whether the extent of aircraft noise intrusion makes building sites ‘acceptable’, ‘unacceptable’ or ‘conditionally acceptable’ for the types of activity to be, or being, undertaken (Clause 2.3);
- (b) for ‘conditionally acceptable’ sites, the extent of noise reduction required to provide acceptable noise levels indoors for the types of activity to be, or being, undertaken; and
- (c) the type of building construction necessary to provide a given noise reduction, provided that external windows and doors are closed (see Note 1).

This Standard deals specifically with noise from take-off, landing and circuit training operations at civil aerodromes or military airfields.

The acceptability of outdoor spaces is not covered by this Standard.

NOTES:

- 1 The recommendations for building construction are based on the assumption that external windows and doors are shut. If external windows or doors are opened for ventilation or other purposes, the noise attenuation values for various components given in Clause 3.3 will not be achieved. Item (c) above implies that mechanical ventilation will need to be installed when external windows and doors are shut to provide adequate protection against aircraft noise intrusion. Whether or not sufficient ventilation can be achieved by mechanical or other means should be considered before the selection of building components described in Clause 3.3.
- 2 There may be a significant increase in costs incurred in buildings designed to provide higher than normal noise attenuation for their type.

1.2 OBJECTIVE

This Standard is concerned with land use planning and building treatments in the vicinity of an airport. The objective is to provide guidance to regional and local authorities, organizations, communities and others associated with urban and regional planning and building development on the siting and construction of new buildings against aircraft noise intrusion and on the acoustical adequacy of existing buildings in areas near aerodromes.

This Standard is not intended to be applied for the purposes of assessing the effects of noise from aircraft. However, it should be noted that the effects of noise from aircraft are not confined to areas where the noise exposure exceeds 20 ANEF and may occur at or below 20 ANEF (see Appendix A for a description of the ANEF system).