

LOAN COPY
INFORMATION CENTRE
STANDARDS AUSTRALIA

AS 3603.4—1988
ISO 8632-4:1987

WITHDRAWN:

19980701



Standards

**Association of
Australia**



Australian Standard[®] 3603.4—1988

**COMPUTER GRAPHICS—
METAFILE FOR THE STORAGE AND
TRANSFER OF PICTURE DESCRIPTION
INFORMATION**

Part 4—CLEAR TEXT ENCODING

(ISO Title: Information processing systems—Computer graphics—Metafile
for the storage and transfer of picture description information—
Part 4: Clear text encoding)

This Australian Standard was prepared by Committee IS/1, Information Processing Systems. It was approved on behalf of the Council of the Standards Association of Australia on 12 September 1988 and published on 12 December 1988.

The following interests are represented on Committee IS/1:

Australian Association of Permanent Building Societies
Australian Bankers' Association
Australian Bureau of Statistics
Australian Computer Equipment Manufacturers Association
Australian Computing Services Association
Australian Computer Users Association
Australian Information Industry Association
Canberra College of Advanced Education
CSIRO, Division of Information Technology
Department of Defence
Department of Industry, Technology and Commerce
Latrobe University
Life Insurance Federation of Australia
Public Service Board, N.S.W.
Telecom Australia
University of Technology, Sydney

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up-to-date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all SAA publications will be found in the Catalogue of SAA Publications; this information is supplemented each month by SAA's journal 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of the Association, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

AUSTRALIAN STANDARD

**COMPUTER GRAPHICS—
METAFILE FOR THE STORAGE AND
TRANSFER OF PICTURE DESCRIPTION
INFORMATION**

**Part 4
CLEAR TEXT ENCODING**

(ISO Title: Information processing systems—Computer graphics—Metafile
for the storage and transfer of picture description information—
Part 4: Clear text encoding)

AS 3603.4—1988

First published as AS 3603.4—1988.

**PUBLISHED BY THE STANDARDS ASSOCIATION OF AUSTRALIA
STANDARDS HOUSE, 80 ARTHUR ST, NORTH SYDNEY, N.S.W.**

ISBN 0 7262 5284 0

PREFACE

This Standard was prepared by the Association's Committee on Information Processing Systems in response to rapid developments and growth of interest in computer related graphics. It is identical with, and has been reproduced from, International Standard ISO 8632—1987; drawn up by ISO TC 97, Information Processing Systems.

The computer graphics metafile provides a file format suitable for the storage and retrieval of picture information. The file format consists of a set of elements that can be used to describe pictures in a way that is compatible between systems of different architectures and devices of different capabilities and design.

For the purpose of this Australian Standard, the text of the ISO Standard should be modified as follows:

<i>Reference to International Standards</i>	<i>Relevant Australian Standard</i>
ISO 646 Information processing—ISO 7-bit coded character set for information interchange	AS 1776 Information processing—7-bit coded character set for informa- tion interchange
2022 Information processing— ISO 7-bit and 8-bit coded character sets—Code extension techniques	1953 Information processing— ISO 7-bit and 8-bit coded character sets—Code extension techniques

© Copyright — STANDARDS ASSOCIATION OF AUSTRALIA

Users of Standards are reminded that copyright subsists in all SAA publications and software. Except where the Copyright Act allows and except where provided for below no SAA publications or software may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from the Standards Association of Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the Head Office of the Association.

SAA will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to SAA.

SAA will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by SAA at any time.

CONTENTS

0	Introduction	4
0.1	Purpose of the clear text encoding	4
0.2	Primary objectives	4
0.3	Secondary objectives	4
0.4	Relationship to other International Standards	4
0.5	Status of annexes	4
1	Scope and field of application	5
2	References	6
3	Notational conventions	7
4	Entering and leaving the metafile environment	8
4.1	Generic clear text and instantiations	8
4.2	Implicitly entering the metafile environment	8
4.3	Designating and invoking the CGM coding environment from ISO 2022	8
5	Metafile format	9
5.1	Character repertoire	9
5.2	Separators	10
5.2.1	Element separators	10
5.2.2	Parameter separators	10
5.2.3	Comments in the metafile	11
5.3	Encoding of parameter types	11
5.3.1	Integer-bound types	11
5.3.2	Real-bound types	12
5.3.3	String-bound types	13
5.3.4	Enumerated types	13
5.3.5	Derived types	13
5.4	Forming names	14
5.4.1	Words deleted	14
5.4.2	Words added	14
5.4.3	Words used unabbreviated	14
5.4.4	Abbreviations	15
5.4.5	The derived element names	15
6	Encoding the CGM elements	18
6.1	Allowable productions in clear text metafiles	18
6.2	Encoding delimiter elements	18
6.3	Encoding metafile descriptor elements	18
6.4	Encoding picture descriptor elements	21
6.5	Encoding control elements	21
6.6	Encoding graphical primitive elements	22
6.7	Encoding attribute elements	27
6.8	Encoding escape elements	31
6.9	Encoding external elements	31
7	Clear text encoding defaults	33
8	Clear text encoding conformance	34
A	Clear text encoding-dependent formal grammar	35
B	Clear text encoding example	36

Computer graphics—Metafile for the storage and transfer of picture description information

Part 4—Clear text encoding

0 Introduction

0.1 Purpose of the clear text encoding

The Clear Text Encoding of the Computer Graphics Metafile (CGM) provides a representation of the Metafile syntax that is easy to type, edit and read. It allows a metafile to be edited with any standard text editor, using the internal character code of the host computer system.

0.2 Primary objectives

- a. **HUMAN EDITABLE:** The Clear Text Encoding should be able to be hand edited or, if desired, hand constructed.
- b. **HUMAN-FRIENDLY:** The Clear Text Encoding should be easy and natural for people to read and edit. Although what is easiest and most natural is a subjective judgment that varies among users, contributing factors such as ease of recognition, ease of remembering, avoidance of ambiguity, and prevention of mistyping have all been considered.
- c. **MACHINE-READABLE:** The Clear Text Encoding should be able to be parsed by software.
- d. **Suitable for USE IN A WIDE VARIETY OF EDITORS:** The Clear Text Encoding should not have any features that make it difficult to edit in normal text editors.
- e. **Facilitate INTERCHANGE BETWEEN DIVERSE SYSTEMS:** The Clear Text Encoding should be encoded in such a way as to maximize the set of systems which can utilize it. No assumptions should be made as to word size or arithmetic modes used to interpret the metafile.
- f. **Use STANDARDIZED ABBREVIATIONS** as much as possible. Where language encoding of other graphics standards have established standard abbreviations, or where common practice in the data processing and graphics industries has established well known abbreviations, these abbreviations are used. In accordance with the principle of "least astonishment", this approach should minimize the time needed to learn to use this encoding.

0.3 Secondary objectives

Because other CGM encodings are targeted toward CPU efficiency (CGM Binary Encoding) and information density (CGM Character Encoding), these objectives are considered of secondary importance for the CGM Clear Text Encoding.

0.4 Relationship to other International Standards

The set of characters required to implement the Clear Text Encoding is a subset of those included in national versions of ISO 646. Any character set that can be mapped to and from that subset may be used to implement the encoding.

For certain elements, the CGM defines value ranges as being reserved for registration. The values and their meanings will be defined using the established procedures (see part 1, 4.11.)

0.5 Status of annexes

The annexes do not form an integral part of this part of ISO 8632 but are included for information only.