

Australian Standard<sup>®</sup>

**Coal and coke—Analysis and testing**

**Part 10.5.2: Coal and fly-ash—Trace  
elements—Determination of mercury  
content—Acid extraction method**



This Australian Standard® was prepared by Committee MN-001, Coal and Coke. It was approved on behalf of the Council of Standards Australia on 8 March 2007. This Standard was published on 18 April 2007.

---

The following are represented on Committee MN-001:

- Australasian Institute of Mining and Metallurgy
  - Australian Building Codes Board
  - Australian Coal Association
  - Australian Coal Preparation Society
  - Australian Institute of Energy
  - CSIRO Energy Technology
  - Coalfield Geology Council of NSW
  - Department of Mines and Energy, Qld
  - Minerals Council of Australia
  - National Generators Forum
  - The University of New South Wales
  - The University of Queensland
  - University of Newcastle
- 

This Standard was issued in draft form for comment as DR 06638.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

---

### **Keeping Standards up-to-date**

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting **[www.standards.org.au](http://www.standards.org.au)**

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at **[mail@standards.org.au](mailto:mail@standards.org.au)**, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

---

STANDARDS AUSTRALIA

---

**RECONFIRMATION**

**OF**

**AS 1038.10.5.2—2007**

**Coal and coke—Analysis and testing**

**Part 10.5.2: Coal and fly-ash—Trace elements—Determination of mercury  
content—Acid extraction method**

---

**RECONFIRMATION NOTICE**

Technical Committee MN-001 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 09 May 2017.

The following are represented on Technical Committee MN-001:

Australasian Institute of Mining and Metallurgy  
Australian Coal Industry Reference Samples  
Australian Coal Preparation Society  
Australian Energy Council  
Coalfield Geology Council of NSW  
CSIRO  
Department of Natural Resources and Mines (QLD)  
Minerals Council of Australia  
Minerals Council of Australia  
National Association of Testing Authorities Australia  
The University of New South Wales  
The University of Queensland  
University of Newcastle

## NOTES

Australian Standard<sup>®</sup>

**Coal and coke—Analysis and testing**

**Part 10.5.2: Coal and fly-ash—Trace  
elements—Determination of mercury  
content—Acid extraction method**

First published as AS 1038.10.5.2—2007.

**COPYRIGHT**

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia  
ISBN 0 7337 8163 2

## PREFACE

This Standard was prepared by the Standards Australia Committee MN-001, Coal and Coke, as a new Standard.

The objective of this Standard is to provide those responsible for testing coal, coke and fly-ash with a standardized method for measuring the mercury content by the acid extraction method.

## CONTENTS

	<i>Page</i>
FOREWORD.....	4
1 SCOPE.....	5
2 REFERENCED DOCUMENTS.....	5
3 PRINCIPLE .....	5
4 SAFETY .....	5
5 REAGENTS.....	5
6 APPARATUS .....	6
7 SAMPLE.....	7
8 PROCEDURE.....	7
9 CALCULATION .....	8
10 REPORTING OF RESULT .....	9
11 PRECISION .....	9
12 TEST REPORT .....	9

## FOREWORD

The determination of trace elements in coal, coke and fly-ash remains an important issue and considerable emphasis is being placed on the effect of certain elements on the environment. International buyers maintain their awareness of the need for more detailed knowledge of the coals that they are purchasing and may request trace element analysis.

Internationally, mercury emissions from combustion of coal are of particular concern.

## STANDARDS AUSTRALIA

### Australian Standard Coal and coke—Analysis and testing

#### Part 10.5.2: Coal and fly-ash—Trace elements—Determination of mercury content—Acid extraction method

## 1 SCOPE

This Standard sets out a method for the determination of mercury in coal and coal ash by extraction of the sample with acids and subsequent cold vapour atomic absorption (or fluorescence) spectrometry.

## 2 REFERENCED DOCUMENTS

The following documents are referred to in this Standard:

### AS

1038	Coal and coke—Analysis and testing
1038.3	Part 3: Proximate analysis of higher rank coal
1038.16	Part 16: Assessment and reporting of results
2243	Safety in laboratories (series)
2706	Numerical values—Rounding and interpretation of limiting values
4264	Coal and coke—Sampling
4264.1	Part 1: Higher rank coal—Sampling procedures
4264.2	Part 2: Coke—Sampling procedures

## 3 PRINCIPLE

Coal or coal ash is digested in a closed vessel with a mixture of nitric and hydrochloric acids. Mercury in the extract is completely oxidized with potassium permanganate solution. This solution is decolourized with hydroxylamine hydrochloride. An aliquot is reacted with stannous chloride to reduce the ionic mercury species to the elemental state. Mercury vapour is carried into the optical path of an atomic absorption spectrometer (or atomic fluorescence spectrometer) by a controlled flow of gas.

## 4 SAFETY

For information on laboratory safety, reference should be made to the relevant parts of AS 2243.

## 5 REAGENTS

### 5.1 General

Unless otherwise specified, all reagents shall be of analytical reagent grade or better and only distilled water, or water of equivalent purity (deionized water of resistivity greater than 10 M $\Omega$ -cm) shall be used.

### 5.2 Reagents

The following reagents shall be used: