

AS 3767—1990

ISO 6093—1985

Australian Standard[®]

**Information processing—
Representation of numerical
values in character strings for
information interchange**

This Australian Standard was prepared by Committee IT/10, Information Systems—Equipment. It was approved on behalf of the Council of Standards Australia on 9 January 1990 and published on 14 May 1990.

The following interests are represented on Committee IT/10:

Australian Information Industries Association
La Trobe University
Interface Developers
Media Manufacturers

***Review of Australian Standards.** To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.*

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

Australian Standard[®]

**Information processing—
Representation of numerical
values in character strings for
information interchange**

First published as AS 3767—1990.

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 6124 6

PREFACE

This Standard was prepared by the Standards Australia Committee on Information Systems—Equipment. It is identical with, and has been reproduced from International Standard ISO 6093—1985 *Information processing—Representation of numerical values in character strings for information interchange*.

For the purpose of this Australian Standard, the text of the ISO Standard should be as follows:

- (a) *Terminology*—the words ‘Australian Standard’ should replace the words ‘International Standard’ wherever they apply.
- (b) *References*—the references to International Standards should be replaced by references to Australian Standards as follows:

<i>International Standard</i>	<i>Australian Standard</i>
ISO	AS
646 Information processing—ISO 7-bit coded character set for information interchange	1776 Information processing—ISO 7-bit coded character set for information interchange
2022 Information processing—ISO 7-bit and 8-bit coded character sets—Code extension techniques	1953 Information processing—ISO 7-bit and 8-bit coded character sets—Code extension techniques

 CONTENTS

	<i>Page</i>
1 Scope and field of application	3
2 Conformance	3
3 References	3
4 Definitions	3
5 Character set	3
6 First numerical representation (NR1)	4
7 Second numerical representation (NR2)	4
8 Third numerical representation (NR3)	5
 Annexes	
A Method of syntax specification	8
B Use of the character COMMA as decimal work	9
C Application to programming languages	10

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

Information processing—Representation of numerical values in character strings for information interchange

1 Scope and field of application

This International Standard specifies three presentations of numerical values, which are represented in character strings in a form readable by machine, for use in interchange between data processing systems. This International Standard also provides guidance for developers of programming language standards and implementors of programming products. These representations are recognizable by humans, and thus may be useful in communication between humans.

The base of representation is 10.

This International Standard applies only to numerical values consisting of a finite number of digits with or without the decimal mark. It does not specify the mechanism to communicate the accuracy of the number being represented or the method of delimiting the numerical representations or the organization of the numerical representations into larger aggregates.

2 Conformance

A representation of a numerical value is in conformance with this International Standard if it is one of the three representations specified herein.

A conformance statement shall identify the representation and, where applicable, specify whether COMMA or FULL STOP is used as the decimal mark. In the absence of such a statement, the FULL STOP is deemed to be the decimal mark.

3 References

ISO 646, *Information processing—ISO 7-bit coded character set for information interchange*.

ISO 2022, *Information processing—ISO 7-bit and 8-bit coded character sets—Code extension techniques*.

ISO 4873, *Information processing—8-bit code for information interchange—Structure and rules for implementation*.

4 Definitions

For the purpose of this International Standard the following definitions apply.

4.1 decimal mark: The character that separates the digits forming the integral part of a number from those forming the fractional part.

4.2 field: A continuous string of character positions on a data carrier.

4.3 field description: The set of characteristics possessed by the field to ensure that its contents have an unique numerical interpretation to the interchange parties. For each field within a set of interchanged data the field description is specified in documentation associated with the interchange agreement between the parties. The field description includes the specification of the length of the field.

4.4 length of a field: The number of character positions of a field.

4.5 positional notation: A numeration system in which a real number is represented by a string of characters in such a way that the value contributed by a character depends on its position as well as on its value.

5 Character set

5.1 Description

The character set for the representation of numerical values shall be a sub-set of the ISO 646 coded character set.

5.2 Syntax

The following syntactic objects are defined using the method of syntax specification described in annex A.

- a) digit = 0/1/2/3/4/5/6/7/8/9
- b) sign = + / -
- c) decimal-mark = , / .
- d) space = SPACE
- e) exponent-mark = E / e