



NAME	UN No	HAZCHEM
<b>ARSENIC ACID, LIQUID</b>	<b>1553</b>	<b>2X</b>
<b>ARSENIC ACID, SOLID</b>	<b>1554</b>	

*Heavy, syrupy liquid or moist white crystals, readily soluble in water.  
 Liquid is toxic and corrosive. Crystals melt at approximately 35 °C.  
 Reacts with some metals (e.g. aluminium, iron) to form highly toxic arsine gas.  
 Highly toxic if swallowed or by dust inhalation.  
 Environmental hazard—contain spillage.  
 Corrosive to metals in the presence of moisture.*

## EMERGENCY CONTACTS

**POLICE OR FIRE BRIGADE: Dial 000**

**POISONS INFORMATION CENTRE: Dial 13 11 26**

Organization	Location	Telephone	Ask for

Include area code in brackets

## HAZARDS

<b>Fire</b>	Material does not burn. Fire or heat will produce poisonous gas. Containers may explode when heated.
<b>Health</b>	POISONOUS, MAY BE FATAL IF INHALED, SWALLOWED OR ABSORBED THROUGH SKIN. Inhalation, ingestion or contact with substance can cause severe injury or death. Runoff from fire control or dilution water may be poisonous and pollute waterways.

## PROTECTIVE CLOTHING\*

<b>Emergency responders</b>	Wear SCBA and chemical splash suit. Fully-encapsulating, gas-tight suits should be worn for maximum protection. Structural firefighter's uniform is NOT effective with these materials.
-----------------------------	---