

Australian Standard[®]

**Copper, lead, zinc and nickel
concentrates—Sampling**

**Part 1: Sampling procedures for
determination of metal and moisture
content**



This Australian Standard® was prepared by Committee MN-005, Copper, Lead, Zinc and Nickel Ores and Concentrates. It was approved on behalf of the Council of Standards Australia on 24 January 2008.
This Standard was published on 19 March 2008.

The following are represented on Committee MN-005:

- CSIRO Minerals
- Minerals Council of Australia

Additional Interests:

- Minerals Industry Analytical Laboratories
-

This Standard was issued in draft form for comment as DR 07037.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting **www.standards.org.au**

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at **mail@standards.org.au**, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

Australian Standard[®]

**Copper, lead, zinc and nickel
concentrates—Sampling**

**Part 1: Sampling procedures for
determination of metal and moisture
content**

Originated as AS 2862.1—1999.
Second edition 2008.

COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia
ISBN 0 7337 8597 2

PREFACE

This Standard was prepared by the Standards Australia Committee MN-005, Copper, Lead, Zinc and Nickel Ores and Concentrates, to supersede AS 2862.1—1999, *Copper, lead and zinc sulfide concentrates—Sampling, Part 1: Sampling procedures for determination of metal and moisture content*. The objective of this Standard is to provide those involved in the sampling of sulfide concentrates with standardized sampling procedures for the determination of metal and moisture content.

The objective of this revision is to adopt the latest edition of the corresponding International Standard.

This Standard is identical with, and has been reproduced from ISO 12743:2006, *Copper, lead, zinc and nickel concentrates—Sampling procedures for determination of metal and moisture content*.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number appears on the cover and title page while the International Standard number appears only on the cover.
- (b) In the source text ‘this International Standard’ should read ‘this Australian Standard’.
- (c) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian Standards, as follows:

| <i>Reference to International Standard</i> | | <i>Australian Standard</i> | |
|--|--|----------------------------|--|
| ISO | | AS | |
| 10251 | Copper, lead, zinc and nickel concentrates—Determination of mass loss of bulk material on drying | 2863 | Copper, lead, zinc and nickel concentrates—Determination of mass loss of bulk material on drying |
| 12744 | Copper, lead and zinc sulfide concentrates—Experimental methods for checking the precision of sampling | 2862 | Copper, lead, zinc and nickel concentrates—Sampling |
| | | 2862.2 | Part 2: Experimental methods for checking the precision of sampling |
| 13292 | Copper, lead, zinc and nickel concentrates—Experimental methods for checking the bias of sampling | 2862.3 | Part 3: Experimental methods for checking the bias of sampling |

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the annex to which they apply. A ‘normative’ annex is an integral part of a Standard, whereas an ‘informative’ annex is only for information and guidance.

CONTENTS

| | <i>Page</i> |
|----------|--|
| 1 | Scope 1 |
| 2 | Normative references 1 |
| 3 | Terms and definitions..... 2 |
| 4 | Sampling theory..... 4 |
| 4.1 | General..... 4 |
| 4.2 | Total variance..... 5 |
| 4.3 | Sampling-stage method of estimating sampling and total variance..... 6 |
| 4.4 | Simplified method of estimating sampling and total variance 9 |
| 4.5 | Interleaved sample method of measuring total variance 10 |
| 5 | Establishing a sampling scheme 12 |
| 6 | Mass of increment 17 |
| 6.1 | General..... 17 |
| 6.2 | Mass of increment for falling-stream samplers..... 17 |
| 6.3 | Mass of increment for cross-belt samplers 17 |
| 6.4 | Mass of increment for manual sampling from stationary lots 18 |
| 6.4.1 | Primary increments 18 |
| 6.4.2 | Mass of secondary and subsequent increments 18 |
| 6.5 | Mass of increment for stopped-belt reference sampling..... 18 |
| 7 | Methods of sampling from concentrate streams 18 |
| 7.1 | General..... 18 |
| 7.2 | Mass-basis systematic sampling 18 |
| 7.2.1 | General..... 18 |
| 7.2.2 | Sampling interval 19 |
| 7.2.3 | Sample cutter 19 |
| 7.2.4 | Taking of primary increments 19 |
| 7.2.5 | Constitution of subsamples and lot samples 19 |
| 7.2.6 | Types of division..... 20 |
| 7.2.7 | Division of increments 20 |
| 7.2.8 | Division of subsamples..... 20 |
| 7.2.9 | Division of lot samples..... 20 |
| 7.3 | Time-basis systematic sampling..... 21 |
| 7.3.1 | General..... 21 |
| 7.3.2 | Sampling interval 21 |
| 7.3.3 | Sample cutter 21 |
| 7.3.4 | Taking of primary increments 22 |
| 7.3.5 | Constitution of subsamples and lot samples 22 |
| 7.3.6 | Types of division..... 22 |
| 7.3.7 | Division of increments and subsamples 22 |
| 7.3.8 | Division of lot samples..... 22 |
| 7.4 | Stratified random sampling 22 |
| 7.4.1 | Fixed mass intervals..... 22 |
| 7.4.2 | Fixed time intervals 23 |
| 8 | Mechanical sampling of concentrate streams..... 23 |
| 8.1 | General..... 23 |
| 8.2 | Design of the sampling system..... 23 |
| 8.2.1 | Safety of operators 23 |
| 8.2.2 | Location of sample cutters 23 |

| | <i>Page</i> |
|--------|---|
| 8.2.3 | Provision for interleaved sampling 23 |
| 8.2.4 | Provision for stratified random sampling..... 24 |
| 8.2.5 | Checking precision and bias 24 |
| 8.2.6 | Avoiding bias 24 |
| 8.2.7 | Minimizing bias 24 |
| 8.2.8 | Configuration of the sampling system 24 |
| 8.3 | Sample cutters..... 24 |
| 8.3.1 | General 24 |
| 8.3.2 | Design criteria 25 |
| 8.3.3 | Cutter speed 26 |
| 8.4 | Mass of increments..... 27 |
| 8.5 | Number of increments 27 |
| 8.6 | Sampling interval 27 |
| 8.7 | Routine checking 27 |
| 9 | Manual sampling of concentrate streams 28 |
| 9.1 | General 28 |
| 9.2 | Choosing the sampling location..... 28 |
| 9.3 | Sampling implements 28 |
| 9.4 | Mass of increments..... 28 |
| 9.5 | Number of increments 28 |
| 9.6 | Sampling interval 28 |
| 9.7 | Sampling procedures 29 |
| 9.7.1 | General 29 |
| 9.7.2 | Full stream cut from a falling stream 29 |
| 9.7.3 | Partial stream cuts from a falling stream 29 |
| 9.7.4 | Sampling from moving conveyor belts..... 30 |
| 10 | Stopped-belt reference sampling 30 |
| 11 | Sampling from grabs 31 |
| 11.1 | General 31 |
| 11.2 | Mass of primary increments 31 |
| 11.3 | Number of primary increments..... 31 |
| 11.4 | Method of sampling 31 |
| 11.5 | Constitution of subsamples and lot samples 31 |
| 12 | Sampling from trucks, railway wagons and sampling hoppers..... 32 |
| 12.1 | General..... 32 |
| 12.2 | Mass of primary increments 32 |
| 12.3 | Number of primary increments..... 32 |
| 12.4 | Method of sampling 32 |
| 12.5 | Constitution of subsamples and lot samples 32 |
| 13 | Sampling of concentrate in bags or drums 35 |
| 13.1 | General 35 |
| 13.2 | Mass of primary increments 35 |
| 13.3 | Number of primary increments..... 35 |
| 13.4 | Method of sampling 36 |
| 13.4.1 | General..... 36 |
| 13.4.2 | Sampling during filling or emptying 36 |
| 13.4.3 | Spear sampling 36 |
| 13.5 | Constitution of subsamples and lot samples 36 |
| 14 | Sampling of stockpiles 37 |
| 15 | Methods of comminution, mixing and division..... 37 |
| 15.1 | General 37 |
| 15.2 | Comminution 37 |
| 15.2.1 | General 37 |
| 15.2.2 | Mills 37 |
| 15.3 | Mixing..... 38 |
| 15.3.1 | General 38 |

| | <i>Page</i> |
|--|-------------|
| 15.3.2 Methods of mixing | 38 |
| 15.4 Division | 40 |
| 15.4.1 Chemical analysis samples | 40 |
| 15.4.2 Moisture samples..... | 40 |
| 15.4.3 Number of increments for division | 40 |
| 15.4.4 Minimum mass of divided sample | 40 |
| 15.4.5 Rotary sample division..... | 41 |
| 15.4.6 Cutter-type division | 42 |
| 15.4.7 Manual increment division..... | 43 |
| 15.4.8 Spear division | 43 |
| 15.4.9 Fractional shovelling | 44 |
| 15.4.10 Ribbon division | 45 |
| 15.4.11 Riffle division | 47 |
| 16 Sample requirements | 49 |
| 16.1 Moisture samples..... | 49 |
| 16.1.1 Mass of test portion..... | 49 |
| 16.1.2 Processing of samples..... | 49 |
| 16.2 Chemical analysis samples | 49 |
| 16.3 Physical test samples..... | 50 |
| 17 Packing and marking of samples..... | 50 |
| Annex A (normative) Sampling stage method of estimating sampling and total variance | 51 |
| Annex B (informative) Estimation of total variance — Barge unloading using a grab | 58 |
| Annex C (informative) Mechanical sample cutters | 62 |
| Annex D (informative) Checklist for mechanical sampling systems | 67 |
| Annex E (normative) Manual sampling devices..... | 71 |
| Annex F (informative) Apparatus for manual sampling of concentrates from stopped belts..... | 73 |
| Annex G (informative) Sampling of stockpiles..... | 74 |
| Annex H (normative) Increment division scoops for conducting manual increment division | 76 |
| Bibliography | 77 |

AUSTRALIAN STANDARD

Copper, lead, zinc and nickel concentrates—Sampling

Part 1:

Sampling procedures for determination of metal and moisture content

WARNING — This International Standard may involve hazardous materials, operations and equipment. It is the responsibility of the user of this International Standard to establish appropriate health and safety practices and determine the applicability of regulatory limitations prior to use.

1 Scope

This International Standard sets out the basic methods for sampling copper, lead, zinc and nickel concentrates from moving streams and stationary lots, including stopped-belt sampling, to provide samples for chemical analysis, physical testing and determination of moisture content, in accordance with the relevant International Standards. Where the concentrates are susceptible to significant oxidation or decomposition, it is necessary to use a common sample for moisture determination and chemical analysis to eliminate bias (see ISO 10251). In such cases, the common sample must be sufficiently representative, i.e. unbiased and sufficiently precise, for chemical analysis and determination of moisture content. Any large agglomerates (> 10 mm) present in the primary sample should be crushed prior to further sample processing. Sampling of concentrates in slurry form is specifically excluded from this International Standard.

Stopped-belt sampling is the reference method for collecting concentrate samples against which mechanical and manual-sampling procedures may be compared. Sampling from moving streams is the preferred method. Both falling-stream and cross-belt samplers are described.

Sampling from stationary lots is used only where sampling from moving streams is not possible. The procedures described in this International Standard, for sampling from stationary lots, only minimize some of the systematic sampling errors.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10251, *Copper, lead, zinc and nickel concentrates — Determination of mass loss of bulk material on drying*

ISO 12744, *Copper, lead, zinc and nickel concentrates — Experimental methods for checking the precision of sampling*

ISO 13292, *Copper, lead, zinc and nickel concentrates — Experimental methods for checking the bias of sampling*