

Australian/New Zealand Standard™

**Performance of electrical appliances—
Air conditioners and heat pumps**

**Part 4.2: Air-cooled air conditioners and
air-to-air heat pumps—Testing and
calculating methods for seasonal
performance factors—Heating seasonal
performance factor (ISO 16358-2:2013,
(MOD))**



AS/NZS 3823.4.2:2014

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-056, Room Air Conditioners. It was approved on behalf of the Council of Standards Australia on 5 September 2014 and on behalf of the Council of Standards New Zealand on 12 September 2014.
This Standard was published on 1 October 2014.

The following are represented on Committee EL-056:

Airconditioning and Refrigeration Equipment Manufacturers Association of Australia
Australian Building Codes Board
Australian Industry Group
CHOICE
Consumer Electronics Association of New Zealand
Consumer Electronics Suppliers Association
Department of Industry (Australian Government)
Electrical Compliance Testing Association
Energy Efficiency and Conservation Authority of New Zealand
Energy Safe Victoria
Institute of Refrigeration Heating and Air Conditioning Engineers of New Zealand
Institution of Professional Engineers New Zealand
University of New South Wales

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com or Standards New Zealand web site at www.standards.govt.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of Standards Australia or the New Zealand Standards Executive at the address shown on the back cover.

This Standard was issued in draft form for comment as DR 102471.

Australian/New Zealand Standard™

**Performance of electrical appliances—
Air conditioners and heat pumps**

**Part 4.2: Air-cooled air conditioners and
air-to-air heat pumps—Testing and
calculating methods for seasonal
performance factors—Heating seasonal
performance factor (ISO 16358-2:2013,
(MOD))**

First published as AS/NZS 3823.4.2:2014.
Reissued incorporating Amendment No. 1 (May 2017).

COPYRIGHT

© Standards Australia Limited

© The Crown in right of New Zealand, administered by the New Zealand Standards Executive

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, PO Box 1473, Wellington 6140.

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-056, Room Air Conditioners.

This Standard incorporates Amendment No. 1 (May 2017). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.

The objective of this Standard is to provide a method of testing and calculating the seasonal performance factor of equipment using temperature bin distributions modified for Australian and New Zealand conditions.

A1 | This Standard is an adoption with national modifications and has been reproduced from ISO 16358-2:2013, *Air-cooled air conditioners and air-to-air heat pumps—Testing and calculating methods for seasonal performance factors, Part 2: Heating seasonal performance factor*, and its Corrigendum 1:2013, which has been added immediately after the main source text. ISO 16358-3 has been varied as indicated to take account of Australian/New Zealand conditions. The modifications are specified in Appendix ZZ. Appendix ZA has been added to provide information on the development of the climate files for Australia and New Zealand.

As this Standard is reproduced from an International Standard, the following applies:

- (a) In the source text ‘this part of ISO 16358’ should read ‘this Australian/New Zealand Standard’.
- (b) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

<i>Reference to International Standard</i>		<i>Australian/New Zealand Standard</i>	
ISO		AS/NZS	
5151	Non-ducted air conditioners and heat pumps—Testing and rating for performance	3823	Performance of electrical appliances—Airconditioners and heat pumps
		3823.1.1	Part 1.1: Non-ducted airconditioners and heat pumps—Testing and rating for performance (ISO 5151:2010, MOD)
13253	Ducted air-conditioners and air-to-air heat pumps—Testing and rating for performance	3823.1.2	Part 1.2: Ducted airconditioners and air-to-air heat pumps—Testing and rating for performance (ISO 13253:2011, MOD)
15042	Multiple split-system air-conditioners and air-to-air heat pumps—Testing and rating for performance	3823.1.4	Part 1.4: Multiple split-system airconditioners and air-to-air heat pumps—Testing and rating for performance (ISO 15042:2011, MOD)

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the annex or appendix to which they apply. A ‘normative’ annex or appendix is an integral part of a Standard, whereas an ‘informative’ annex or appendix is only for information and guidance.

CONTENTS

1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Symbols	4
5	Tests	7
	5.1 General	7
	5.2 Test conditions	7
	5.3 Test methods	9
6	Calculations	10
	6.1 Heating seasonal performance factor (HSPF) and total heating seasonal performance factor (THSPF)	10
	6.2 Defined heating load	10
	6.3 Outdoor temperature bin distribution for heating	10
	6.4 Heating seasonal characteristics of fixed capacity units	11
	6.5 Heating seasonal characteristics of two-stage capacity units	13
	6.6 Heating seasonal characteristics of multi-stage capacity units	15
	6.7 Heating seasonal characteristics of variable capacity units	20
7	Test report	24
	Annex A (informative) Figures	26
	Annex B (informative) Calculation of total heating seasonal performance factor (THSPF)	30
	Annex C (normative) Testing and calculation method for degradation coefficient of cyclic operation	32
	Annex D (informative) Calculating method for seasonal performance factor when setting a specific heating load	35
	Annex E (informative) Calculating method for temperature when defined load line crosses each capacity line	36

NOTES

AUSTRALIAN/NEW ZEALAND STANDARD

Performance of electrical appliances—Air conditioners and heat pumps

Part 4.2:

Air-cooled air conditioners and air-to-air heat pumps—Testing and calculating methods for seasonal performance factors—Heating seasonal performance factor (ISO 16358-2:2013, (MOD))

1 Scope

1.1 This part of ISO 16358 specifies the testing and calculating methods for seasonal performance factor of equipment covered by ISO 5151, ISO 13253 and ISO 15042. For the purposes of this part of ISO 16358, it is assumed that any make-up heating will be provided by electric heaters running concurrently with the heat pump.

1.2 This part of ISO 16358 also specifies the seasonal performance test conditions and the corresponding test procedures for determining the seasonal performance factor of equipment, as specified in [1.1](#), under mandatory test conditions and is intended for use only in marking, comparison, and certification purposes.

1.3 This part of ISO 16358 does not apply to the testing and rating of:

- a) water-source heat pumps or water-cooled air conditioners;
- b) portable units having a condenser exhaust duct;
- c) individual assemblies not constituting a complete refrigeration system; or
- d) equipment using the absorption refrigeration cycle.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5151, *Non-ducted air conditioners and heat pumps — Testing and rating for performance*

ISO 13253, *Ducted air-conditioners and air-to-air heat pumps — Testing and rating for performance*

ISO 15042, *Multiple split-system air-conditioners and air-to-air heat pumps — Testing and rating for performance*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 5151, ISO 13253, ISO 15042 and the following apply.

3.1

defined heating load, L_h

heat defined as heating demand for a given outdoor temperature