

Australian/New Zealand Standard™

Hot-dip galvanized (zinc) coatings on ferrous open sections, applied by an in-line process



AS/NZS 4791:2006

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee MT-009, Metal Finishing. It was approved on behalf of the Council of Standards Australia on 19 June 2006 and on behalf of the Council of Standards New Zealand on 14 July 2006.

This Standard was published on 25 July 2006.

The following are represented on Committee MT-009:

Australian Institute of Metal Finishing
Australian Aluminium Council
Australian Industry Group
Australian Paint Manufacturers' Federation
Department of Defence
Galvanizers Association of Australia
Powder Coaters Association
The Royal Australian Chemical Institute
Society of Automotive Engineers—Australasia

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

RECONFIRMATION

OF

AS/NZS 4791:2006

Hot-dip galvanized (zinc) coatings on ferrous open sections, applied by an in-line process

RECONFIRMATION NOTICE

Technical Committee MT-009 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 20 March 2017.

Approved for reconfirmation in New Zealand on behalf of the Standards Council of New Zealand on 10 August 2017.

The following are represented on Technical Committee MT-009:

Australasian Institute of Surface Finishing
Australian Chamber of Commerce and Industry
Australian Industry Group
Australian Steel Institute
Bureau of Steel Manufacturers of Australia
Galvanizers Association of Australia
Galvanizing Association of New Zealand
New Zealand Metal Roofing Manufacturers

NOTES

Australian/New Zealand Standard™

**Hot-dip galvanized (zinc) coatings on
ferrous open sections, applied by an
in-line process**

Originated as AS/NZS 4791:1999.
Second edition 2006.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia, GPO Box 476, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 7643 4

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee MT-009, Metal Finishing, to supersede AS/NZS 4791:1999, *Hot-dip galvanized (zinc) coatings on ferrous open sections, applied by an in-line process*.

The objective of this revision is to revise the hot-dip galvanized coating specifications.

There are no International (ISO) Standards covering these specialized processes.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
1 SCOPE.....	4
2 REFERENCED DOCUMENTS.....	4
3 DEFINITIONS.....	5
4 GALVANIZING PROCESS.....	6
5 APPEARANCE AND FREEDOM FROM DEFECTS.....	6
6 DESIGNATION.....	7
7 SELECTION OF TEST SPECIMENS.....	7
8 COATING MASS AND THICKNESS.....	7
9 ADHERENCE OF COATING.....	8

APPENDICES

A PURCHASING GUIDELINES.....	10
B MEANS FOR DEMONSTRATING COMPLIANCE WITH THIS STANDARD.....	11
C GENERAL INFORMATION ON FACTORS THAT AFFECT THE CORROSION OF GALVANIZED STEEL.....	13
D RENOVATION OF DAMAGED OR UNCOATED AREAS.....	16
E TRANSPORT AND STORAGE OF GALVANIZED OPEN SECTIONS.....	17
F DETERMINATION OF COATING MASS AND LOCAL THICKNESS.....	18
G DUPLEX ADDED PROTECTION FOR GALVANIZING PLACED BELOW GROUND.....	20

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard

Hot-dip galvanized (zinc) coatings on ferrous open sections, applied by an in-line process**1 SCOPE**

This Standard specifies requirements for the mass, quality and testing of galvanized coatings applied to ferrous open sections on all surfaces, using an in-line process that utilizes specialized equipment.

Matters relating to the quality, properties, or dimensional requirements of the open sections are outside the scope of this Standard.

NOTES:

- 1 Advice and recommendations on information to be supplied by the purchaser to the hot-dip galvanizer at the time of enquiry or order are contained in the purchasing guidelines set out in Appendix A.
- 2 Alternative means for determining compliance with this Standard are given in Appendix B.
- 3 General information on factors that affect the corrosion of galvanized steel is given in Appendix C.
- 4 For guidance on duplex protection systems below ground refer to Appendix G.
- 5 Electroplated zinc coatings applied to steel strip for manufacture into open sections are not covered by this Standard. The application of this Standard to these coatings is subject to agreement between the purchaser and the supplier.

2 REFERENCED DOCUMENTS

The following documents are referred to in this Standard:

AS

- | | |
|----------|---|
| 1199 | Sampling procedures for inspection by attributes |
| 1199.0 | Part 0: Introduction to the ISO 2859 attribute sampling system |
| 1199.1 | Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection |
| 2331 | Methods of test for metallic and related coatings |
| 2331.1.3 | Method 1.3: Local thickness tests—Magnetic method |
| 2331.1.4 | Method 1.4: Local thickness tests—Magnetic induction and eddy current methods |
| 2331.2.1 | Method 2.1: Tests for average coating mass per unit area or for thickness—Dissolution methods—Strip and weigh, and analytical |
| 2331.2.3 | Method 2.3: Tests for average coating mass per unit area or for thickness—Hydrogen evolution method for zinc coatings |
| 2331.3.1 | Method 3:1: Corrosion and related property tests—Neutral salt spray (NSS) test |
| 2505 | Metallic materials |
| 2505.1 | Method 1: Sheet, strip and plate—Bend tests |
| 2706 | Numerical values—Rounding and interpretation of limiting values |

AS/NZS

- | | |
|--------|--|
| 2243 | Safety in laboratories |
| 2243.1 | Part 1: Planning and operational aspects |