

Australian/New Zealand Standard™

**Household and similar electrical
appliances—Safety**

**Part 2.89: Particular requirements for
commercial refrigerating appliances
with an incorporated or remote
refrigerant condensing unit or
compressor
(IEC 60335-2-89 Ed 2, MOD)**



AS/NZS 60335.2.89:2010

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-002, Safety of Household and Similar Electrical Appliances and Small Power Transformers. It was approved on behalf of the Council of Standards Australia on 10 September 2010 and on behalf of the Council of Standards New Zealand on 10 September 2010.

This Standard was published on 29 October 2010.

The following are represented on Committee EL-002:

Australian Industry Group
Australian Retailers Association
Business New Zealand
Consumer Electronic Suppliers Association, Australia
Consumers' Federation of Australia
Electrical regulatory authorities, Australia
Electrical Compliance Testing Association
Electrical consultants
Engineers Australia
Association of Certification Bodies
Ministry of Consumer Affairs, New Zealand
New Zealand Electric Fence Energizer Manufacturers' Standards Group

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR 10905.

Australian/New Zealand Standard™

Household and similar electrical appliances—Safety

Part 2.89: Particular requirements for commercial refrigerating appliances with an incorporated or remote refrigerant condensing unit or compressor (IEC 60335-2-89 Ed 2, MOD)

Originated in Australia as AS C182—1970.
Originated in New Zealand as NZS/AS 3182—1990.
Jointly revised and redesignated as AS/NZS 3182:1995.
Jointly revised and redesignated AS/NZS 60335.2.89:2002.
Jointly revised and redesignated AS/NZS 60335.2.89:2010.

COPYRIGHT

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

AS/NZS 60335.2.89:2010

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –**

**Part 2.89: Particular requirements for commercial refrigerating appliances
with an incorporated or remote refrigerant condensing unit or compressor**

Foreword

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-002- Safety of Household and Similar Electrical Appliances and Small Power Transformers to supersede AS/NZS 60335.2.89:2002 three years from the date of publication. During this period it is anticipated that regulatory authorities will approve commercial refrigerating appliances with an incorporated or remote refrigerant condensing unit or compressor to either standard.

The objective of this Standard is to provide manufacturers, designers, regulatory authorities, testing laboratories and similar organizations with safety requirements designed to give the user protection against hazards that might occur during normal operation and abnormal operation of the appliance and which may be used as the basis for approval for sale or for connection to the electricity supply mains in Australia and New Zealand

The text of IEC 60335-2-89 Ed 2, prepared by IEC Technical Committee SC 61C, was submitted to the Standards Australia/Standards New Zealand Combined Procedure (dual public comment and committee vote) for adoption of the IEC standard as a Standards Australia/Standards New Zealand joint standard.

This Standard is an adoption with national modifications of the second edition of IEC 60335-2-89, *Household and similar electrical appliances – safety – Part 2-89: Particular requirements for commercial refrigerating appliances with an incorporated or remote refrigerant condensing unit or compressor*. It has been varied as indicated to take account of Australian and New Zealand conditions.

In this version, the text of IEC 60335-2-89 Ed 2 is included in full. Variations to take account of Australian and New Zealand conditions follow the IEC text

This part 2 has to be used in conjunction with the latest edition of AS/NZS 60335.1 *Household and similar electrical appliances – Safety – Part 1: General requirements* and its Amendments. It was established on the basis of AS/NZS 60335.1:2002.

The principal changes in this edition as compared with the 2002 edition of AS/NZS 60335.2.89 are as follows (minor changes are not listed):

- aligns the text with IEC 60335-1, and its Amendments 1 and 2;
- introduces requirements for appliances using transcritical refrigerant systems (3.107, 3.108, 3.109, 3.110, 3.111, 7.1, 7.6, 7.12.1, 22.103, 24.1.4, 24.101)
- introduces an enhanced flexing test (23.3)

This part 2 supplements or modifies the corresponding clauses of AS/NZS 60335.1 so as to convert it into the Australian/New Zealand Standard: Safety requirements for commercial refrigerating appliances with an incorporated or remote refrigerant condensing unit or compressor.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text of Part 1 is to be adapted accordingly.

NOTE 1 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.;
- subclauses, notes and annexes that are additional to those in the IEC standard are prefixed with the letters AZ.

NOTE 2 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3.

p NOTE 3 In this document, p is used in the margin to indicate instructions for preparing a consolidated version.

The essential safety requirements in AS/NZS 3820¹ that could be applicable to requirements for commercial refrigerating appliances with an incorporated or remote refrigerant condensing unit or compressor are covered by this standard.

The national variations to the IEC 60335-2-89 Ed 2 form the Australian and New Zealand national variations for purposes of the IECEE scheme for recognition of results of testing to standards for safety of electrical equipment (the CB scheme).

¹ AS/NZS 3820 *Essential safety requirements for low voltage electrical equipment*

CONTENTS

| | |
|---|----|
| FOREWORD..... | 4 |
| INTRODUCTION..... | 7 |
| 1 Scope | 8 |
| 2 Normative references | 8 |
| 3 Definitions | 9 |
| 4 General requirement..... | 11 |
| 5 General conditions for the tests | 11 |
| 6 Classification..... | 12 |
| 7 Marking and instructions | 12 |
| 8 Protection against access to live parts | 16 |
| 9 Starting of motor-operated appliances | 16 |
| 10 Power input and current..... | 16 |
| 11 Heating | 16 |
| 12 Void | 19 |
| 13 Leakage current and electric strength at operating temperature | 19 |
| 14 Transient overvoltages | 19 |
| 15 Moisture resistance | 19 |
| 16 Leakage current and electric strength | 20 |
| 17 Overload protection of transformers and associated circuits | 20 |
| 18 Endurance..... | 20 |
| 19 Abnormal operation | 20 |
| 20 Stability and mechanical hazards | 22 |
| 21 Mechanical strength | 22 |
| 22 Construction..... | 23 |
| 23 Internal wiring..... | 32 |
| 24 Components | 32 |
| 25 Supply connection and external flexible cords | 33 |
| 26 Terminals for external conductors | 34 |
| 27 Provision for earthing..... | 34 |
| 28 Screws and connections | 34 |
| 29 Clearances, creepage distances and solid insulation..... | 34 |
| 30 Resistance to heat and fire | 35 |
| 31 Resistance to rusting | 35 |
| 32 Radiation, toxicity and similar hazards | 35 |
| Annexes | 38 |
| Annex C (normative) Ageing test on motors..... | 38 |
| Annex D (normative) Thermal motor protectors..... | 38 |
| Annex P (informative) Guidance for the application of this standard to appliances used in warm damp equable climates | 38 |
| Annex AA (normative) Locked-rotor test of fan motors | 39 |
| Annex BB (normative) Non-sparking “n” electrical apparatus..... | 41 |

Bibliography43

Figure 101 – Apparatus for spillage test36

Figure 102 – Scratching tool tip details.....37

Figure AA.1 – Supply circuit for locked-rotor test of a single-phase fan motor.....40

Table 101 – Maximum temperatures for motor-compressors18

Table 102 – Refrigerant flammability parameters30

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –****Part 2-89: Particular requirements for commercial refrigerating appliances
with an incorporated or remote refrigerant unit or compressor**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by subcommittee 61C: Household appliances for refrigeration, of IEC technical committee 61: Safety of household and similar electrical appliances.

This second edition cancels and replaces the first edition published in 2002 including its Amendment 1 (2005) and amendment 2 (2007). It constitutes a technical revision.

The principal changes in this edition as compared with the first edition of IEC 60335-2-89 are as follows (minor changes are not listed):

- aligns the text with IEC 60335-1, and its Amendments 1 and 2;
- introduces requirements for appliances using transcritical refrigerant systems (3.107, 3.108, 3.109, 3.110, 3.111, 7.1, 7.6, 7.12.1, 22.103, 24.1.4, 24.102)
- introduces an enhanced flexing test (23.3)

The text of this standard is based on the following documents:

| | |
|--------------|------------------|
| FDIS | Report on voting |
| 61C/208/FDIS | 61C/211/RVD |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for commercial refrigerating appliances with an incorporated or remote refrigerant unit or compressor.

Where a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. Where this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The following differences exist in the countries indicated below.

- 22.101: E12 and E17 lamp holders are checked as specified for E14 and B15 lamp holders. E26 lamp holder is checked as specified for E27 and B22 lamp holders (Japan).
- 22.109: For unsealed glass tube heaters, the temperature requirements are different (Japan).

INTRODUCTION

It has been assumed in the drafting of this International standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features which impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-89: Particular requirements for commercial refrigerating appliances with an incorporated or remote refrigerant unit or compressor

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard specifies safety requirements for electrically operated commercial refrigerating appliances that have an incorporated compressor or that are supplied in two units for assembly as a single appliance in accordance with the manufacturer's instructions (split system).

NOTE 101 Examples of appliances that are within the scope of this standard are

- **refrigerated display** and **storage cabinets**;
- refrigerated trolley cabinets;
- service counters and self-service counters;
- blast chillers and blast freezers.

As far as is practicable, this standard deals with the common hazards presented by these types of appliances.

It does not cover those features of construction and operation of refrigerating appliances which are dealt with in ISO standards.

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries, additional requirements are specified by national authorities.

NOTE 103 This standard does not apply to

- domestic refrigerating appliances (IEC 60335-2-24)
- industrial refrigerating systems;
- motor-compressors (IEC 60335-2-34);
- commercial dispensing appliances and vending machines (IEC 60335-2-75);
- commercial ice-cream appliances;
- commercial ice makers;
- cold temperature rooms;
- multiple refrigerated chambers with a remote compressor.

NOTE 104 Appliances with a charge of more than 150 g of **flammable refrigerant** in each separate refrigerant circuit are not covered by this standard. For appliances with a charge greater than 150 g of **flammable refrigerant** in each refrigerant circuit and for the installation, ISO 5149 may be applied. Consequently, such appliances cannot be assessed for safety using this part 2.

2 Normative references

This clause of Part 1 is applicable except as follows:

Addition: