



AS 1684.3—2006  
**Residential timber-framed construction**  
(Incorporating Amendment No. 1)

PART  
**3** **CYCLONIC AREAS**

Australian  
STANDARD  
AS →



This Australian Standard® was prepared by Committee TM-002, Timber Framing. It was approved on behalf of the Council of Standards Australia on 9 November 2005. This Standard was published on 31 January 2006.

---

The following are represented on Committee TM-002:

- A3P
  - Association of Consulting Engineers, Australia
  - Australian Building Codes Board
  - Building Research Association of New Zealand
  - CSIRO Manufacturing and infrastructures Technology
  - Engineered Wood Products Association of Australasia
  - Engineers Australia
  - Forest Industries Federation (WA)
  - Housing Industry Association
  - Master Builders, Australia
  - New Zealand Forest Industries Council
  - New Zealand Timber Industry Federation
  - Scion
  - South Australian Housing Trust
  - Structural Engineered Timber Manufactures Association, New Zealand
  - Timber and Building Materials Association, NSW
  - Timber Development Association, NSW
  - Timber Development Association of South Australia
  - Timber Queensland
- 

This Standard was issued in draft form for comment as DR 04274.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through public comment period.

---

### **Keeping Standards up-to-date**

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting **[www.standards.org.au](http://www.standards.org.au)**

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at **[mail@standards.org.au](mailto:mail@standards.org.au)**, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

---

Australian Standard<sup>®</sup>

**Residential timber-framed construction**  
**Part 3: Cyclonic areas**

First published as AS 056—1946.  
Second edition 1948.  
Revised and redesignated as AS CA38—1971.  
Revised and redesignated as AS 1684—1975.  
Third edition 1992.  
Revised and redesignated in part as AS 1684.3—1999.  
Second edition 2006.  
Reissued incorporating Amendment No. 1 (November 2006).

**COPYRIGHT**

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia

ISBN 0 7337 7095 9

## PREFACE

This Standard was prepared by the Joint Standards Australian/Standards New Zealand Committee TM-002, Timber Framing, to supersede AS 1684.3—1999.

After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard.

*This Standard incorporates Amendment No. 1 (November 2006). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure, or part thereof affected.*

This Standard will be referenced in the Building Code of Australia 2006; thereby superseding AS 1684.4—1999, which will be withdrawn 12 months from the date of publication of this Standard.

The objective of this Standard is to provide the building industry with procedures that can be used to determine building practice, to design or check construction details, and to determine member sizes, and bracing and fixing requirements for timber-framed construction in cyclonic areas.

The objective of this revision is to —

- (a) address issues and practices that have been raised by some states building industry interests to better reflect their needs and construction practices, and include editorial amendments and some technical changes to correct mistakes and enhance the application of the document; and
- (b) improve the ability of building certifiers to assess and approve applications in accordance with deemed to satisfy documents and to provide more economical deemed to satisfy details.

Prior to using this Standard, it is necessary to establish the design gust wind speed and wind classification (refer to Clause 1.4.2).

The continued development of timber framing systems and the need to cater for a widening variety of materials and design conditions have led to a total revision of structural framing design. These developments include—

- (i) provision for limit state design methods;
- (ii) revised/new structural grades for timber;
- (iii) provisions catering for open plan living—larger spans, wider openings and bigger rooms, which need more rational approach to bracing design;
- (iv) special ‘engineered’ and fabricated timber products;
- (v) recognition of a wider range of high wind and cyclonic design.
- (vi) computer-aided design software for member sizes, bracing and tie-down.

The increased scope and application of this Standard to cater for these conditions has also led to the need to perform a more rigorous design check on a wider range of members and construction practices including windowsill trimmers and roof bracing.

This Standard is a companion publication to the following:

AS

- 1684 Residential timber-framed construction
- 1684.1 Part 1: Design criteria
- 1684.2 Part 2: Non-cyclonic areas

## 1684.4 Part 4: Simplified—Non-cyclonic areas

It should be noted that AS 1684.4 includes additional differences to AS 1684.2 and 1684.3.

The following Supplements form an integral part of, and must be used in conjunction with, this Standard:

Supplement	0	General introduction and index
C1 Supp.	1	Wind classification C1—Seasoned softwood—Stress grade F5
C1 Supp.	2	Wind classification C1—Seasoned softwood—Stress grade F7
C1 Supp.	3	Wind classification C1—Seasoned softwood—Stress grade F8
C1 Supp.	4	Wind classification C1—Seasoned softwood—Stress grade MGP 10
C1 Supp.	5	Wind classification C1—Seasoned softwood—Stress grade MGP 12
C1 Supp.	6	Wind classification C1—Seasoned softwood—Stress grade MGP 15
C1 Supp.	7	Wind classification C1—WA seasoned hardwood—Stress grade F14
C1 Supp.	8	Wind classification C1—Seasoned hardwood—Stress grade F17
C1 Supp.	9	Wind classification C1—Seasoned hardwood—Stress grade F27
C1 Supp.	10	Wind classification C1—Unseasoned softwood—Stress grade F5
C1 Supp.	11	Wind classification C1—Unseasoned softwood—Stress grade F7
C1 Supp.	12	Wind classification C1—Unseasoned hardwood—Stress grade F8
C1 Supp.	13	Wind classification C1—Unseasoned hardwood—Stress grade F11
C1 Supp.	14	Wind classification C1—Unseasoned hardwood—Stress grade F14
C1 Supp.	15	Wind classification C1—Unseasoned hardwood—Stress grade F17
C2 Supp.	1	Wind classification C2—Seasoned softwood—Stress grade F5
C2 Supp.	2	Wind classification C2—Seasoned softwood—Stress grade F7
C2 Supp.	3	Wind classification C2—Seasoned softwood—Stress grade F8
C2 Supp.	4	Wind classification C2—Seasoned softwood—Stress grade MGP 10
C2 Supp.	5	Wind classification C2—Seasoned softwood—Stress grade MGP 12
C2 Supp.	6	Wind classification C2—Seasoned softwood—Stress grade MGP 15
C2 Supp.	7	Wind classification C2—WA seasoned hardwood—Stress grade F14
C2 Supp.	8	Wind classification C2—Seasoned hardwood—Stress grade F17
C2 Supp.	9	Wind classification C2—Seasoned hardwood—Stress grade F27
C2 Supp.	10	Wind classification C2—Unseasoned softwood—Stress grade F5
C2 Supp.	11	Wind classification C2—Unseasoned softwood—Stress grade F7
C2 Supp.	12	Wind classification C2—Unseasoned hardwood—Stress grade F8
C2 Supp.	13	Wind classification C2—Unseasoned hardwood—Stress grade F11
C2 Supp.	14	Wind classification C2—Unseasoned hardwood—Stress grade F14
C2 Supp.	15	Wind classification C2—Unseasoned hardwood—Stress grade F17
C3 Supp.	1	Wind classification C3—Seasoned softwood—Stress grade F5
C3 Supp.	2	Wind classification C3—Seasoned softwood—Stress grade F7
C3 Supp.	3	Wind classification C3—Seasoned softwood—Stress grade F8
C3 Supp.	4	Wind classification C3—Seasoned softwood—Stress grade MGP 10
C3 Supp.	5	Wind classification C3—Seasoned softwood—Stress grade MGP 12
C3 Supp.	6	Wind classification C3—Seasoned softwood—Stress grade MGP 15
C3 Supp.	7	Wind classification C3—WA seasoned hardwood—Stress grade F14
C3 Supp.	8	Wind classification C3—Seasoned hardwood—Stress grade F17
C3 Supp.	9	Wind classification C3—Seasoned hardwood—Stress grade F27
C3 Supp.	10	Wind classification C3—Unseasoned softwood—Stress grade F5
C3 Supp.	11	Wind classification C3—Unseasoned softwood—Stress grade F7
C3 Supp.	12	Wind classification C3—Unseasoned hardwood—Stress grade F8
C3 Supp.	13	Wind classification C3—Unseasoned hardwood—Stress grade F11
C3 Supp.	14	Wind classification C3—Unseasoned hardwood—Stress grade F14
C3 Supp.	15	Wind classification C3—Unseasoned hardwood—Stress grade F17

Span tables in Supplements for unseasoned hardwood F8 and F11 may be used for unseasoned F8 and F11 softwood as well.

A CD-ROM, which contains the above Supplements, is attached to this Standard.

This Standard does not preclude the use of framing, fastening or bracing methods or materials other than those specified. Alternatives may be used, provided they satisfy the requirements of the Building Code of Australia.

Notes to the text contain information and guidance. They are not an integral part of the Standard.

Statements expressed in mandatory terms in Notes to the Span Tables are deemed to be requirements of this Standard.

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the appendix to which they apply. A ‘normative’ appendix is an integral part of a Standard, whereas an ‘informative’ appendix is only for information and guidance.

## CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE .....	7
1.2 COMPANION DOCUMENTS .....	7
1.3 NORMATIVE REFERENCES .....	8
1.4 LIMITATIONS .....	9
1.5 DESIGN CRITERIA .....	11
1.6 FORCES ON BUILDINGS .....	12
1.7 LOAD PATHS OFFSETS AND CANTILEVERS .....	13
1.8 DURABILITY .....	14
1.9 DIMENSIONS .....	15
1.10 BEARING .....	15
1.11 STRESS GRADES .....	15
1.12 ENGINEERED TIMBER PRODUCTS .....	16
1.13 SIZE TOLERANCES .....	16
1.14 ALTERNATIVE TIMBER DIMENSIONS .....	17
1.15 GUIDELINES FOR DESIGN USING THIS STANDARD .....	17
1.16 INTERPOLATION .....	18
SECTION 2 TERMINOLOGY AND DEFINITIONS	
2.1 GENERAL .....	19
2.2 TERMINOLOGY OF FRAMING MEMBERS .....	19
2.3 VERTICAL NAIL LAMINATION .....	22
2.4 STUD LAMINATION .....	23
2.5 HORIZONTAL NAIL LAMINATION—WALL PLATES ONLY .....	23
2.6 LOAD WIDTH AND AREA SUPPORTED .....	24
2.7 DEFINITIONS—GENERAL .....	29
SECTION 3 SUBSTRUCTURE	
3.1 SCOPE .....	33
3.2 SITE PREPARATION AND DRAINAGE .....	33
3.3 GROUND CLEARANCES AND SUBFLOOR VENTILATION .....	33
3.4 DURABILITY .....	33
3.5 SUBSTRUCTURE BRACING .....	33
3.6 SUBFLOOR SUPPORTS .....	33
SECTION 4 FLOOR FRAMING	
4.1 GENERAL .....	37
4.2 BUILDING PRACTICE .....	38
4.3 MEMBER SIZES .....	42
SECTION 5 FLOORING AND DECKING	
5.1 SCOPE .....	48
5.2 PLATFORM FLOORS .....	48
5.3 FITTED FLOORS (CUT-IN FLOORS) .....	48
5.4 EXPANSION JOINTS .....	48
5.5 LAYING AND FIXING .....	48
5.6 WET AREA FLOORS .....	51
5.7 JOIST SPACING .....	51
5.8 DECKING .....	53

	<i>Page</i>
<b>SECTION 6 WALL FRAMING</b>	
6.1 GENERAL .....	54
6.2 BUILDING PRACTICE .....	54
6.3 MEMBER SIZES .....	62
<b>SECTION 7 ROOF FRAMING</b>	
7.1 GENERAL .....	76
7.2 BUILDING PRACTICE .....	77
7.3 MEMBER SIZES .....	92
<b>SECTION 8 RACKING AND SHEAR FORCES (BRACING)</b>	
8.1 GENERAL .....	107
8.2 TEMPORARY BRACING .....	108
8.3 WALL AND SUBFLOOR BRACING .....	108
<b>SECTION 9 FIXINGS AND TIE-DOWN DESIGN</b>	
9.1 SCOPE .....	156
9.2 GENERAL CONNECTION REQUIREMENTS .....	156
9.3 PROCEDURE FLOW CHART .....	160
9.4 NOMINAL AND SPECIFIC FIXING REQUIREMENTS .....	160
9.5 NOMINAL FIXINGS (MINIMUM FIXINGS) .....	162
9.6 SPECIFIC TIE-DOWN FIXINGS .....	163
9.7 SHEAR FORCES .....	204
<b>APPENDICES</b>	
A INFORMATIVE AND RELATED DOCUMENTS .....	213
B TYPICAL CONSTRUCTION MASS .....	214
C DURABILITY .....	217
D INTERPOLATION .....	221
E EXAMPLES .....	222
F MOISTURE CONTENT AND SHRINKAGE .....	225
G RACKING FORCES—ALTERNATIVE PROCEDURE .....	228
H TIMBER SPECIES AND PROPERTIES .....	238
I STORAGE AND HANDLING .....	249

STANDARDS AUSTRALIA

---

**Australian Standard**

**Residential timber-framed construction**

---

Part 3: Cyclonic areas

---

SECTION 1 SCOPE AND GENERAL

### 1.1 SCOPE

This Standard specifies requirements for building practice and the selection, placement and fixing of the various structural elements used in the construction of timber-framed Class 1 and Class 10 buildings as defined by the Building Code of Australia and within the limitations given in Clause 1.4. The provisions of this Standard also apply to alterations and additions to such buildings.

This Standard also provides building practice and procedures that assist in the correct specification and determination of timber members, bracing and connections, thereby minimizing the risk of creating an environment that may adversely affect the ultimate performance of the structure.

Throughout this Standard, reference is made to the Span Tables in the Supplements. The Supplements are an integral part of, and shall be used in conjunction with, this Standard.

This Standard may also be applicable to the design and construction of other classes of buildings where the design criteria, loadings and other parameters applicable to those classes of building are within the limitations of this Standard.

#### NOTES:

- 1 See AS 1684.1 for details of design criteria, loadings and other parameters.
- 2 Whilst this Standard can be used to design Class 10 buildings, less conservative levels of design for this building class may be permitted by building regulations and other Australian Standards.

### 1.2 COMPANION DOCUMENTS

This Standard is a companion publication to the following:

#### AS

- 1684 Residential timber-framed construction
- 1684.1 Part 1: Design criteria
- 1684.2 Part 2: Non-cyclonic wind areas
- 1684.4 Part 4: Simplified—Non-cyclonic areas