

Australian Standard™

Environmental testing

**Part 2.74: Tests—Test Xc: Fluid
contamination**

This Australian Standard was prepared by Committee EL-026, Protective Enclosures and Environmental Testing for Electrical/Electronic Equipment. It was approved on behalf of the Council of Standards Australia on 23 October 2003 and published on 28 November 2003.

The following are represented on Committee EL-026:

Australian Chamber of Commerce and Industry
Australian Electrical and Electronic Manufacturer's Association
Electrical Compliance Testing Association
Electrical Regulatory Authorities Council
Electricity Supply Association of Australia
Testing Interests (Australia)

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Australia web site at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.com.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

Australian Standard™

Environmental testing

**Part 2.74: Tests—Test Xc: Fluid
contamination**

First published as AS 60068.2.74—2003.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 5607 7

PREFACE

This Standard was prepared by the Standards Australia Committee EL-026, Protective Enclosures and Environmental Testing for Electrical/Electronic Equipment.

The objective of this Standard is to provide the electrotechnology industry with a complete set of environmental test procedures published as a series under AS 60068 *Environmental testing*. This Standard is Part 2.74 of that series.

This Standard is identical with, and has been reproduced from, IEC 60068-2-74:1999, *Environmental testing—Part 2-74: Tests—Test Xc: Fluid contamination*.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown only on the cover and title page.
- (b) In the source text ‘this international standard’ should read ‘this Australian Standard’.
- (c) A full point should be substituted for a comma when referring to a decimal marker.
- (d) any French text on figures should be ignored.

In this Standard, the following print types are used:

- requirements proper: in arial type;
- *test specifications: in italic type;*
- explanatory matter: in smaller arial type.

Any international Standard referenced should be replaced by an equivalent Australian Standard when one is available. The availability of equivalent Australian Standards can be determined either from the Standards Australia catalogue or from the Standards Australia website (www.standards.com.au).

CONTENTS

	<i>Page</i>
1 Scope.....	1
2 Normative references	1
3 Test fluid	1
3.1 Specification of test fluid	1
3.2 Precaution.....	1
4 Specimen	2
5 Cleaning.....	3
5.1 Initial cleaning	3
5.2 Intermediate cleaning	3
5.3 Final cleaning.....	3
6 Initial examination	3
7 Testing	3
8 Occasional contamination (class A).....	3
9 Intermittent contamination (class B).....	4
10 Extended contamination (class C)	4
11 Final examination	5
12 Information to be given in the relevant specification	5
Annex A (informative) Guidance on the choice of test fluids and specimens.....	6

NOTES

STANDARDS AUSTRALIA

Australian Standard**Environmental testing**
Part 2.74: Tests—Test Xc: Fluid contamination

1 Scope

This part of IEC 60068 gives a method of test which provides a standard procedure to determine the ability of components, equipments or their constituent materials, hereinafter referred to as specimen, to withstand accidental contact with fluids, without being unacceptably affected.

The fluids listed in this part of IEC 60068 are representative of those commonly encountered in operational applications. It is not intended that a specimen should be exposed to all, or even any of them. Nor is the list intended to be complete; fluids not listed and for which a test is appropriate should be included in the relevant specification. Guidance is given in annex A on the choice of test fluids, specimens and severities.

These tests are not intended to demonstrate the suitability of components or equipments to perform in continuous contact with a fluid, e.g. an immersed fuel pump. Nor are they a test to demonstrate immunity from electrolytic corrosion.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of IEC 60068. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of IEC 60068 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 1817:1985, *Rubber, vulcanized – Determination of the effect of liquids*

3 Test fluid**3.1 Specification of test fluid**

The relevant specification (see clause 12) shall specify the required test fluids which shall wherever possible be selected from the list given in table 1. Each fluid has been specified as being representative of a group of fluids. (See clause A.2.)

The relevant specification shall also specify any additional fluids not listed in table 1 for which a test is required.

3.2 Precaution

Since many fluids may have flash points within the test temperature range, care should be taken to ensure that adequate safety measures are taken to limit the possibility of fire or explosion.