

Australian Standard™

**Electroplated coatings—Nickel and
chromium on plastics for decorative
applications**

This Australian Standard was prepared by Committee MT-009, Metal Finishing. It was approved on behalf of the Council of Standards Australia on 23 February 2004 and published on 2 April 2004.

The following are represented on Committee MT-009:

Australasian Institute of Metal Finishing
Australian Aluminium Council
Australian Chamber of Commerce and Industry
Australian Industry Group
Australian Paint Manufacturers Federation
Department of Defence
Galvanizers Association of Australia
Institute of Materials Engineering Australia
Society of Automotive Engineers—Australasia
Telstra Corporation
The Royal Australian Chemical Institute

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

This Standard was issued in draft form for comment as DR 03467.

STANDARDS AUSTRALIA

RECONFIRMATION

OF

AS 1406—2004

Electroplated coatings—Nickel and chromium on plastics for decorative applications

RECONFIRMATION NOTICE

Technical Committee MT-009 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 20 March 2017.

The following are represented on Technical Committee MT-009:

Australasian Institute of Surface Finishing
Australian Chamber of Commerce and Industry
Australian Industry Group
Australian Steel Institute
Bureau of Steel Manufacturers of Australia
Galvanizers Association of Australia
Galvanizing Association of New Zealand
New Zealand Metal Roofing Manufacturers

NOTES

Australian Standard™

**Electroplated coatings—Nickel and
chromium on plastics for decorative
applications**

Originated as AS 1406—1972.
Previous edition 1982.
Third edition 2004.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 5843 6

PREFACE

This Standard was prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee MT-009, Metal Finishing, to supersede AS 1406—1982, *Electroplated coatings—Nickel and chromium on plastics for decorative applications*. After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian rather than an Australian/New Zealand Standard.

The objective of this Standard is to specify the requirements for nickel and chromium electroplating on plastics.

The objective of this revision is to introduce the service condition numbers, which relate to the corrosion categories that are specified in AS/NZS 2312.

In preparing this Standard cognizance was taken of the following Standards:

AS/NZS 2312 Guide to the protection of structural steel against atmospheric corrosion by the use of protective coating

ISO 4525 Electroplated coatings of nickel plus chromium on plastic materials

ISO 9223 Corrosion of metals and alloys—Corrosivity of atmospheres—Classification

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the appendix to which they apply. A ‘normative’ appendix is an integral part of a Standard, whereas an ‘informative’ appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	4
1.2 REFERENCED DOCUMENTS	4
1.3 DEFINITIONS	5
1.4 SERVICE CONDITION NUMBER	5
1.5 CLASSIFICATION OF COATINGS	6
1.6 CONTACT POINTS.....	7
SECTION 2 COATING REQUIREMENTS FOR NICKEL PLUS CHROMIUM	
2.1 GENERAL	8
2.2 APPEARANCE	8
2.3 ADHESION TEST	8
2.4 COATING FINISH AND THICKNESS REQUIREMENTS	8
2.5 CHROMIUM.....	9
2.6 CORROSION RESISTANCE.....	9
SECTION 3 NICKEL ALONE OR WITH TOPCOATS OTHER THAN CHROMIUM	
3.1 GENERAL	11
3.2 COATINGS APPROPRIATE TO APPLICATION GRADES.....	11
APPENDICES	
A PURCHASING GUIDELINES.....	12
B MEANS OF DEMONSTRATING COMPLIANCE WITH THIS STANDARD.....	13
C ATMOSPHERIC CORROSIVITY CATEGORIES	15

STANDARDS AUSTRALIA

Australian Standard

Electroplated coatings—Nickel and chromium on plastics for decorative applications

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard specifies requirements for electroplated coatings of nickel and nickel plus chromium on plastics for decorative applications. It also specifies requirements for coatings of nickel-iron alloys containing a maximum iron content of 25 percent, and coatings incorporating a copper undercoat. It does not preclude the use of gold, copper, brass or other metals plated over nickel.

Supplementary information to be supplied with the enquiry or order is specified in Appendix A.

NOTES:

- 1 Not all plastics may be successfully electroplated so it is recommend that the suppliers should be consulted.
- 2 Plastic items to be coated should have low residual stress. To achieve this condition, plastic mouldings, extrusions etc, may require to be stress-relieved or annealed prior to electroplating.
- 3 Guidance on the means of demonstrating compliance with the Standard is given in Appendix B.

1.2 REFERENCED DOCUMENTS

The following documents are referred to in this Standard:

AS

1199	Sampling procedure for inspection by attributes
1190.0	Part 0: Introduction to the ISO 2859 attribute sampling system
1199.1	Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection
1247	Metallic coatings—Rating of test specimens and manufactured articles subject to corrosion tests
2331	Methods of test for metallic and related coatings
2331.1.1	Method 1.1: Local thickness tests—Micrographic examinations of cross-sections
2331.1.2	Method 1.2: Local thickness tests—Coulometric method
2331.3.2	Method 3.2: Corrosion and related property tests—Acetic acid salt spray test (ASS test)
2331.3.3	Method 3.3: Corrosion and related property tests—Copper accelerated acetic acid salt spray test (CASS test)
2331.3.10	Method 3.10: Corrosion and related property tests—Cracks and pores in chromium
2331.4.2	Method 4.2: Physical tests—Ductility test
2331.4.5	Method 4.5: Physical tests—Electroplated plastics—Thermal cycling tests