

STANDARDS AUSTRALIA

RECONFIRMATION

OF

AS 2001.2.22—2006

Methods of test for textiles

Method 2.22: Physical tests—Determination of yarn slippage in woven fabric at a standard stitched seam

RECONFIRMATION NOTICE

Technical Committee TX-020 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 6 July 2016.

The following are represented on Technical Committee TX-020:

Ag Research
Australian Wool Processors Council
AWTA Textile Testing
Council of Textile and Fashion Industries of Australia
Drycleaning Institute of Australia
National Association of Testing Authorities Australia
RMIT University
The Textile Institute

NOTES

Australian Standard™

Methods of test for textiles

Method 2.22: Physical tests—Determination of yarn slippage in woven fabric at a standard stitched seam

PREFACE

This Standard was prepared by the Standards Australia Committee TX-020, Testing of Textiles, to supersede AS 2001.2.22—1986. The test method is based on but not identical with British Standard BS 3320:1988, *Method for determination of slippage resistance of yarns in woven fabrics: Seam method*.

Slippage at the seams of garments, depends on several factors such as the structure of the fabric, the type of seam and the conditions of stitching. The purpose of this test is to assess the liability to slippage of a fabric at a seam under standard conditions of seaming and testing. Seam slippage can often be minimized by the use of special types of seams and the type of seam used in the test is not necessarily the most appropriate for use in the making-up of garments.

Changes in this edition have been made to align the method with current industry practice.

METHOD

1 SCOPE

This Standard sets out a method for determining slippage of yarns in a woven fabric at a standard stitched seam.

2 APPLICATION

The method is applicable to apparel fabrics, household furnishing fabrics and upholstery fabrics. It is not applicable to certain industrial fabrics, e.g. ducks, canvas and belting.

3 REFERENCED DOCUMENTS

The following Standards are referred to in this Standard:

AS	
2001	Methods of test for textiles
2001.1	Part 1: Conditioning procedures
2193	Calibration and classification of force-measuring systems
2860	Textiles—Stitch types—Classification and terminology