

Australian Standard[®]

**Long-span corrugated steel
structures**

Part 2: Design and installation

This Australian Standard was prepared by Committee CE/25, Corrugated Metal Drainage Pipes and Arches. It was approved on behalf of the Council of Standards Australia on 13 June 1989 and published on 13 October 1989.

The following interests are represented on Committee CE/25:

Confederation of Australian Industry
Metal Trades Industry Association of Australia
National Association of Australian State Road Authorities
Railways of Australia Committee
University of Adelaide
University of Newcastle

Additional interests participating in preparation of Standard:

Main Roads Department, Queensland

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 88037.

Australian Standard[®]

**Long-span corrugated steel
structures**

Part 2: Design and installation

First published as AS 3703.2—1989.

PREFACE

This Standard was prepared by the Standards Australia Committee on Corrugated Metal Drainage Pipes and Arches.

The principal purpose of this Standard is to lay down essential requirements for the design and installation of long-span corrugated steel structures. The design and installation requirements for long-span corrugated steel structures are distinct from the requirements for the design and installation methods set out in AS 2042, *Corrugated steel pipes, pipe-arches and arches — Design and installation*.

This Standard includes technical data relating to the load-carrying capacity of these structures.

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	<i>Page</i>
SECTION 1. SCOPE AND GENERAL	
1.1 SCOPE	4
1.2 REFERENCED DOCUMENTS	4
1.3 DEFINITION	4
1.4 NOTATION	4
SECTION 2. DESIGN	
2.1 GENERAL	6
2.2 GEOMETRIC LIMITS	6
2.3 DESIGN FACTORS	6
2.4 DESIGN SOIL COMPACTION	6
2.5 DESIGN PRESSURE	7
2.6 RING COMPRESSION	7
2.7 STRESSES	7
2.8 THICKNESS	7
2.9 MINIMUM REQUIREMENTS	8
2.10 SEAM STRENGTH	8
2.11 END TREATMENT	8
SECTION 3. INSTALLATION	
3.1 GENERAL	10
3.2 ASSEMBLY	10
3.3 MINIMUM SPACING FOR MULTIPLE INSTALLATIONS	10
3.4 METHOD OF INSTALLATION	10
3.5 FOUNDATION PREPARATION	10
3.6 PLATE ASSEMBLY	10
3.7 BACKFILLING	10
3.8 FINAL STRUCTURE SHAPE	11
3.9 CORROSION PROTECTION	11
APPENDICES	
A RAILWAY M250 LIVE LOAD PLUS IMPACT PRESSURE ON THE STRUCTURE	12
B HIGHWAY T44-A14 LIVE LOAD PLUS IMPACT PRESSURE ON THE STRUCTURE	13
C REFERENCE TABLES BASED ON RAILWAY LOADING (M250)	14
D REFERENCE TABLES BASED ON HIGHWAY LOADING (T44-A14)	17
E CORROSION OF CORRUGATED METAL STRUCTURES	20

STANDARDS AUSTRALIA

Australian Standard
Long-span corrugated steel structures

Part 2: Design and installation

SECTION 1. SCOPE AND GENERAL

1.1 SCOPE. This Standard sets out requirements for a design method and the installation procedure for long-span corrugated steel structures with longitudinal stiffeners, including horizontal ellipses, inverted pear shapes, high profile arches, low profile arches, pear arches, and special shapes, having dimensions within the limits specified in Clause 2.2.

This Standard does not cover the design of longitudinal stiffeners, footings, and end stiffening collars.

NOTE: Requirements for the materials and manufacture of these structures are specified in AS 3703.1.

1.2 REFERENCED DOCUMENTS. The following documents are referred to in this Standard:

AS	
1289	Methods of testing soils for engineering purposes
1289.C4.1	Part C: Soil classification tests—Determination of the linear shrinkage of a soil (Standard method)
1289.C6.1	Part C: Soil classification tests—Determination of the particle size distribution of a soil—Standard method of analysis by sieving

1289.E1.1 Part E: Soil compaction and density tests—Determination of the dry density/moisture content relation of a soil using standard compaction—Standard method

1289.E1.2 Part E: Soil compaction and density tests—Determination of the dry density/moisture content relation of a soil using standard compaction—Subsidiary method

3703 Long-span corrugated steel structures
3703.1 Part 1: Materials and manufacture

1.3 DEFINITION. For the purpose of this Standard, the definition below applies.

Cover—the vertical distance between the top of the structure and—

- (a) pavement surface of road;
- (b) top of rail; or
- (c) top of fill where (a) and (b) are not applicable.

1.4 NOTATION The quantity symbols used in this Standard are listed in Table 1.1.