

Standards  
Association of  
Australia



# Australian Standard<sup>®</sup> 2260—1988

## PERSONAL FLOTATION DEVICES— TYPE 3

[Title allocated by Defence Cataloguing Authority: JACKET, BUOYANCY AID (NSC: 4220)]



This Australian Standard was prepared by Committee CS/60, Buoyancy Aids. It was approved on behalf of the Council of the Standards Association of Australia on 9 November 1987 and published on 4 January 1988.

---

The following interests are represented on Committee CS/60:

Association of Australian Port and Marine Authorities  
Australian Canoe Federation  
Australian Consumers' Association  
Australian Federation of Consumer Organizations Inc.  
Australian Yachting Federation  
Confederation of Australian Industry  
Department of Consumer Affairs, N.S.W.  
Department of Defence  
Department of Harbours and Marine, Qld.  
Department of Public and Consumer Affairs, S.A.  
Department of Sport and Recreation, N.S.W.  
Department of Transport and Communications  
Maritime Services Board of N.S.W.  
Metal Trades Industry Association  
Ministry of Transport, Vic.  
National Safety Council of Australia  
New South Wales Water Ski Association  
Plastics Institute of Australia Inc.  
Police Department, N.S.W.  
Royal Life Saving Society, Australia

---

*Review of Australian Standards.* To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up-to-date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all SAA publications will be found in the Catalogue of SAA Publications; this information is supplemented each month by SAA's journal 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of the Association, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

---

**AUSTRALIAN STANDARD**

**PERSONAL FLOTATION  
DEVICES—  
TYPE 3**

**AS 2260—1988**

First published 1979.  
Second edition 1984.  
Third edition 1988. /

**PUBLISHED BY THE STANDARDS ASSOCIATION OF AUSTRALIA  
STANDARDS HOUSE, 80 ARTHUR ST, NORTH SYDNEY, N.S.W.**

ISBN 0 7262 4805 3



## PREFACE

This Standard was prepared by the Association's Committee on Buoyancy Aids. It supersedes AS 2260—1984, Buoyancy Garments.

This Standard differs from the 1984 edition in that the term 'Buoyancy Garment' has been replaced by 'Personal Flotation Device—Type 3'. This terminology is broadly in line with that used in the United States and it is hoped that this will overcome the confusion in some people's minds regarding the difference between what were formerly called 'buoyancy vests' and 'buoyancy garments'. The difference is, in fact, the allowable colours rather than the styles of the two types of personal flotation devices referred to as PFD Type 2 and PFD Type 3 in AS 1499 and AS 2260 respectively.

## CONTENTS

	<i>Page</i>
<b>SECTION 1. SCOPE AND GENERAL</b>	
1.1 SCOPE ....	3
1.2 APPLICATION ....	3
1.3 REFERENCED DOCUMENTS ....	3
1.4 CLASSIFICATION ....	3
1.5 DEFINITIONS ....	3
<b>SECTION 2. MINIMUM BUOYANCY AND IN-WATER PERFORMANCE</b>	
2.1 MINIMUM BUOYANCY ....	3
2.2 IN-WATER PERFORMANCE ....	3
<b>SECTION 3. DESIGN AND CONSTRUCTION</b>	
3.1 COMMON REQUIREMENTS ....	4
3.2 ABILITY TO WITHSTAND IMPACT ....	4
3.3 SOURCE OF BUOYANCY ....	4
3.4 MARKING ....	4
<b>APPENDICES</b>	
A IN-WATER PERFORMANCE TEST FOR CHILDREN'S PFD TYPE 3s ....	5
B IN-WATER PERFORMANCE TEST FOR PFD TYPE 3s OTHER THAN CHILDREN'S PFD TYPE 3s ....	6

© Copyright — STANDARDS ASSOCIATION OF AUSTRALIA 1988

Users of Standards are reminded that copyright subsists in all SAA publications. Except where the Copyright Act otherwise allows, no part of this publication may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing of the Standards Association of Australia. Requests for permission should be directed to the Head Office of the Association. Where such requests relate to the reproduction of the whole or a substantial part of any Standard, permission may be conditional on an appropriate royalty payment.

# STANDARDS ASSOCIATION OF AUSTRALIA

## Australian Standard

### PERSONAL FLOTATION DEVICES—TYPE 3

#### SECTION 1. SCOPE AND GENERAL

**1.1 SCOPE.** This Standard specifies requirements for personal flotation devices intended for use in supervised situations to assist flotation during short-term immersion in water during daylight hours.

**1.2 APPLICATION.** This Standard applies to personal flotation devices which are intended to be used by water skiers and other people who may be at risk of short-term immersion where assistance is immediately on hand.

NOTE: Statutory Marine Authorities have regulations covering pleasure boating and related activities including the type of PFDs which need to be worn or carried on board when using various waterways.

**1.3 REFERENCED DOCUMENTS.** The following Standards are referred to in this Standard:

AS 1499 Personal Flotation Devices—Type 2.

AS 1512 Personal Flotation Devices—Type 1.

AS 2259 General Requirements for Buoyancy Aids.

#### 1.4 CLASSIFICATION.

**1.4.1 Type.** Personal flotation devices shall be classified according to the level of protection that they offer the wearer, as follows:

PFD Type 1 Previously known as lifejackets—specified in AS 1512.

PFD Type 2 Previously known as buoyancy vests—specified in AS 1499.

PFD Type 3 Previously known as buoyancy garments—specified in this Standard.

**1.4.2 Body mass.** Inherently buoyant personal flotation devices shall be classified in terms of the minimum buoyancy deemed to be adequate for intended wearers, within the ranges of body mass as follows:

Body mass 35 kg and over.

Body mass 25 kg to 40 kg.

Body mass 15 kg to 30 kg.

Body mass 10 kg to 20 kg.

NOTE: Because of the difficulties in design and testing, this Standard does not include personal flotation devices for body mass below 10 kg.

Personal flotation devices in the two lower ranges of body mass shall be considered to be 'children's personal flotation devices'.

**1.5 DEFINITIONS.** For the purpose of this Standard the definitions below apply.

**1.5.1 Buoyancy aid**—a device designed to assist a person to float in water.

**1.5.2 Personal Flotation Device (PFD)**—A buoyancy aid which is worn on the body.

**1.5.3 Confident in the water**—capable of entering the water without panicking, becoming alarmed or becoming rigid.

#### SECTION 2. MINIMUM BUOYANCY AND IN-WATER PERFORMANCE

**2.1 MINIMUM BUOYANCY.** When determined in the manner described in Appendix A of AS 2259, the buoyancy of a PFD Type 3 shall not be less than the following:

<i>Body mass</i>	<i>Buoyancy</i>
35 kg and over .....	40 N
25 kg to 40 kg .....	31 N
15 kg to 30 kg .....	22 N
10 kg to 20 kg .....	16 N

#### 2.2 IN-WATER PERFORMANCE.

**2.2.1 Children's PFD Type 3s.** When tested in accordance with Appendix A, a child's PFD Type 3 shall support the wearer in the water with the wearer's mouth clear of the water. There shall be no tendency to tip the wearer forward from the vertical.

**2.2.2 Other PFD Type 3s.** When tested in accordance with Appendix B, a PFD Type 3 other than a child's PFD Type 3, shall support the wearer in the water with the wearer's mouth clear of the water. There shall be no tendency to tip the wearer forward from the vertical.