

Australian Standard™

Fire detection and alarm systems

**Part 7: Point-type smoke detectors
using scattered light, transmitted light
or ionization
(ISO 7240-7:2003, MOD)**

This Australian Standard was prepared by Committee FP-002, Fire Detection, Warning, Control and Intercom Systems. It was approved on behalf of the Council of Standards Australia on 1 December 2003 and published on 16 April 2004.

The following are represented on Committee FP-002:

Audio Engineering Society
Australasian Fire Authorities Council
Australian Building Codes Board
Australian Chamber of Commerce and Industry
Australian Electrical and Electronic Manufacturers Association
Australian Government Analytical Laboratories, Scientific Services Laboratory
Australian Industry Group
Australian Institute of Building Surveyors
Deafness Forum of Australia
Department of Defence (Australia)
Fire Protection Association Australia
Institute of Security Executives
National Electrical and Communications Association
Property Council of Australia

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

This Standard was issued in draft form for comment as DR 03324 CP.

Australian Standard™

Fire detection and alarm systems

Part 7: Point-type smoke detectors using scattered light, transmitted light or ionization (ISO 7240-7:2003, MOD)

First published as AS 7240.7—2004.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 5718 9

PREFACE

This Standard was prepared by the Standards Australia Committee FP-002, Fire Detection, Warning, Control and Intercom Systems to supersede AS 1603.1—1997, *Automatic fire detection and alarm systems*, Part 1: *Heat detectors*. The Committee intends to withdraw AS 1603.1—1997 five years after the publication of this Standard.

This Standard has been adopted with national modifications and reproduced from ISO 7240-7:2003, *Fire detection and fire alarm systems*, Part 7: *Point-type smoke detectors using scattered light, transmitted light or ionization*. A modification for Australian conditions is the addition of the indicator visibility requirement of AS 2362.25. The variations are set out in Annex ZA.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown only on the cover and title page.
- (b) In the source text ‘this International Standard’ should read ‘this Australian Standard’.
- (c) A full point should be substituted for a comma when referring to a decimal marker.

References to International standards should be replaced by references to Australian Standards as follows:

<i>References to International Standard or other Publication</i>		<i>Australian/New Zealand Standard</i>	
IEC		AS	
60068	Environmental testing	60068	Environmental testing
60068-1	Part 1: General and guidance	60068.1	General and guidance
60068-2-1	Part 2: Tests. Test A: Cold	60068.2.1	Tests-Test A: Cold
60068-2-2	Part 2: Tests. Test B: Dry heat	60068.2.2	Tests-Test B: Dry heat
60068-2-6	Part 2: Tests. Test Fc: Vibration (sinusoidal)	60068.2.6	Tests-Test Fc: Vibration (sinusoidal)
60068-2-27	Part 2: Tests. Test Ea and guidance: Shock	60068.2.27	Tests-Tests Ea and guidance: Shock
60068-2-78	Part 2: Tests. Test Cab: Damp heat, steady state	60068.2.78	Tests- Test Cab: Damp heat, steady state

The term ‘normative’ and ‘informative’ are used in this Standard to define the application of the annex to which they apply. A ‘normative’ annex is an integral part of a standard, whereas an ‘informative’ annex is only for information and guidance.

CONTENTS

Introduction	v
1 Scope.....	1
2 Normative references	1
3 Terms and definitions	2
4 General requirements	2
4.1 Compliance	2
4.2 Individual alarm indication.....	2
4.3 Connection of ancillary devices	3
4.4 Monitoring of detachable detectors	3
4.5 Manufacturer's adjustments	3
4.6 On-site adjustment of response behaviour.....	3
4.7 Protection against the ingress of foreign bodies	3
4.8 Response to slowly developing fires	3
4.9 Marking.....	4
4.10 Data.....	4
4.11 Requirements for software-controlled detectors.....	5
5 Tests	6
5.1 General	6
5.2 Repeatability	8
5.3 Directional dependence.....	9
5.4 Reproducibility	9
5.5 Variation in supply parameters	10
5.6 Air movement	10
5.7 Dazzling.....	11
5.8 Dry heat (operational)	12
5.9 Cold (operational)	12
5.10 Damp heat, steady state (operational)	13
5.11 Damp heat, steady state (endurance)	14
5.12 Sulfur dioxide (SO₂) corrosion (endurance)	15
5.13 Shock (operational).....	16
5.14 Impact (operational).....	17
5.15 Vibration, sinusoidal, (operational).....	18
5.16 Vibration, sinusoidal (endurance)	19
5.17 Electromagnetic compatibility (EMC) immunity tests (operational)	20
5.18 Fire sensitivity	20
6 Test report.....	22
Annex A (normative) Smoke tunnel for response threshold value measurements	23
Annex B (normative) Test aerosol for response threshold value measurements.....	24
Annex C (normative) Smoke-measuring instruments	25
Annex D (normative) Apparatus for dazzling test.....	29
Annex E (normative) Apparatus for impact test.....	30
Annex F (normative) Fire test room.....	32
Annex G (normative) Smouldering (pyrolysis) wood fire (TF2).....	34
Annex H (normative) Glowing smouldering cotton fire (TF3).....	37

Annex I (normative) Flaming plastics (polyurethane) fire (TF4)	39
Annex J (normative) Flaming liquid (<i>n</i>-heptane) fire (TF5)	41
Annex K (informative) Information concerning the construction of the smoke tunnel	43
Annex L (informative) Compensation for detector drift	45
Annex M (informative) Information concerning the construction of the measuring ionization chamber	49
ANNEX ZA (normative) VARIATIONS TO ISO 7240-7 FOR AUSTRALIAN CONDITIONS	51

INTRODUCTION

This part of ISO 7240, drawn up by ISO/TC 21/SC 3, is based on a draft prepared by the European Committee for Standardization's CEN/TC 72, *Automatic fire detection systems*.

A fire detection and alarm system is required to function satisfactorily not only in the event of fire, but also during and after exposure to conditions likely to be met in practice, including corrosion, vibration, direct impact, indirect shock and electromagnetic interference. Specific tests are intended to assess the performance of the smoke detectors under such conditions.

This part of ISO 7240 is not intended to place any other restrictions on the design and construction of such detectors.

NOTES

AUSTRALIAN STANDARD

Fire detection and alarm systems

Part 7:

Point-type smoke detectors using scattered light, transmitted light or ionization (ISO 7240-7:2003, MOD)

1 Scope

This part of ISO 7240 specifies requirements, test methods and performance criteria for point-type smoke detectors that operate using scattered light, transmitted light or ionization, for use in fire detection and alarm systems installed in buildings.

For the testing of other types of smoke detectors, or smoke detectors working on different principles, this part of ISO 7240 can be used only for guidance. Smoke detectors with special characteristics, developed for specific risks, are not covered.

NOTE Certain types of detector contain radioactive materials. The national requirements for radiation protection differ from country to country and are not specified in this part of ISO 7240.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 209-1, *Wrought aluminium and aluminium alloys — Chemical composition and forms of products — Part 1: Chemical composition*

ISO 7240-1, *Fire detection and alarm systems — Part 1: General and definitions*

IEC 60068-1, *Environmental testing — Part 1: General and guidance*

IEC 60068-2-1, *Environmental testing — Part 2: Tests. Tests A: Cold*

IEC 60068-2-2, *Environmental testing — Part 2: Tests. Tests B: Dry heat*

IEC 60068-2-6, *Environmental testing — Part 2: Tests. Test Fc: Vibration (sinusoidal)*

IEC 60068-2-27, *Environmental testing — Part 2: Tests. Test Ea and guidance: Shock*

IEC 60068-2-42, *Environmental testing — Part 2: Tests. Test Kc: Sulphur dioxide test for contacts and connections*

IEC 60068-2-78, *Environmental testing — Part 2: Tests. Test Cab: Damp heat, steady state*

EN 50130-4, *Alarm systems — Part 4: Electromagnetic compatibility — Product family standard: Immunity requirements for components of fire, intruder and social alarm systems*