

Australian Standard™

**Commercial road vehicles—Mechanical
connections between towing vehicles
Part 2: 50 mm pin-type couplings and
drawbar eyes**



This Australian Standard was prepared by Committee ME-053, Heavy Road Vehicles. It was approved on behalf of the Council of Standards Australia on 29 June 2001 and published on 6 August 2001.

The following interests are represented on Committee ME-053:

Australian Automobile Association
Australian Automotive Aftermarket Association
Australian Road Transport Suppliers Association
Australian Trucking Association
AUSTROADS
Commercial Vehicle Industry Association of Australia
Commonwealth Department of Transport and Regional Services (Australia)
Department of Defence (Australia)
Federal Chamber of Automotive Industries
Institute of Road Transport Engineers, New Zealand
Land Transport Safety Authority, New Zealand
National Road Transport Commission
New Zealand Heavy Haulage Association
New Zealand Heavy Transport Wheel Aligners Association
New Zealand Truck and Trailer Manufacturers Federation
Road Transport Forum, New Zealand
Society of Automotive Engineers, Australasia
Transport W.A.

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Australia web site at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Australian Standard*, has a full listing of revisions and amendments published each month.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.com.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

Australian Standard™

**Commercial road vehicles—Mechanical
connections between towing vehicles
Part 2: 50 mm pin-type couplings and
drawbar eyes**

Originated as part of AS 2213—1978.
Previous edition AS 2213.2—1998.
Second edition 2001.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 3605 X

PREFACE

This Standard was prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee ME-053, Heavy Road Vehicles to supersede, AS 2213.2—1998, *Commercial road vehicles—Mechanical connections between towing vehicles, Part 2: 50 mm pin-type couplings and drawbar eyes*. After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian, rather than an Australian/New Zealand Standard.

The objective of this Standard is to provide the dimensions of 50 mm pin-type couplings and 50 mm drawbar eyes to permit interchangeability between towing vehicles and trailers fitted with these couplings.

This Standard is identical with and has been reproduced from ISO 1102:1986, *Commercial road vehicles—Mechanical connections between towing vehicles and trailers—50 mm drawbar coupling*.

The objective of this revision is to incorporate the correction amendment, AS 2213.2—1998 Amendment 1:1998 into the Standard.

This Standard is Part 2 of AS 2213, *Commercial road vehicles—Mechanical connections between towing vehicles*, which deals with the design and manufacture of mechanical couplings and which is published in parts as follows:

Part 1: Selection and marking of pin-type couplings and drawbar eyes

Part 2: 50 mm pin-type couplings and drawbar eyes (this Standard)

Part 3: 40 mm pin-type couplings and drawbar eyes

Part 4: Strength test for pin-type couplings and drawbar eyes for rigid drawbars

Part 5: Strength test for pin-type couplings and drawbar eyes for hinged drawbars

As this Standard is reproduced from an international Standard, the following applies:

- (a) Its number appears on the cover and title page while the International Standard number appears only on the cover.
- (b) In the source text, 'this International Standard' should read 'this Australian Standard'.
- (c) A full point substitutes for a comma when referring to a decimal marker.
- (d) In the source text 'drawbar coupling' should read 'pin-type coupling'.
- (e) In the source text Figure 4 shows two independent methods of vertical articulation.
- (f) In the source text Figure 5 shows two independent methods of rotation articulation.

References to International Standards should be replaced by references, where appropriate, to the following Australian Standards, as follows:

<i>Reference to International Standard</i>	<i>Australian Standard</i>
ISO	AS
3584 Road vehicles—Mounting of mechanical coupling devices on rear cross members of trucks	—
8755 Commercial road vehicles—Mechanical connections between towing vehicles and trailers—40 mm drawbar couplings	2213 Commercial road vehicles—Mechanical connections between towing vehicles 2213.3 Part 3: 40 mm pin-type couplings and drawbar eyes

AUSTRALIAN STANDARD

Commercial road vehicles—Mechanical connections between towing vehicles

Part 2: 50 mm pin-type couplings and drawbar eyes

1 Scope and field of application

This International Standard specifies the essential dimensions of a 50 mm drawbar coupling and a 50 mm drawbar eye to permit interchangeability between towing vehicles and trailers equipped with these connections.

These mechanical connections are not interchangeable with the 40 mm couplings specified in ISO 8755.

This International Standard applies to mechanical connections designed for commercial vehicles and trailers, the maximum total mass of which is above 3,5 t.

NOTE — Terms relating to drawbar couplings are illustrated in the annex (figures 6, 7 and 8) in order to avoid misunderstandings.

2 Reference

ISO 3584, *Road vehicles — Mounting of mechanical coupling devices on rear cross members of trucks.*

3 Interchangeability dimensions

The following specifications are set to ensure interchangeability:

- drawbar eye (see 3.1);
- travel angles of the drawbar coupling (see 3.2).

NOTES

- 1 Dimensions for mounting of drawbar couplings on the rear cross members of towing vehicles are given in ISO 3584.
- 2 Dimensions to ensure operating clearance between towing vehicles and trailers will form the subject of a future International Standard.

3.1 Drawbar eye

The dimensional data of the drawbar eye ensuring interchangeability are given in figure 1. (Details not specified are left to the manufacturer's choice.)

The use of a sleeve is recommended to minimize damage to the inside of the eye, the sleeve being easily replaced when worn out.

Dimensions of the fitted sleeve are specified in figure 2. Installation of a non-slotted sleeve shall be such that it does not work loose during service.

3.2 Travel angles of the drawbar coupling

The drawbar coupling tested separately, i.e. not mounted on the towing vehicle, shall be designed so that it allows for the travel angles specified in figures 3, 4 and 5, when the drawbar is fixed to the drawbar coupling.