

Australian Standard™

Meters for water supply

**Part 5: Water meters with two integral
single check valves**

This Australian Standard was prepared by Committee WS-024, Meters for Cold Potable Water. It was approved on behalf of the Council of Standards Australia on 1 March 2004 and published on 23 April 2004.

The following are represented on Committee WS-024:

Australian Chamber of Commerce and Industry
Australian Electrical and Electronic Manufacturers Association
Australian Industry Group
Australian Institute of Refrigeration Air Conditioning and Heating (Inc)
National Standards Commission
Water Services Association of Australia

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

This Standard was issued in draft form for comment as DR 02386.

Australian Standard™

Meters for water supply

Part 5: Water meters with two integral single check valves

Originated as part of AS 3565.3—1998.
Revised and redesignated in part as AS 3565.5—2004.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 5873 8

PREFACE

This Standard was prepared by the Standards Australia Committee, WS-024, Meters for Cold Potable Water. It supersedes AS 3565.3 in part following a decision of the committee WS-024 to publish the requirements for water meters which incorporate two integral single check valves in a new Part 5. It is to be used in conjunction with AS 3565.3.

The objective of this Standard is to provide manufacturers with the requirements for water meters incorporating two integral single check valves.

This Standard is Part 5 of the following series:

AS

3565	Meters for water supply
3565.1	Part 1: Cold water meters
3565.2	Part 2: Combination meters
3565.3	Part 3: Water meters with integral dual check valves
3565.4	Part 4: In-service compliance testing
3565.5	Part 5: Water meters with two integral single check valves (this Standard)

The term 'normative' has been used in this Standard to define the application of the appendix to which it applies. A 'normative' appendix is an integral part of a Standard.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	4
1.2 REFERENCED DOCUMENTS	4
1.3 DEFINITIONS	5
1.4 DESIGNATION OF SIZE	5
1.5 DESIGNATION OF CAPACITY	5
1.6 DIMENSIONS AND TOLERANCES	5
1.7 MARKING	5
1.8 AUSTRALIAN WATER AGENCIES—COMPLIANCE REQUIREMENTS.....	5
SECTION 2 MATERIALS AND COMPONENTS	
2.1 GENERAL	6
2.2 STRAINERS	6
2.8 SINGLE CHECK VALVES	6
SECTION 3 PERFORMANCE REQUIREMENTS	
3.1 GENERAL	7
3.2 ULTRAVIOLET LIGHT EXPOSURE.....	7
3.3 TORQUE RESISTANCE OF THREADED END CONNECTIONS	7
3.4 WATERTIGHTNESS.....	7
3.5 PRESSURE LOSS.....	7
3.6 MAXIMUM ERROR OF MEASUREMENT	7
3.7 REVERSE PRESSURE.....	7
3.8 SINGLE CHECK VALVE CLOSING PRESSURE.....	7
3.9 METER ENDURANCE.....	7
3.10 SINGLE CHECK VALVE ENDURANCE.....	7
SECTION 4 PERFORMANCE TESTS.....	8
APPENDIX A MEANS FOR DEMONSTRATING COMPLIANCE WITH THIS STANDARD	9

STANDARDS AUSTRALIA

Australian Standard
Meters for water supply

Part 5: Water meters with two integral single check valves

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard specifies requirements for volumetric, multi-jet, and single-jet meters incorporating two integral single check valves for low hazard protection of potable water supply.

Water meters with integral single check valves are intended for installation in water services to measure, within the accuracy limits of the class, the volume of cold potable water at working temperatures in the ranges of 0.3°C to 30°C and pressures not exceeding 1400 kPa, respectively.

This Standard is applicable to meters that are self-contained and capable of continuously determining, within the accuracy limits of the class, the volume of cold potable water that has flowed through them, and that are continuously indicating the volume on a cumulative basis.

Means for demonstrating compliance with this Standard are given in Appendix A.

NOTE: Purchasing guidelines are given in AS 3565.1.

1.2 REFERENCED DOCUMENTS

The following documents are referred to in this Standard.

AS

- | | |
|--------|---|
| 2345 | Dezincification resistance of copper alloys |
| 3565 | Meters for water supply |
| 3565.1 | Part 1: Cold water meters |
| 3565.3 | Part 3: Meters with integral dual check valves. |

AS/NZS

- | | |
|--------|--|
| 2845 | Water supply—Backflow prevention devices |
| 2845.1 | Part 1: Materials, design and performance requirements |
| 2845.3 | Part 3: Field testing and maintenance |

4020	Materials in contact with drinking water
------	--

HB 18.28	Guidelines for third-party certification and accreditation—Guide 28—General rules for a model third-party certification system for products
-------------	---

NSC

- | | |
|-------|--|
| R49 | Water meters intended for the metering of cold potable water |
| R49.1 | Part 1: Metrological and technical requirements |