

Australian/New Zealand Standard™

**Household and similar electrical
appliances—Safety**

**Part 2.40: Particular requirements for
electrical heat pumps, air-conditioners
and dehumidifiers**



AS/NZS 60335.2.40:2015

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-002, Safety of Household and Similar Electrical Appliances and Small Power Transformers. It was approved on behalf of the Council of Standards Australia on 16 October 2015 and on behalf of the Council of Standards New Zealand on 6 November 2015.

This Standard was published on 30 November 2015.

The following are represented on Committee EL-002:

Australian Industry Group
National Retailers Association (Australia)
Business New Zealand
Consumer Electronic Suppliers Association, Australia
Consumers' Federation of Australia
Electrical Regulatory Authorities, Australia
Electrical consultants
Engineers Australia
JAS-ANZ
Testing Interests New Zealand
WorkSafe, New Zealand
New Zealand Electric Fence Energizer Manufacturers' Standards Group

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR 15901.

Australian/New Zealand Standard™

Household and similar electrical appliances—Safety

Part 2.40: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers

Originated in Australia as AS C179—1970.
Originated in New Zealand as NZS/AS 3179—1986.
Jointly revised and designated AS/NZS 3179—1993.
Revised and designated AS/NZS 3350.2.40:1997.
Second edition AS/NZS 3350.2.40:2001.
Jointly revised and redesignated AS/NZS 60335.2.40:2006.
Jointly revised and redesignated AS/NZS 60335.2.40:2015.

COPYRIGHT

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140.

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

AS/NZS 60335.2.40:2015**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –****Part 2.40: Particular requirements for electrical heat pumps, air-conditioners and
dehumidifiers****Foreword**

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-002- Safety of Household and Similar Electrical Appliances and Small Power Transformers to supersede AS/NZS 60335.2.40:2006 five years from the date of publication. During this period it is anticipated that regulatory authorities will approve electrical heat pumps, air-conditioners and dehumidifiers to either standard.

The principal changes in this edition as compared with the 2006 edition of AS/NZS 60335.2.40 and its amendments are as follows (minor changes are not listed).

- 3.127 and 3.128 – added new definitions;
- 5.10 – length of refrigerant lines now specified for testing;
- 7.1 – changed marking requirements for flammable refrigerants;
- 8.1.5 – added requirement to clarify the placement of installation panels during testing;
- 11.2.1 – clarification of test procedure;
- 19 – (whole clause) – replaced in its entirety;
- 21.2 – added new coverage for vibration considerations during transport;
- 22.46 – added clarification for PEC;
- 22.118 – added coverage for use of mechanical connectors indoors when employing flammable refrigerants;
- 32 – made this section of Part 1 applicable;
- Annex FF2.4 – revised calculation for calculating volume (V);
- Annex FF2.5 – revision of allowable concentration of flammable refrigerant gas;
- Annex GG8 – new coverage added;
- Annex HH – added informative annex.

The objective of this Standard is to provide manufacturers, designers, regulatory authorities, testing laboratories and similar organizations with safety requirements designed to give the user protection against hazards that might occur during normal operation and abnormal operation of the appliance and which may be used as the basis for approval for sale or for connection to the electricity supply mains in Australia and New Zealand

The text of IEC 60335-2-40 Ed 5, prepared by IEC Technical Committee SC 61D, was submitted to the Standards Australia/Standards New Zealand Combined Procedure (dual public comment and committee vote) for adoption of the IEC standard as a Standards Australia/Standards New Zealand joint standard.

This Standard is an adoption with national modifications of the fifth edition of IEC 60335-2-40, *Household and similar electrical appliances – Safety – Part 2-40: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers*. It has been varied as indicated to take account of Australian and New Zealand conditions.

This part 2 has to be used in conjunction with the latest edition of AS/NZS 60335.1 Household and similar electrical appliances – Safety – Part 1: General requirements and its Amendments. It was established on the basis of AS/NZS 60335.1:2011.

This part 2 supplements or modifies the corresponding clauses of AS/NZS 60335.1 so as to convert it into the Australian/New Zealand Standard: Safety requirements for electrical heat pumps, air-conditioners and dehumidifiers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text of Part 1 is to be adapted accordingly.

NOTE 1 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.;
- subclauses, notes and annexes that are additional to those in the IEC standard are prefixed with the letters AZ.

NOTE 2 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3.

p NOTE 3 In this document, p is used in the margin to indicate instructions for preparing a consolidated version.

The essential safety requirements in AS/NZS 3820¹ that could be applicable to requirements for electrical heat pumps, air-conditioners and dehumidifiers are covered by this standard.

The national variations to IEC 60335-2-40 Ed 5 form the Australian and New Zealand national variations for purposes of the IECCE scheme for recognition of results of testing to standards for safety of electrical equipment (the CB scheme).

¹ AS/NZS 3820 *Essential safety requirements for electrical equipment*

The text of the International Standard IEC 60335-2-40 Ed 5 was approved as a joint Australia/New Zealand Standard with the agreed national variations as given below.

AUSTRALIAN NATIONAL VARIATIONS

There are no national variations to this Part 2 other than those listed in the national variations in AS/NZS 60335.1:2011.

NEW ZEALAND NATIONAL VARIATIONS

There are no national variations to this Part 2 other than those listed in the national variations in AS/NZS 60335.1:2011.

**Annex ANZ
(normative)**

**Normative references to international publications with their corresponding joint
Australia/New Zealand publications**

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by national variations the relevant joint Australia/New Zealand publications applies if the national variations are needed to ensure the safety of the appliance for Australia/New Zealand conditions. These international publications are indicated by (mod). If an international publication is not so indicated, then either it or the listed Australia/New Zealand publication may be used.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>AS/NZS</u>	<u>Year</u>
IEC 60068-2-52		<i>Environmental testing – Part 2: Tests – Test Kb: Salt mist, cyclic (sodium, chloride solution)</i>		
IEC 60079-14:		<i>Explosive atmospheres – Part 14: Electrical installations design, selection and erection</i>	60079.14	
IEC 60079-15:	2010	<i>Explosive atmospheres – Part 15: Equipment protection by type of protection "n"</i>	60079.15	2011
IEC 60335-2-34:	2012	<i>Household and similar electrical appliances – Safety – Part 2-34: Particular requirements for motor-compressors</i>	60335.2.34 Amendment 1	2013 2015
IEC 60335-2-51		<i>Household and similar electrical appliances – Safety – Part 2-51: Particular requirements for stationary circulation pumps for heating and service water installations</i>	60335.2.51	
ISO 817:	2005	<i>Refrigerants – Designation system</i>		
ISO 5149:	1993	<i>Mechanical refrigerating systems used for cooling and heating – Safety requirements</i>		
ISO 7010:	2011	<i>Graphic Symbols – Safety colours and safety signs – Registered safety signs</i>		
ISO 14903		<i>Refrigerating systems and heat pumps – Qualification of tightness of components and joints</i>		
ANSI/ASHRAE 34:	2010	<i>Designation and safety classification of refrigerants</i>		
ASTM D4728-01:	2010	<i>Standard Test Method for Random Vibration Testing of Shipping Containers</i>		

NOTES

CONTENTS

FOREWORD.....	5
INTRODUCTION	8
1 Scope.....	9
2 Normative references.....	10
3 Terms and definitions.....	11
4 General requirement	14
5 General conditions for the tests.....	14
6 Classification	15
7 Marking and instructions.....	15
8 Protection against access to live parts	18
9 Starting of motor-operated appliances	18
10 Power input and current	18
11 Heating.....	19
12 Void	24
13 Leakage current and electric strength at operating temperature.....	24
14 Transient overvoltages.....	25
15 Moisture resistance.....	25
16 Leakage current and electric strength	26
17 Overload protection of transformers and associated circuits.....	26
18 Endurance	26
19 Abnormal operation.....	26
20 Stability and mechanical hazards	31
21 Mechanical strength.....	31
22 Construction.....	32
23 Internal wiring	36
24 Components.....	36
25 Supply connection and external flexible cords.....	37
26 Terminals for external conductors.....	37
27 Provision for earthing.....	37
28 Screws and connections.....	37
29 Clearances, creepage distances and solid insulation	37
30 Resistance to heat and fire	38
31 Resistance to rusting	38
32 Radiation, toxicity and similar hazards	38
Annexes	42
Annex D (normative) Thermal motor protectors.....	42
Annex I (normative) Motors having basic insulation that is inadequate for the rated voltage of the appliance	42
Annex AA (informative) Examples for operating temperatures of the appliance	43
Annex BB (normative) Selected information about refrigerants	45

Annex CC (informative) Transportation, marking and storage for units that employ flammable refrigerants	47
CC.1 Transport of equipment containing flammable refrigerants.....	47
CC.2 Marking of equipment using signs.....	47
CC.3 Disposal of equipment using flammable refrigerants	47
CC.4 Storage of equipment/appliances.....	47
CC.5 Storage of packed (unsold) equipment	47
Annex DD (normative) Instruction manual for servicing refrigerant containing appliances.....	48
DD.1 Symbols.....	48
DD.2 Information in manual.....	48
DD.2.1 General.....	48
DD.2.2 Unventilated areas	49
DD.2.3 Qualification of workers	49
DD.3 Information on servicing.....	49
DD.3.1 Checks to the area.....	49
DD.3.2 Work procedure	49
DD.3.3 General work area.....	49
DD.3.4 Checking for presence of refrigerant	49
DD.3.5 Presence of fire extinguisher	50
DD.3.6 No ignition sources	50
DD.3.7 Ventilated area	50
DD.3.8 Checks to the refrigeration equipment	50
DD.3.9 Checks to electrical devices	50
DD.4 Repairs to sealed components.....	51
DD.5 Repair to intrinsically safe components	51
DD.6 Cabling	51
DD.7 Detection of flammable refrigerants.....	51
DD.8 Leak detection methods.....	52
DD.9 Removal and evacuation.....	52
DD.10 Charging procedures.....	53
DD.11 Decommissioning.....	53
DD.12 Labelling	54
DD.13 Recovery.....	54
Annex EE (normative) Pressure tests	55
EE.1 General.....	55
EE.2 Pressure test value determined under testing carried out in Clause 11	55
EE.3 Pressure test value determined under testing carried out in Clause 19	55
EE.4 Pressure test value determined under testing carried out under standstill conditions	55
EE.5 Fatigue test option for Clauses EE.1 and EE.4.1	56
Annex FF (normative) Leak simulation tests	58
FF.1 General.....	58
FF.2 Test methods.....	58
Annex GG (normative) Charge limits, ventilation requirements and requirements for secondary circuits.....	60
GG.1 General.....	60
GG.2 Requirements for charge limits in unventilated areas	61
GG.3 Requirements for charge limits in areas with mechanical ventilation	61

GG.4	Requirements for mechanical ventilation within the appliance enclosure	62
GG.5	Requirements for mechanical ventilation for rooms complying with ISO 5149.....	62
GG.6	Requirements for refrigeration systems employing secondary heat exchangers	63
GG.7	Additional testing	64
GG.8	Non fixed factory sealed single package units with a charge amount of $m_1 < M \leq 2 \times m_1$	64
Annex HH (informative)	Competence of service personnel	69
HH.1	General.....	69
HH.2	Training	69
Bibliography.....		72
Figure 101a	– Upflow application	39
Figure 101b	– Downflow application	40
Figure 101	– Arrangement for heating test of appliances with supplementary heater.....	40
Figure 102	– Supply circuit for locked-rotor test of a motor of the single-phase type – Revise as needed for three-phase test.....	41
Figure GG.1	– Unventilated area.....	67
Figure GG.2	– Mechanical ventilation	68
Figure GG.3	– Isosceles triangle arrow test gauge.....	68
Figure GG.4	– Measurement of vibration amplitude.....	68
Table 3	– Temperature limits (1 of 3).....	22
Table BB.1	– Selected information about refrigerants.....	45
Table GG.1	– Mass of refrigerants.....	60
Table GG.2	– Appliance with packaging.....	65
Table GG.3	– Appliance without packaging	65
Table GG.4	– Maximum charge (kg) (see Note 2 of Clause GG.2)	66
Table GG.5	– Minimum room area (m ²) (see Note 2 of Clause GG.2)	67

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –****Part 2-40: Particular requirements for electrical heat pumps,
air-conditioners and dehumidifiers**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60335 has been prepared by subcommittee 61D: Appliances for air-conditioning for household and similar purposes, of IEC technical committee 61: Safety of household and similar electrical appliances.

This fifth edition cancels and replaces the fourth edition published in 2002, its Amendment 1 (2005), its Amendment 2 (2005) and its Corrigendum 1 (2006). It constitutes a technical revision.

The principal changes in this edition as compared with the fourth edition are as follows (minor changes are not listed):

- 3.127 and 3.128 – added new definitions;
- 5.10 – length of refrigerant lines now specified for testing;
- 7.1 – changed marking requirements for **flammable refrigerants**;

- 8.15 – added requirement to clarify the placement of installation panels during testing;
- 11.2.1 – clarification of test procedure;
- 19 – (whole clause) – replaced in its entirety;
- 21.2 – added new coverage for vibration considerations during transport;
- 22.46 – added clarification for PEC;
- 22.118 – added coverage for use of mechanical connectors indoors when employing **flammable refrigerants**;
- 32 – made this section of Part 1 applicable;
- Annex FF2.4 – revised calculation for calculating volume (V);
- Annex FF2.5 – revision of allowable concentration of flammable refrigerant gas;
- Annex GG8 – new coverage added;
- Annex HH – added informative annex.

The text of this standard is based on the following documents:

FDIS	Report on voting
61D/213/FDIS	61D/220/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electrical heat pumps, air-conditioners and dehumidifiers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and associated noun are also in bold.

The following differences exist in the countries indicated below:

- 6.1: Class 0I appliances are allowed (Japan).
- 11.8: The temperature of the wooden walls in the test casing is limited to 85 °C (Sweden).

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-40: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers

1 Scope

This clause of Part 1 is replaced by the following.

This part of IEC 60335 deals with the safety of electric **heat pumps**, including **sanitary hot water heat pumps**, **air-conditioners**, and **dehumidifiers** incorporating motor-compressors and hydronic room **fan coils**, their maximum **rated voltages** being not more than 250 V for single phase appliances and 600 V for all other appliances.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard.

This standard also applies to electric **heat pumps**, **air conditioners** and **dehumidifiers** containing **flammable refrigerant**. **Flammable refrigerants** are defined in 3.121.

The appliances referenced above may consist of one or more factory made assemblies. If provided in more than one assembly, the separate assemblies are to be used together, and the requirements are based on the use of matched assemblies.

NOTE 101 A definition of 'motor-compressor' is given in IEC 60335-2-34, which includes the statement that the term motor-compressor is used to designate either a hermetic motor-compressor or semi-hermetic motor-compressor.

NOTE 102 Requirements for refrigeration safety are covered by ISO 5149, and requirements for containers intended for storage of the heated water included in **sanitary hot water heat pumps** are, in addition, covered by IEC 60335-2-21.

This standard does not take into account chemicals other than group A1, A2, or A3 as defined by ANSI/ASHRAE 34 [ISO 817] classification.

This standard specifies particular requirements for the use of **flammable refrigerants**. Unless specifications are covered by this standard, including the annexes, requirements for refrigerating safety are covered by ISO 5149.

The sections and clauses in ISO 5149 of particular concern to this standard are as follows:

- Section 3: "Design and construction of equipment" applies to all appliances and systems.
- Section 4: "Requirements for utilization" applies to appliances and systems which are for "similar electrical appliances", i.e. commercial and light industrial.
- Section 5: "Operating procedures" applies to appliances and systems which are for "similar electrical appliances", i.e. commercial and light industrial.

Supplementary heaters, or a provision for their separate installation, are within the scope of this standard, but only heaters which are designed as a part of the appliance package, the controls being incorporated in the appliance.