

Australian/New Zealand Standard™

Occupational noise management

Part 4: Auditory assessment



AS/NZS 1269.4:2005

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee AV-003, Acoustics, Human Effects. It was approved on behalf of the Council of Standards Australia on 27 January 2005 and on behalf of the Council of Standards New Zealand on 11 February 2005.
This Standard was published on 6 April 2005.

The following are represented on Committee AV-003:

Association of Australian Acoustical Consultants
Association of Consulting Engineers Australia
Australian Acoustical Society
Australian Chamber of Commerce and Industry
National Acoustic Laboratories
Department of Consumer & Employment Protection, WorkSafe Division, W.A.
Department of Labour, New Zealand
N.S.W. Rural Fire Service
New South Wales Nurses Association
New Zealand Audiological Society
Royal Institution of Naval Architects
Safety Institute of Australia (Incorporated)
Victorian WorkCover Authority
WorkCover New South Wales

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR 04038.

Australian/New Zealand Standard™

Occupational noise management

Part 4: Auditory assessment

Originated in Australia as part of AS 1269—1976.
Previous edition AS/NZS 1269.4:1998.
Second edition 2005.
Reissued incorporating Amendment No. 1 (September 2005).

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia, GPO Box 476, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee AV-003, Acoustics, Human Effects, to supersede AS/NZS 1269.4, *Occupational noise management*, Part 4: *Auditory assessment*.

This Standard incorporates Amendment No. 1 (September 2005). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.

This is Part 4 in a series of Standards as follows:

AS/NZS

1269	Occupational noise management
1269.0	Part 0: Overview and general requirements
1269.1	Part 1: Measurement and assessment of noise emissions and exposure
1269.2	Part 2: Noise control management
1269.3	Part 3: Hearing protector program
1269.4	Part 4: Auditory assessment (this Standard)

The objective of this series of Standards is to provide requirements and guidance on all facets of occupational noise management. It is recommended that the reader refer to all Parts of AS/NZS 1269 to better understand all relevant terminology and objectives of occupational noise management.

This Standard lays down requirements and procedures for conducting pure tone air conduction threshold audiometry that is used to monitor the hearing of individuals exposed to noise at work. Audiometric testing of persons exposed to excessive noise may be used for four distinct purposes—

- (a) the identification and documentation of existing hearing loss;
- (b) the early detection of deterioration of hearing in persons exposed to excessive noise;
- (c) the prompt direction of those individuals who are identified as having a hearing loss to an appropriate rehabilitation program; and
- (d) the supply of any special communication or warning system that may be required within the workplace for an individual with a hearing loss.

It is not sufficient to diagnose the cause of an individual's hearing threshold impairment or for the determination of percentage loss of hearing for compensation purposes. The Standard prescribes the conditions under which audiometry should be carried out, the form of the tests, and by whom the tests should be performed. It recommends the procedure for interpreting the test results and for comparison of a reference audiogram with follow-up (monitoring) audiograms, together with the course of action to be followed when deterioration of thresholds is detected.

The main changes from the 1998 edition of the Standard are its application to people exposed at work to ototoxic agents and inclusion of an informative appendix on otoacoustic emissions (Appendix H).

In this Standard, cognizance is taken of ISO 6189, *Acoustics—Pure tone air conduction threshold audiometry for hearing conservation purposes*.

Where the number of an IEC Standard is provided in brackets after an Australian Standard number the IEC Standard applies to New Zealand only and the Australian Standard applies to Australia only.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
FOREWORD.....	5
1 SCOPE.....	6
2 APPLICATION	6
3 REFERENCED DOCUMENTS.....	6
4 DEFINITIONS.....	7
5 AUDIOMETERS.....	8
6 ACOUSTICAL ENVIRONMENT FOR AUDIOMETRY	9
7 AUDIOMETRY.....	10
8 AUDIOMETRIC TEST PROCEDURES	13
9 ASSESSMENT OF AUDIOGRAMS.....	16
10 EVOKED OTOACOUSTIC EMISSIONS	18
11 CHECKLISTS	18
 APPENDICES	
A IMPROVED AUDIOMETRIC TEST PROCEDURE.....	25
B MEASUREMENT OF BACKGROUND NOISE LEVELS IN AUDIOMETRIC TEST ENVIRONMENTS.....	27
C MEASUREMENT OF NOISE REDUCTION OF AUDIOMETRIC BOOTHS.....	32
D MAXIMUM ACCEPTABLE BACKGROUND NOISE LEVELS FOR AUDIOMETRY WITH SOUND EXCLUDING AUDIOMETRIC HEADSETS USED FOR WORKPLACE AUDIOMETRY PROGRAMS.....	35
E COMPETENCY REQUIREMENTS FOR AUDIOMETRISTS.....	38
F AUDIOMETRIC SYMBOLS FOR AUDIOGRAMS OBTAINED IN OCCUPATIONAL NOISE MANAGEMENT PROGRAMS.....	39
G ESTIMATED PREVALENCE OF NOISE-INDUCED HEARING IMPAIRMENT AND HEARING DISABILITY IN NOISE-EXPOSED POPULATIONS	40
H OTOACOUSTIC EMISSIONS.....	48

FOREWORD

Other Parts of this series of Standards stress the importance of continuous monitoring of all phases of noise reduction and personal protector programs so that noise risks are addressed systematically and kept under constant control. Monitoring techniques include—

- (a) periodic audits of management systems;
- (b) regular inspections of plant, equipment and work processes;
- (c) ongoing monitoring of condition and usage of noise control equipment and personal protective equipment; and
- (d) re-assessments of noise on a regular basis and following any changes that could significantly alter noise exposure.

These techniques provide the information required to ensure that noise control and hearing protector programs are competently implemented, reviewed and, as time and resources permit, improved. For these purposes, checklists to assist in the evaluation of specific program elements are included in the appropriate sections of previous Parts.

If monitoring and evaluation are carried out systematically and any problems disclosed are promptly dealt with, there can be a high degree of confidence that the programs will be effective in minimizing occupational noise-induced hearing loss. However, some organizations make a final outcome evaluation measure by providing noise-exposed employees with regular hearing tests, the results of which are examined for any signs of developing hearing impairment. As noted in NOHSC:2009, *National Code of Practice for Noise Management and Protection of Hearing at Work*, such testing is not itself a protective mechanism and is relevant only in the context of a comprehensive noise management program.

Regulatory requirements are also relevant in some areas. Some Australian regulations have a general requirement for medical surveillance of people occupationally exposed to hazards, a requirement which has been interpreted to mean that audiometric surveillance is required for people occupationally exposed to noise. Some jurisdictions have specific requirements for provision of regular hearing tests for people whose noise exposure is such that they need to rely on hearing protectors for protection.

Pure tone audiometric testing of threshold sensitivity is the method of auditory assessment usually used in noise management programs. However, there is evidence which suggests that inner ear damage caused by noise exposure accumulates prior to the onset of threshold impairment. Objective assessment of noise-induced damage to the outer hair cells of the inner ear can be made by measurement of sounds, called otoacoustic emissions (OAEs), emitted from the inner ear after stimulation by external sound and which can be measured in the ear canal (see Appendix H). OAEs can contribute to noise management programs by identifying hidden inner ear damage and indicating the need for strategies for delaying the onset of hearing impairment.

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard
Occupational noise management

Part 4: Auditory assessment

1 SCOPE

This Standard specifies procedures and requirements for air conduction pure tone audiometry without masking that are applicable to individuals whose hearing sensitivity might be adversely affected by occupational noise exposure or ototoxic agents.

2 APPLICATION

The procedures and requirements presented in this Standard are restricted to air conduction pure tone threshold audiometry by earphones. Other techniques, such as bone conduction pure tone threshold audiometry, masking and speech audiometry, are not specified. Techniques for computer-controlled audiometry are not specified but may be used. If used, computer-controlled audiometry techniques shall be shown to produce results equivalent to manual audiometry. The specifications in this Standard are not intended for clinical purposes.

3 REFERENCED DOCUMENTS

The following documents are referred to in this Standard:

AS

- | | |
|--------|-------------------------------|
| 1259 | Acoustics—Sound level meters* |
| 1259.1 | Part 1: Non-integrating |
| 1259.2 | Part 2: Integrating—Averaging |

AS ISO

- | | |
|------|---|
| 1999 | Acoustics—Determination of occupational noise exposure and estimation of noise-induced hearing impairment |
|------|---|

AS IEC

- | | |
|---------|---|
| 60645 | Electroacoustics—Audiological equipment |
| 60645.1 | Part 1: Pure-tone audiometers (IEC 60645-1:2001, MOD) |
| 61672 | Electroacoustic—Sound level meters |
| 61672.1 | Part 1: Specifications |
| 61672.2 | Part 2: Pattern evaluation tests |
| 60942 | Electroacoustics—Sound calibrators |

AS/NZS

- | | |
|--------|--|
| 1269 | Occupational noise management |
| 1269.1 | Part 1: Measurement and assessment of noise immission and exposure |
| 1269.3 | Part 3: Hearing protector program |
| 4476 | Acoustics—Octave-band and fractional octave-band filters |

* The AS 1259 series has been superseded by AS IEC 61672, Parts 1 and 2 but remains available for existing users. Following the completion of the AS IEC 61672 series, the AS 1259 series will be withdrawn.