



Masonry in small buildings

Part 1: Design



This Australian Standard® was prepared by Committee BD-004, Masonry Structures. It was approved on behalf of the Council of Standards Australia on 3 August 2015. This Standard was published on 18 August 2015.

The following are represented on Committee BD-004:

- Australian Building Codes Board
 - Australian Institute of Building Surveyors
 - Building Designers Association of Australia
 - Cement Concrete and Aggregates Australia—Cement
 - Concrete Masonry Association of Australia
 - Consult Australia
 - Engineers Australia
 - Galvanizers Association of Australia
 - Housing Industry Association
 - Masonry Contractors Association of NSW
 - Master Builders Australia
 - Think Brick Australia
 - University of Adelaide
 - University of Newcastle
-

This Standard was issued in draft form for comment as DR AS 4773.1:2015.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting **www.standards.org.au**

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at **mail@standards.org.au**, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

Australian Standard®

Masonry in small buildings

Part 1: Design

Originated as part of AS CA32—1963.
Previous edition AS 4773.1—2010.
Second edition AS 4733.1:2015.
Reissued incorporating Amendment No. 1 (November 2016).

COPYRIGHT

© Standards Australia Limited

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968.

Published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001, Australia

ISBN 978 1 76035 210 3

PREFACE

This Standard was prepared by the Standards Australia Committee BD-004, Masonry Structures, to supersede AS 4773.1—2010.

This Standard incorporates Amendment No. 1 (November 2016). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.

The objective of this Standard is to provide minimum requirements for the design of unreinforced and reinforced masonry, including built-in components, for use in small buildings such as houses and garages. This Standard is intended for the use of designers and specifiers of small buildings and is intended as a companion document to AS 4773.2, *Masonry in small buildings, Part 2: Construction*.

The objective of this revision is to provide clarifications and minor corrections.

The Committee acknowledges valuable assistance given by organizations and individuals experienced in various aspects of design and construction of masonry.

Statements expressed in mandatory terms in notes to tables and figures are deemed to be requirements of this Standard.

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the appendix to which they apply. A ‘normative’ appendix is an integral part of a Standard, whereas an ‘informative’ appendix is only for information and guidance.

This document includes commentary on some of the Clauses of the Standard. The commentary directly follows the relevant clause, is designated by ‘C’ preceding the clause number and is printed in italics in a box. The commentary is for information and guidance and does not form part of the Standard.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE.....	6
1.2 GENERAL LIMITATIONS.....	6
1.3 NORMATIVE REFERENCES	9
1.4 MINIMUM INFORMATION TO BE PROVIDED	9
1.5 DEFINITIONS.....	11
SECTION 2 DESIGN CRITERIA	
2.1 SCOPE OF SECTION	14
2.2 DESIGN REQUIREMENTS.....	14
2.3 SERVICEABILITY, STRENGTH, STABILITY AND PREVENTION OF WATER PENETRATION	14
SECTION 3 MATERIALS	
3.1 SCOPE OF SECTION	17
3.2 MASONRY UNITS	17
3.3 MORTAR AND GROUT	17
3.4 BUILT-IN COMPONENTS.....	18
3.5 REINFORCEMENT	19
SECTION 4 DURABILITY	
4.1 SCOPE OF SECTION	20
4.2 MATERIAL SELECTION.....	20
4.3 EXPOSURE ENVIRONMENTS	20
4.4 ELEMENT LOCATIONS.....	23
SECTION 5 FIRE RESISTANCE	
5.1 SCOPE OF SECTION	24
5.2 GENERAL CRITERIA.....	24
5.3 FIRE-RESISTING MASONRY DESIGN CRITERIA.....	24
SECTION 6 WALL DESIGN	
6.1 SCOPE OF SECTION	26
6.2 GENERAL CRITERIA.....	26
6.3 VERTICAL SUPPORTS	26
6.4 HORIZONTAL SUPPORTS.....	26
6.5 LOAD WIDTH	28
6.6 DESIGN FOR UPLIFT	28
6.7 PIERS	34
6.8 MULLIONS.....	37
SECTION 7 MASONRY VENEER WALLS	
7.1 SCOPE OF SECTION	43
7.2 GENERAL CRITERIA.....	43
7.3 WALL TIES	43

SECTION 8 CAVITY MASONRY WALLS	
8.1	SCOPE OF SECTION 45
8.2	EXTERNAL WALLS 45
8.3	INTERNAL WALLS 45
8.4	WALL TIES 48
SECTION 9 SINGLE-LEAF UNREINFORCED MASONRY WALLS	
9.1	SCOPE OF SECTION 51
9.2	EXTERNAL WALLS 51
9.3	INTERNAL WALLS 55
SECTION 10 REINFORCED MASONRY WALLS	
10.1	SCOPE OF SECTION 56
10.2	GENERAL CRITERIA 56
10.3	STARTER BARS 56
10.4	BOND BEAMS 57
10.5	VERTICAL REINFORCEMENT 61
SECTION 11 BRACING	
11.1	SCOPE OF SECTION 64
11.2	LOCATION AND DISTRIBUTION OF BRACING 64
11.3	BRACING CAPACITIES OF WALLS AND PIERS 64
11.4	SUBFLOOR BRACING 67
SECTION 12 LINTELS	
12.1	SCOPE OF SECTION 68
12.2	STEEL LINTELS 68
12.3	REINFORCED MASONRY LINTELS 71
SECTION 13 CONTROL JOINTS	
13.1	SCOPE OF SECTION 73
13.2	GENERAL CRITERIA 73
13.3	ARTICULATION JOINTS 73
13.4	CONTRACTION JOINTS 74
13.5	EXPANSION JOINTS 75
13.6	DETAILS 76
SECTION 14 DETAILING	
14.1	SCOPE OF SECTION 77
14.2	MORTAR JOINTS 77
14.3	UNREINFORCED WALL CONNECTIONS 77
14.4	REINFORCED WALL CONNECTIONS 77
14.5	SLIP JOINTS 78
14.6	ISOLATED SUBFLOOR PIERS 78
14.7	ARCHES 80
14.8	RESISTANCE TO MOISTURE PENETRATION 81
14.9	PARAPETS, CHIMNEYS AND CANTILEVERS 82

	<i>Page</i>
APPENDICES	
A BASIS OF DESIGN.....	83
B SPACING OF BRACING WALLS	88
C DEEMED-TO-SATISFY DURABILITY CLASSIFICATION.....	91
D REINFORCED MASONRY LINTEL TABLES.....	93
BIBLIOGRAPHY.....	103

STANDARDS AUSTRALIA

Australian Standard
Masonry in small buildings

Part 1: Design

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard specifies requirements for the design and specification of masonry in buildings of Class 1 and Class 10a, as defined in the National Construction Code (NCC), and constructed from clay, concrete, or calcium silicate masonry units and as follows:

- (a) Leaf thicknesses are 90 mm or greater.
- (b) The tops of all walls are laterally supported by a roof or floor structure acting as a diaphragm with the exception of parapets, chimneys and cantilevers in accordance with Clause 14.9 and fin walls in accordance with Table 9.1.
- (c) Walls are supported on concrete slabs, footings or suspended slabs complying with the NCC.
- (d) The geometric limitations specified in Clause 1.2.2.

The Scope of this Standard does not cover the following:

- (i) Acoustics and energy efficiency.
- (ii) Construction or detailing of attachments such as basketball hoops, satellite dishes, shade structures and similar structures.
- (iii) Masonry constructed from autoclaved aerated concrete (AAC) units.
- (iv) Structures required to be designed for earthquake actions in accordance with AS 1170.4.
- (v) External walls constructed from horizontally cored units.

NOTES:

- 1 For acoustic and energy efficiency requirements, see the NCC.
- 2 For applications outside the scope of this Standard, the masonry should be constructed in accordance with AS 3700.
- 3 Information on the basis upon which the design details and tables in this Standard have been prepared is given in Appendix A.

1.2 GENERAL LIMITATIONS

1.2.1 Loading

Wind classifications and loads derived from AS 4055 are required for the use of the Tables in this Standard.

NOTES:

- 1 For wind loads on structures outside the limitations of Clause 1.2.2, AS/NZS 1170.2 should be used in conjunction with AS 3700.
- 2 The loads specified in AS 4055 include the appropriate combinations of permanent and wind actions.