

Australian Standard™

**Methods for the analysis and testing of  
lower rank coal and its chars**

**Part 6: Lower rank coal—Ultimate  
analysis—Classical methods**

This Australian Standard was prepared by Committee MN-001, Coal and Coke. It was approved on behalf of the Council of Standards Australia on 16 September 2002 and published on 1 October 2002.

---

The following are represented on Committee MN-001:

Australasian Institute of Mining and Metallurgy  
Australian Coal Association  
Australian Coal Preparation Society  
Australian Institute of Energy  
CSIRO, Energy Technology  
Coalfield Geology Council of New South Wales  
Department of Mines and Energy, Queensland  
Electricity Supply Association of Australia  
Institution of Engineers, Australia  
Minerals Council of Australia  
University of Newcastle  
University of New South Wales  
University of Queensland

---

### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Australia web site at [www.standards.com.au](http://www.standards.com.au) and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Australian Standard*, has a full listing of revisions and amendments published each month.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.com.au](mailto:mail@standards.com.au), or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

---

*This Standard was issued in draft form for comment as DR 02276.*

Australian Standard™

**Methods for the analysis and testing of  
lower rank coal and its chars**

**Part 6: Lower rank coal—Ultimate  
analysis—Classical methods**

Originated as AS 2434.6.1—1986.  
Revised and redesignated as AS 2434.6—2002.

**COPYRIGHT**

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd  
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 4855 4

## PREFACE

This Standard was prepared by Standards Australia Committee MN-001, Coal and Coke, to supersede AS 2434.6.1—1986, *Methods for the analysis and testing of lower rank coal and its chars*, Part 6.1: *Ultimate analysis of lower rank coal—Classical methods*.

This Standard is based on AS 1038.6.1, *Coal and coke—Analysis and testing*, Part 6.1: *Higher rank coal and coke—Ultimate analysis—Carbon and hydrogen* and AS 1038.6.2, *Coal and coke—Analysis and testing*, Part 6.2: *Higher rank coal and coke—Ultimate analysis—Nitrogen*, and has been specifically modified to meet the analytical requirements of lower rank Australian coals.

## CONTENTS

	<i>Page</i>
FOREWORD.....	4
1 SCOPE.....	5
2 REFERENCED DOCUMENTS .....	5
3 DEFINITIONS .....	5
4 SAFETY .....	5
5 SAMPLE.....	6
6 DETERMINATION OF CARBON AND HYDROGEN.....	6
7 DETERMINATION OF NITROGEN .....	19
8 DETERMINATION OF TOTAL SULPHUR.....	22
9 DETERMINATION OF CARBONATE CARBON .....	29
10 REPORTING OF RESULTS.....	29
11 PRECISION .....	29
12 TEST REPORT .....	29

## FOREWORD

As a general rule, Standards suitable for lower rank coals can also be applied to higher rank coals, but the reverse does not apply. Some features specific to lower rank coal methods are as follows:

- (a) *Sample mass* Because of the greater heterogeneity of lower rank coals, relatively large sample masses are essential for successful analyses, and semi-micro methods are not applicable.
- (b) *Sample condition* Many lower rank coals are powerful desiccants and adsorb water even in desiccators. Preparation of lower rank coal samples for analysis should involve either air equilibration followed by a moisture determination concurrent with the analysis, or complete drying and encapsulation of the sample.
- (c) *Carbon and hydrogen* The Liebig principle is preferred for the determination of carbon and hydrogen in lower rank coals, because some high volatile coals can explode under the heating conditions of the high temperature method.

The ultimate analysis of coal comprises the determination of the elements carbon, hydrogen, nitrogen, sulphur and oxygen. This Standard describes the determination of the total amounts of the first four elements, regardless of their mode of occurrence; oxygen is estimated by difference, because simple direct methods of sufficient accuracy are not available. Hydrogen includes that present both in the moisture and in the water of hydration of constituents of the mineral matter. All nitrogen is assumed to be present in the coal substance. Sulphur is normally present in three forms: as pyrite ( $\text{FeS}_2$ ) and other sulfides, as inorganic sulphates associated with the mineral matter, and as organic sulphur compounds in the coal substance.

The data obtained from use of this Standard will not lead to a useful estimate of the percentage of oxygen in lower rank coal. An accurate estimate of the oxygen content can only be obtained by expressing the carbon, hydrogen, nitrogen and sulphur contents on a dry, mineral and inorganic free (dmif) basis. This in turn requires a separate determination of coal minerals and inorganic matter\*. The dmif expression of results for lower rank coals is discussed in AS 1038.16, *Coal and coke—Analysis and testing*, Part 16: *Assessment and reporting of results*.

Where the temperature for a particular operation is specified as a definite figure, it is to be understood that this figure should be attained as closely as possible and that it should be subject only to the errors inherent in accurate measurement.

Where a temperature range is given, the temperature may be anywhere in the range without detriment to the result. However, the mean of the range should be targeted so the inherent errors in measurement do not cause a temperature outside the specified range to be used inadvertently.

---

\* KISS, L.T., and KING, T.N. *Fuel*, 1977, 56, 340; *ibid*, 1979, 58, 437.

**STANDARDS AUSTRALIA****Australian Standard****Methods for the analysis and testing of lower rank coal and its chars****Part 6: Lower rank coal—Ultimate analysis—Classical methods****1 SCOPE**

This Standard sets out the method for the determination of the ultimate analysis of lower rank coals and char in terms of their carbon, hydrogen, nitrogen and sulphur contents.

**2 REFERENCED DOCUMENTS**

The following Standards are referred to in this Standard:

**AS**

- 1038 Coal and coke—Analysis and testing
- 1038.3 Part 3: Proximate analysis of higher rank coal
- 1038.8.2 Part 8.2: Coal and coke—Chlorine—High-temperature combustion method
- 1038.16 Part 16: Assessment and reporting of results
- 1038.23 Part 23: Higher rank coal—Carbonate carbon
  
- 1152 Specification for test sieves
- 2165 Laboratory glassware—Burettes
- 2243 Safety in laboratories (series)
- 2167 Graduated straight pipettes
- 2418 Coal and coke—Glossary of terms
- 2434 Methods for the analysis and testing of lower rank coal and its chars
- 2434.7 Part 7: Lower rank coal—Determination of moisture in the analysis sample
- 2508 Safe storage and handling information card (series)
- 4264 Coal and coke—Sampling
- 4264.3 Part 3: Lower rank coal—Sampling procedures

**ISO**

- 1994 Hard coal—Determination of oxygen content

**BS**

- 1752 Laboratory sintered or fritted filters including porosity grading

**3 DEFINITIONS**

For the purpose of this Standard, the definitions in AS 2418 apply.

**4 SAFETY**

For information on laboratory safety, reference should be made to the relevant parts of AS 2243 and AS 2508.