AS/NZS 60079.30.1:2016
IEC/IEEE 60079-30-1, Ed 1.0 (2015)

AS/NZS 60079.30.1:2016

Australian/New Zealand Standard™

Explosive atmospheres

Part 30.1: Electrical resistance trace heating—General and testing requirements

STANDARDS Australia

STANDARDS® NEW ZEALAND
PAEREWA AOTEAROA

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-014, Equipment for Explosive Atmospheres. It was approved on behalf of the Council of Standards Australia on 1 February 2016 and on behalf of the Council of Standards New Zealand on 28 January 2016.
This Standard was published on 22 February 2016.

The following are represented on Committee EL-014:

Auckland Regional Chamber of Commerce
Australian Chamber of Commerce and Industry
Australian Industry Group
Australian Institute of Petroleum
Australian Petroleum Production and Exploration Association
Australian Pipelines and Gas Association
Aviation and Marine Engineers Association
Bureau of Steel Manufacturers of Australia
Department of Industry, Skills and Regional Development, NSW
Department of Natural Resources and Mines, Qld (SIMTARS)
Electrical Compliance Testing Assoication
Electrical Contractors Association of New Zealand
Electrical Regulatory Authorities Council
Engineers Australia
Institute of Electrical Inspectors
Institute of Instrumentation, Control and Automation Australia
Institution of Professional Engineers New Zealand
Mining Electrical and Mining Mechanical Engineering Society
Ministry of Business, Innovation and Employment, New Zealand
SafeWork NSW
University of Newcastle
WorkSafe New Zealand

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR AS/NZS 60079.30.1:2015.

Australian/New Zealand Standard™

Explosive atmospheres

Part 30.1: Electrical resistance trace heating—General and testing requirements

Originated as AS/NZS 62086.1:2002.
Jointly revised and redesignated as AS/NZS 60079.30.1:2007.
Second edition 2016.

COPYRIGHT

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140.

ISBN 978 1 76035 407 7

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee, EL-014 Equipment for Explosive Atmospheres, to supersede AS/NZS 60079.30.1:2007.

The objective of this Standard is to specify general and testing requirements for electrical resistance trace heaters for application in explosive gas atmospheres. The Standard covers trace heaters that may comprise either factory- or field- (work-site) assembled units, and which may be series heating cables, parallel heating cables or heating pads and heating panels that have been assembled and/or terminated in accordance with the manufacturer's instructions.

The objective of the revision is to adopt the current edition of IEC/IEEE 60079-30-1.

This Standard is identical with, and has been reproduced from IEC/IEEE 60079-30-1, Ed 1.0 (2015), *Explosive atmospheres*, Part 30-1*: Electrical resistance trace heating—General and testing requirements*.

As this Standard is reproduced from an International Standard, the following applies:

(a) In the source text 'this part of IEC 60079' should read 'this Australian/New Zealand standard'.

(b) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

Reference to International Standard		*Australian/New Zealand Standard*	
IEC		AS/NZS	
60079	Explosive atmospheres	60079	Explosive atmospheres
60079-0	Part 0: Equipment—General requirements	60079.0	Part 0: Equipment—General requirements

Only normative references that have been adopted as Australian or Australian/New Zealand Standards have been listed.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the annex to which they apply. A 'normative' annex is an integral part of a Standard, whereas an 'informative' annex is only for information and guidance.

CONTENTS

1 Scope ... 7
2 Normative references ... 11
3 Terms and definitions ... 12
4 General requirements ... 18
4.1 General ... 18
4.2 Mechanical strength ... 18
4.3 Terminations and connections ... 19
4.4 Circuit protection requirements for branch circuits ... 19
4.5 Temperature requirements ... 19
4.5.1 General ... 19
4.5.2 Stabilized design ... 20
4.5.3 Controlled design ... 20
5 Testing ... 22
5.1 Type tests ... 22
5.1.1 General ... 22
5.1.2 Dielectric test ... 22
5.1.3 Electrical insulation resistance test ... 23
5.1.4 Flammability test ... 23
5.1.5 Impact tests ... 25
5.1.6 Deformation test ... 28
5.1.7 Cold bend test ... 28
5.1.8 Water resistance test ... 29
5.1.9 Integral components resistance to water test ... 29
5.1.10 Verification of rated output ... 30
5.1.11 Thermal stability of electrical insulating material ... 32
5.1.12 Thermal performance test ... 34
5.1.13 Determination of maximum sheath temperature ... 34
5.1.14 Verification of start-up current ... 42
5.1.15 Verification of the electrical resistance of electrically conductive covering ... 42
5.1.16 Outdoor exposure test ... 43
5.2 Routine tests ... 43
5.2.1 Dielectric test ... 43
5.2.2 Verification of rated output ... 43
6 Marking ... 43
6.1 Product markings for trace heaters ... 43
6.2 Markings for field assembled components ... 44
7 Documentation requirements ... 44
7.1 General ... 44
7.2 Circuit design documentation ... 44
7.3 Trace heating system documentation ... 45
7.3.1 General ... 45

Page

7.3.2 For trace heating systems according to the product classification method ... 45
7.3.3 For trace heating systems according to stabilized design method ... 45
7.3.4 For trace heating systems according to controlled design method ... 45
7.4 Instructions for installation of trace heating system ... 46
7.5 Instructions for commissioning ... 46
7.6 Instructions for maintenance / repair or modification ... 46
Annex A (informative) Type test matrix for EPLs Gb/Gc/Db/Dc (Refer to IEC 60079-14 for the relationship of EPLs to Zones) ... 48
Annex B (informative) Checklist for installation ... 49
Annex C (normative) Trace heater product design verification methodology ... 50
C.1 General ... 50
C.2 Design methodology and selection of trace heaters ... 50
C.3 Stabilized design calculations ... 50
C.4 Trace heater performance and equilibrium conditions ... 51
C.5 Heat loss calculations ... 53
C.6 Heat loss design safety factor ... 54
C.7 Maximum temperature determination ... 54
C.7.1 Theoretical pipe and sheath temperature calculations – Metallic applications ... 54
C.7.2 Theoretical vessel and sheath temperature calculations – Metallic applications ... 55
C.7.3 Sheath temperature – metallic applications utilizing a temperature limiter control sensing the trace heater sheath or an artificial hot spot ... 56
C.7.4 Theoretical sheath temperature calculations – Non-metallic applications ... 56
C.7.5 Sheath temperature – non-metallic applications utilizing a temperature limiter control sensing the trace heater sheath or an artificial hot spot ... 58
Annex D (normative) Requirements for Division 1 and Division 2 trace heating systems ... 59
D.1 Application ... 59
D.2 General ... 59
D.3 Terminations and connections ... 59
D.4 Control and temperature requirements ... 59
D.4.1 General ... 59
D.4.2 Stabilized design ... 59
D.4.3 Controlled design ... 60
D.4.4 Requirements for protective device in Divisions 1 and 2 ... 60
D.5 Type tests ... 60
D.5.1 Division 1 trace heating equipment ... 60
D.5.2 Division 2 equipment ... 61
D.6 Marking ... 61
D.7 Instructions – Installation requirements ... 61
Annex E (normative) Type test matrix for Division 1 and 2 explosive atmospheres ... 63
Bibliography ... 65

Figure 1 – Flammability test ... 24
Figure 2 – Example of room temperature impact test ... 26
Figure 3 – Example of minimum temperature impact test ... 27
Figure 4 – Cold bend test ... 29

Page

Figure 5 – Integral components resistance to water test 30
Figure 6 – Verification of rated output 31
Figure 7 – Maximum sheath temperature using product classification approach 35
Figure 8 – Verification of sheath temperatures using pipe sculpture 37
Figure 9 – Verification of sheath temperature, plate test 40
Figure 10 – Verification of sheath temperature – plate test with serpentined sample 40
Figure 11 – Plate test with two samples crossed over 41
Figure 12 – Plate test with a single sample crossed over 42
Figure C.1 – Equilibrium conditions for workpiece maintenance 51
Figure C.2 – Equilibrium conditions for upper limit evaluation 52

Table 1 – Application or exclusion of specific clauses of IEC 60079-0 7
Table 2 – Sheath temperature design conditions based on equipment protection levels – Stabilized design approach 20
Table 3 – Sheath temperature design conditions based on equipment protection levels EPLs – Controlled design approach 21
Table 4 – Test voltages for the dielectric test 22
Table A.1 – Determination of test samples 48
Table B.1 – Trace heater installation record – Example 49
Table D.1 – Division trace heating systems 59
Table D.2 – Sheath temperature design conditions – Stabilized design approach 60
Table D.3 – Sheath temperature design conditions – With temperature control device 60
Table E.1 – Applicable trace heater and trace heater pads and panels tests by installation location 63
Table E.2 – Applicable tests for integral components with trace heaters and trace heater pads and panels 64

INTRODUCTION

IEC/IEEE 60079-30-1 is intended to provide a comprehensive overview of the essential requirements and testing appropriate to electric surface heating equipment used in explosive atmospheres. The requirements of this part of IEC 60079 are considered to be the minimum requirements for equipment protection levels Gb, Gc, Db, and Dc in explosive atmospheres for gases, dusts, and fibres/flyings. While some of this work already exists in national standards or international standards, this standard has collated much of this existing work and considerably added to it. This standard also contains the minimum requirements for users applying the Division method of area classification.

AUSTRALIAN/NEW ZEALAND STANDARD

Explosive atmospheres

Part 30.1:
Electrical resistance trace heating—General and testing requirements

1 Scope

This part of IEC 60079 specifies general and testing requirements for electrical resistance trace heaters for application in explosive atmospheres with the exclusion of those for EPL Ga and Da. This standard covers trace heaters that comprise either factory or field (work-site) assembled units, and which may be series trace heaters, parallel trace heaters, trace heater pads, or trace heater panels that have been assembled and/or terminated in accordance with the manufacturer's instructions.

This standard also includes requirements for termination assemblies and control methods used with trace heating systems. The explosive atmospheres referred to in this standard are those defined in IEC 60079-10-1 and IEC 60079-10-2.

Annexes D and E outline the application of this standard for those users applying the Division method of area classification.

This standard supplements and modifies the general requirements of IEC 60079-0, except as indicated in Table 1. Where a requirement of this standard conflicts with a requirement of IEC 60079-0, the requirement of this standard takes precedence.

Table 1 – Application or exclusion of specific clauses of IEC 60079-0

IEC 60079-0		Electrical resistance trace heaters and integral components		Terminations as separate components
Ed. 6.0 (2011) (informative)	Clause / Subclause title (normative)	Group I and Group II	Group III	
1	Scope	Applies	Applies	Applies
2	Normative references	Applies	Applies	Applies
3	Terms and definitions	Applies, except ambient temperature, see 3.1	Applies, except ambient temperature, see 3.1	Applies, except ambient temperature, see 3.1
4	Equipment grouping	Applies	Applies	Applies
4.1	Group I	Applies	Excluded	Applies
4.2	Group II	Applies, always IIC	Excluded	Applies
4.3	Group III	Excluded	Applies, outside of thermal insulation only, always IIIC	Applies, outside of thermal insulation only
4.4	Equipment for a particular explosive atmosphere	Excluded	Excluded	Applies
5.1	Environmental influences	Applies	Applies	Applies
5.1.1	Ambient temperature	Replaced by 6.1e)	Replaced by 6.1e)	Applies, see 3.1
5.1.2	External source of heating or cooling	Applies	Applies	Applies
5.2	Service temperature	Modified	Modified	Applies

COPYRIGHT