

Australian Standard™

**Alumina**

**Part 11: Guide to reporting  $\text{Al}_2\text{O}_3$   
content of smelter-grade alumina**

This Australian Standard was prepared by Committee MN-009, Alumina and Materials used in Aluminium Production. It was approved on behalf of the Council of Standards Australia on 26 July 2004.  
This Standard was published on 13 August 2004.

---

The following are represented on Committee MN-009:

Australian Institute of Mining and Metallurgy  
Australian Aluminium Council  
Minerals Council of Australia  
The Royal Australian Chemical Institute

---

### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at [www.standards.com.au](http://www.standards.com.au) and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.org.au](mailto:mail@standards.org.au), or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

---

Australian Standard™

**Alumina**

**Part 11: Guide to reporting  $\text{Al}_2\text{O}_3$   
content of smelter-grade alumina**

First published as AS 2879.11—2004.

**COPYRIGHT**

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 6229 8

## PREFACE

This Standard was prepared by the Standards Australia Committee MN-009, Alumina and Materials used in Aluminium Production, as part of the AS 2879 series.

The objective of this Guide is to provide the alumina refining and smelting industries with comparative ways for reporting the  $\text{Al}_2\text{O}_3$  content of smelter-grade alumina.



## CONTENTS

	<i>Page</i>
1 SCOPE.....	3
2 REFERENCED DOCUMENTS.....	3
3 PRINCIPLE .....	3
4 PROCEDURES.....	3
5 CALCULATIONS AND REPORTING OF RESULTS .....	3
6 TEST REPORT.....	4