

Australian Standard™

Collared eyebolts

This Australian Standard was prepared by Committee ME/25, Lifting Tackle. It was approved on behalf of the Council of Standards Australia on 10 July 1998 and published on 5 October 1998.

The following interests are represented on Committee ME/25:

Australian Chamber of Commerce and Industry
Australian Chamber of Manufactures
Australian Forging Group
Australian Maritime Safety Authority
Crane Industry Council of Australia
Department of Defence
Institution of Engineers, Australia
Metal Trades Industry Association of Australia
National Association of Testing Authorities, Australia
Victorian WorkCover Authority
Work Health Authority, N.T.
WorkCover N.S.W.
Workplace Standards Authority (Tasmania)

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 97232.

AS 2317—1998

Australian Standard™

Collared eyebolts

Originated as AS B284—1969.
Previous edition AS 2317—1984.
Third edition 1998.

Published by Standards Australia
(Standards Association of Australia)
1 The Crescent, Homebush, NSW 2140

ISBN 0 7337 2176 1

PREFACE

This Standard was prepared by the Standards Australia Committee ME/25, Lifting Tackle, to supersede AS 2317—1984.

This Standard is intended to promote the safety of eyebolts.

This edition includes the following technical changes from the superseded edition:

- (a) A definition for a competent person has been included (Clause 3.1).
- (b) The definitions for working load have been amended (Clauses 3.6.1 and 3.6.2).
- (c) The permitted types of screw threads have been extended to include overseas Standards (Clause 5.4).
- (d) The requirement that steels be heat treated has been deleted, to allow for the use of microalloyed grades that do not require heat treatment (Clause 5.5).
- (e) The range of nominal sizes for eyebolts has been extended to also include M10, M22, M33, M39 and M76 (Table 2).
- (f) The WLL values have been increased to align more closely with British Standards (Table 2).
- (g) The nominal size must be marked on each eyebolt (Clause 7.3).
- (h) The requirements for testing of mechanical properties have been revised (Clause 8).

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	<i>Page</i>
FOREWORD	4
1 SCOPE	5
2 REFERENCED DOCUMENTS	5
3 DEFINITIONS	6
4 MATERIAL	6
5 DESIGN AND MANUFACTURE	6
6 MECHANICAL PROPERTIES	8
7 MARKING	8
8 TESTING OF MECHANICAL PROPERTIES	9
9 PROOF TESTING	9
 APPENDICES	
A INFORMATION THAT SHOULD BE SUPPLIED WITH ENQUIRIES AND ORDERS	11
B CARE AND USE OF EYEBOLTS	12
C LIFTING CAPACITY OF EYEBOLTS	15
D STANDARDS FOR COMPONENTS USED IN LIFTING SYSTEMS	17
E TYPICAL EYEBOLT DIMENSIONS	18
F CONDITIONS FOR APPLICATION OF TEST FORCES	19
G MEANS FOR DEMONSTRATING COMPLIANCE WITH THIS STANDARD	20

FOREWORD

Eyebolts are used in lifting, tensioning and staying systems to connect the systems to a tapped hole.

In any lifting, tensioning or staying system, the safe working load of each component shall take account of the conditions (such as the classification of load application as specified by AS 1418.1) and shall be compatible with any loads inherent in and applied to the system, and each component should readily connect with each adjacent component. Therefore, it is important that components of lifting, tensioning or staying systems be quickly and positively identified in service for size, lifting capacity and quality grade.

Only one grade of fitting is detailed in this Standard because the materials into which the eyebolts are fitted may have low mechanical strength properties. The material specified in this Standard is equivalent to the quality grade M materials used for the manufacture of other types of lifting components. If an eyebolt is able to carry a higher load by being manufactured from a stronger material, it should be designed to have a dominant design variance from the standard eyebolt range.

Eyebolts of a quality grade material of greater than M are not excluded from use, provided they are interfaced with compatible materials and meet the required performance criteria.

STANDARDS AUSTRALIA

Australian Standard **Collared eyebolts**

1 SCOPE This Standard specifies requirements for forged collared eyebolts for lifting purposes.

NOTES:

- 1 Guidance on information that should be supplied with enquiries and orders is given in Appendix A.
- 2 Guidance on the care and use of collared eyebolts is given in Appendix B.
- 3 Guidance on the lifting capacity of eyebolts is given in Appendix C.
- 4 Standards for components that are used in lifting systems are listed in Appendix D.

2 REFERENCED DOCUMENTS The following documents are referred to in this Standard:

AS

- | | |
|--------|----------------------------------------------------------------------------------------------------------------------|
| 1065 | Non-destructive testing—Ultrasonic testing of carbon and low alloy steel forgings |
| 1171 | Non-destructive testing—Magnetic particle testing of ferromagnetic products, components and structures |
| 1199 | Sampling procedures and tables for inspection by attributes |
| 1399 | Guide to AS 1199—Sampling procedures and tables for inspection by attributes |
| 1418 | Cranes (including hoists and winches) |
| 1418.1 | Part 1: General requirements |
| 1442 | Carbon steels and carbon-manganese steels—Hot-rolled bars and semifinished products |
| 1444 | Wrought alloy steels—Standard hardenability (H) series and hardened and tempered to designated mechanical properties |
| 1627 | Metal finishing—Preparation and pretreatment of surfaces |
| 1627.6 | Part 6: Chemical conversion treatment of metals |
| 1650 | Hot-dipped galvanized coatings on ferrous articles |
| 1721 | General purposed metric screw threads |
| 1789 | Electroplated coatings—Zinc on iron or steel |
| 1790 | Electroplated coatings—Cadmium on iron or steel |
| 1816 | Metallic materials—Brinell hardness test |
| 2193 | Methods for calibration and grading of force-measuring systems of testing machines |

AS/NZS

- | | |
|------------|----------------------------------------------------|
| ISO 9000 | Quality management and quality assurance standards |
| ISO 9000.1 | Part 1: Guidelines for selection and use |