

Australian/New Zealand Standard™

**Information technology—
Implementation and operation of
customer premises cabling**

**Part 3: Testing of optical fibre cabling
(ISO/IEC 14763-3:2014, MOD)**



AS/NZS 14763.3:2017

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee CT-001, Communications Cabling. It was approved on behalf of the Council of Standards Australia on 10 January 2017 and by the New Zealand Standards Approval Board on 9 December 2016.
This Standard was published on 3 February 2017.

The following are represented on Committee CT-001:

Australian Chamber of Commerce and Industry
Australian Communications and Media Authority
Australian Council of Trade Unions
Australian Digital and Telecommunications Industry Association
Australian Industry Group
Australian Information Industry Association
BICSI South Pacific—Australia
BICSI South Pacific—New Zealand
Communications Alliance
Energy Networks Association
Engineers Australia
KNX National Group
Lighting Council Australia
National Electrical and Communications Association
Telecommunications Users Association of New Zealand

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com or Standards New Zealand web site at www.standards.govt.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of Standards Australia or the New Zealand Standards Executive at the address shown on the back cover.

This Standard was issued in draft form for comment as DR AS/NZS 14763.3:2016.

Australian/New Zealand Standard™

Information technology— Implementation and operation of customer premises cabling

Part 3: Testing of optical fibre cabling (ISO/IEC 14763-3:2014, MOD)

Originated as AS/NZS ISO/IEC 14763.3:2007.
Previous edition 2012.
Jointly revised and designated AS/NZS 14763.3:2017.
Reissued incorporating Amendment No. 1 (June 2018).

COPYRIGHT

© ISO/IEC 2017 – All rights reserved

© Standards Australia Limited

© The Crown in right of New Zealand, administered by the New Zealand Standards Executive

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, PO Box 1473, Wellington 6140.

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee CT-001, Communications Cabling, Telecommunications installations—Implementation and operation of customer premises cabling, Part 3: Testing of optical fibre cabling (ISO/IEC 14763-3:2011, MOD) to supersede AS/NZS ISO/IEC 14763.3:2012, *Telecommunications installations—Implementation and operation of customer premises cabling, Part 3: Testing of optical fibre cabling (ISO/IEC 14763-3:2011, MOD)*.

This Standard incorporates Amendment No. 1 (June 2018). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.

This edition includes the following significant technical changes with respect to the previous edition:

- (a) General requirements (Clause 5) have been revised and the concept of normalization has been replaced by reference measurements.
- (b) OTDR characterization (6.2) and requirements for cabling interface adapters (6.3) and test cords have been revised and requirements for single-mode fibre test cords (6.3.4) have been removed.
- (c) Enhanced three-test-cord reference method has been introduced (9.1.1.2).
- (d) Requirements for the attenuation measurement of cords (10.6) have been revised.
- (e) Annex A ‘Launched modal distribution (LMD)’ has been simplified and the new title now reads ‘Launched modal conditions for testing multimode optical fibre cabling’.
- (f) Visual inspection criteria for connectors have been reworked (Annex B).
- (g) Information on optical time domain reflectometry (Annex C) has been revised.
- (h) Examples of calculations of channel and permanent link limits (Annex G) have been revised.
- (i) Information regarding cleaning and inspection of fibre optic connections have been added (Annex H).

The objective of this Standard is to specify systems and methods for the inspection and testing of installed optical fibre cabling designed in accordance with premises cabling standards including AS/NZS 3080, ISO/IEC 24764, ISO/IEC 24702 and ISO/IEC 15018. The test methods refer to existing standards-based procedures where they exist.

This Standard is an adoption with national modifications and has been reproduced from ISO/IEC 14763-3:2014, *Information technology—Implementation and operation of customer premises cabling, Part 3: Testing of optical fibre cabling*, and its Corrigendum 1 (2015) which has been added at the end of the source text. This Standard has been varied as indicated to take account of Australian/New Zealand conditions. The modifications are specified in Appendix ZZ.

A1 | Correction amendment AS/NZS 14763.3:2017 Amd 1:2018 removes from Appendix ZZ corrections to the main text that are covered by Corrigendum 1. Please refer to Corrigendum 1 in conjunction with Appendix ZZ.

As this Standard is reproduced from an International Standard, the following applies:

- (i) In the source text ‘this part of ISO/IEC 14763’ should read ‘this Australian/New Zealand Standard’.
- (ii) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

Reference to International Standard

ISO/IEC
11801 Information technology—Generic
cabling for customer premises

Reference to International Standard

ISO/IEC
14763 Information technology—
Implementation and operation of
customer premises cabling
14763-2 Part 2: Planning and installation

IEC
60825 Safety of laser products
60825-2 Part 2: Safety of optical fibre
communication systems (OFCS)

Australian/New Zealand Standard

AS/NZS
3080 Information technology—Generic
cabling for customer premises
(ISO/IEC 11801:2011, MOD)

Australian/New Zealand Standard

AS/NZS ISO/IEC
14763 Information technology—
Implementation and operation of
customer premises cabling
14763.2 Part 2: Planning and installation

AS/NZS IEC
60825 Safety of laser products
60825.2 Part 2: Safety of optical fibre
communication systems (OFCS)

Only normative references that have been adopted as Australian or Australian/New Zealand Standards have been listed.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative or informative references may be used interchangeably. Refer to the online catalogue for information on specific standards.

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the annex or appendix to which they apply. A ‘normative’ annex or appendix is an integral part of a Standard, whereas an ‘informative’ annex or appendix is only for information and guidance.

CONTENTS

1	Scope	9
2	Normative references	9
3	Terms, definitions and abbreviations	10
3.1	Terms and definitions	10
3.2	Abbreviations	13
3.3	Symbols	13
4	Conformance	14
5	General requirements	14
5.1	Test system	14
5.2	Reference measurement and calibration	15
5.3	Environmental conditions	15
5.3.1	Protection of transmission and terminal equipment	15
5.3.2	Inspecting and cleaning connectors	15
5.3.3	Use of test equipment	15
5.3.4	Relevance of measurement	16
5.3.5	Treatment of marginal test results	16
5.4	Documentation	16
6	Test equipment	16
6.1	Light source and power meter	16
6.1.1	General	16
6.1.2	Light sources	16
6.1.3	Power meters	17
6.1.4	Test system stability (ffs)	17
6.2	OTDR	17
6.2.1	General	17
6.2.2	OTDR characterization using a launch test cord and a tail test cord	18
6.3	Test cords and adapters	18
6.3.1	Connecting hardware at test interfaces	18
6.3.2	Reference connector requirements	19
6.3.3	Test cords	20
6.4	MMF launched modal distribution	22
6.5	SMF launch condition	22
7	Inspection equipment	22
8	Cabling under test – Channels and permanent links	23
8.1	General	23
8.2	Reference planes	23
8.3	Wavelength of measurement	24
8.4	Direction of measurement	24
9	Testing of installed cabling	25
9.1	Attenuation	25
9.1.1	LSPM	25
9.1.2	OTDR	29

9.2	Propagation delay	31
9.2.1	Test method	31
9.2.2	Treatment of results	32
9.3	Length	32
9.3.1	Test method	32
9.3.2	Measurement uncertainty	32
9.3.3	Treatment of results	32
10	Testing of cabling components within installed cabling	33
10.1	Attenuation of optical fibre cable	33
10.1.1	Test method	33
10.1.2	Measurement uncertainty	33
10.1.3	Treatment of results	33
10.2	Attenuation of local and remote test interfaces	34
10.2.1	Test method	34
10.2.2	Test system measurement uncertainty	34
10.2.3	Treatment of results	35
10.3	Attenuation of connecting hardware	36
10.3.1	Test method	36
10.3.2	Treatment of results	36
10.4	Return loss of connecting hardware	37
10.4.1	Test method (in accordance with IEC 61300-3-6, method 2)	37
10.4.2	Treatment of results	38
10.4.3	Measurement uncertainty	39
10.5	Optical fibre length	39
10.5.1	Test method	39
10.5.2	Measurement uncertainty	41
10.5.3	Treatment of results	41
10.6	Attenuation of cords	41
10.6.1	Test method	41
10.6.2	Treatment of results	42
11	Inspection of cabling and cabling components	42
11.1	Optical fibre continuity	42
11.2	Cabling polarity	42
11.3	Optical fibre cable length	42
11.4	Inspection of optical fibre end faces	43
11.5	Optical fibre core size	43
Annex A (normative) Launch modal conditions for testing multimode optical fibre cabling		44
Annex B (normative) Visual inspection criteria for connectors		45
Annex C (informative) Optical time domain reflectometry		46
C.1	Operational capability	46
C.1.1	Effective characterization	46
C.1.2	Dynamic range	46
C.1.3	Pulse width	46
C.1.4	Integration or sample count	46
C.2	Limitations of OTDR capability	47
C.2.1	Minimum lengths of operation – Attenuation dead zone	47
C.2.2	Ghosting	48

C.2.3	Effective group index of refraction	49
C.2.4	Backscattering coefficient	49
Annex D (normative)	Inspection and testing of test and substitution test cords	50
D.1	General requirements	50
D.2	Attenuation (test and substitution test cord reference connections)	50
Annex E (informative)	Enhanced three-test-cord and one-test-cord reference methods for link and channel attenuation	52
E.1	Reference methods for link attenuation	52
E.2	One-test-cord reference method for link attenuation	52
E.3	Test method for channel attenuation	52
Annex F (informative)	Quality planning	53
F.1	Inspection and test schedules	53
F.2	Stage 1 inspection and testing	53
F.3	Stage 2 testing	53
F.3.1	Basic test group	53
F.3.2	Extended test group	54
Annex G (informative)	Examples of calculations of channel and permanent link limits	55
G.1	Channel measurement	55
G.2	Permanent link measurement	55
Annex H (informative)	Cleaning and inspection of fibre optic connections	57
Bibliography	58
Figure 1	– Relationship of related International Standards	8
Figure 2	– Test system and the cabling under test	15
Figure 3	– OTDR characterization using a launch test cord and a tail test cord	18
Figure 4	– An example of test cord labelling and identification	20
Figure 5	– OTDR launch test cord and/or tail test cord schematic	21
Figure 6	– Channels and permanent links in accordance with ISO/IEC 11801 and equivalent standards	23
Figure 7	– Channel and permanent link test configuration	24
Figure 8	– LSPM enhanced three-test-cord attenuation measurement of installed channels	26
Figure 9	– LSPM one test cord attenuation measurement of installed permanent links	27
Figure 10	– OTDR measurement of installed cabling (channel): 2 point attenuation measurement method	30
Figure 11	– OTDR measurement of installed cabling (permanent link)	31
Figure 12	– OTDR measurement of optical fibre attenuation	34
Figure 13	– OTDR measurement of connection attenuation	35
Figure 14	– OTDR measurement of joint attenuation	37
Figure 15	– OTDR measurement of return loss	38
Figure 16	– Determination of length using an OTDR	39
Figure 17	– OTDR characterization of a SMF permanent link containing a break	40
Figure 18	– OTDR characterization of a permanent link containing a macrobend	41
Figure 19	– Measurement of cord interface attenuation	42
Figure C.1	– OTDR characterization using different length launch test cords	47
Figure C.2	– OTDR characterization showing ghost effects	48

Figure C.3 – OTDR characterization showing complex ghost effects	49
Figure D.1 – Measurement of substitution test cord interface attenuation.....	50
Table 1 – MMF light source characteristics	17
Table 2 – SMF light source characteristics.....	17
Table 3 – Non-LC reference connector requirements	19
Table 4 – Connecting hardware attenuation	28
Table C.1 – Default effective group IOR values.....	49
Table C.2 – Default backscattering coefficient values	49

INTRODUCTION

This International Standard is one of four prepared in support of International Standard ISO/IEC 11801 and other cabling standards.

Figure 1 below shows the inter-relationship between ISO/IEC 11801 and other International Standards and for cabling systems with related standards.




Figure 1 – Relationship of related International Standards

ISO/IEC 14763-3 details the inspection and test procedures for optical fibre cabling,

- a) designed in accordance with premises cabling standards including ISO/IEC 11801, ISO/IEC 24764, ISO/IEC 24702 and ISO/IEC 15018, and
- b) installed according to the requirements and recommendations of ISO/IEC 14763-2.

Users of this International Standard should be familiar with relevant premises cabling standards and ISO/IEC 14763-2.

The quality plan for each installation will define the acceptance tests and sampling levels selected for that installation. Requirements and recommendations for the development of a quality plan are described in ISO/IEC 14763-2.

NOTE JTC 1/SC 25, in cooperation with IEC/TC 86, is currently developing an overall quantitative model to calculate total measurement uncertainty as stated in the reference planes of ISO/IEC 11801. When such a model has been verified, it is expected to be incorporated into this standard in form of an Amendment, thereby removing pertinent clauses currently marked “ffs” (for further study).

AUSTRALIAN/NEW ZEALAND STANDARD

Information technology—Implementation and operation of customer premises cabling**Part 3:
Testing of optical fibre cabling (ISO/IEC 14763-3:2014, MOD)****1 Scope**

This part of ISO/IEC 14763 specifies systems and methods for the inspection and testing of installed optical fibre cabling designed in accordance with premises cabling standards including ISO/IEC 11801, ISO/IEC 24764, ISO/IEC 24702 and ISO/IEC 15018. The test methods refer to existing standards-based procedures where they exist.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 11801, *Information technology – Generic cabling for customer premises*

ISO/IEC 14763-2, *Information technology – Implementation and operation of customer premises cabling – Part 2: Planning and installation*

IEC 60050-731, *International Electrotechnical Vocabulary – Chapter 731: Optical fibre communication*

IEC 60825-2, *Safety of laser products – Part 2: Safety of optical fibre communication systems (OFCS)*

IEC 60874-14-3, *Connectors for optical fibres and cables – Part 14-3: Detail specification for fibre optic adapter (simplex) type SC for single-mode fibre*

IEC 60874-19-1, *Fibre optic interconnecting devices and passive components – Connectors for optical fibres and cables – Part 19-1: Fibre optic patch cord connector type SC-PC (floating duplex) standard terminated on multimode fibre type A1a, A1b – Detail specification*

IEC 61280-1-3, *Fibre optic communication subsystem test procedures – Part 1-3: General communication subsystems – Central Wavelength and spectral width measurement*

IEC 61280-1-4, *Fibre optic communication subsystem test procedures – Part 1-4: General communication subsystems – Light source encircled flux measurement method*

IEC 61280-4-1, *Fibre-optic communication subsystem test procedures – Part 4-1: Installed cable plant – Multimode attenuation measurement*

IEC 61280-4-2, *Fibre optic communication subsystem basic test procedures – Part 4-2: Fibre optic cable plant – Single-mode fibre optic cable plant attenuation*

IEC 61300-3-4, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-4: Examinations and measurements – Attenuation*