

Australian/New Zealand Standard™

Explosive atmospheres

Part 30.2: Electrical resistance trace heating—Application guide for design, installation and maintenance



AS/NZS 60079.30.2:2016

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-014, Equipment for Explosive Atmospheres. It was approved on behalf of the Council of Standards Australia on 29 April 2016 and by the New Zealand Standards Approval Board on 20 April 2016. This Standard was published on 18 May 2016.

The following are represented on Committee EL-014:

Auckland Regional Chamber of Commerce
Australian Chamber of Commerce and Industry
Australian Industry Group
Australian Institute of Petroleum
Australian Petroleum Production and Exploration Association
Australian Pipelines and Gas Association
Aviation and Marine Engineers Association
Bureau of Steel Manufacturers of Australia
Department of Industry, Skills and Regional Development, NSW
Department of Natural Resources and Mines (SIMTARS), Qld
Electrical Compliance Testing Association
Electrical Contractors Association of New Zealand
Electrical Regulatory Authorities Council
Engineers Australia
Institute of Electrical Inspectors
Institute of Instrumentation, Control and Automation Australia
Institution of Professional Engineers New Zealand
Mining Electrical and Mining Mechanical Engineering Society
SafeWork NSW
University of Newcastle
Worksafe New Zealand

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com or Standards New Zealand web site at www.standards.govt.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of Standards Australia or the New Zealand Standards Executive at the address shown on the back cover.

This Standard was issued in draft form for comment as DR AS/NZS 60079.30.2:2015.

Australian/New Zealand Standard™

Explosive atmospheres

Part 30.2: Electrical resistance trace heating—Application guide for design, installation and maintenance

Originated as AS/NZS 62086.2:2002.
Previous edition revised and redesignated as AS/NZS 60079.30.2:2007.
Second edition 2016.

COPYRIGHT

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, PO Box 10729, Wellington 6011.

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee, EL-014, Equipment for Explosive Atmospheres, to supersede AS/NZS 60079.30.2:2007 *Explosive atmospheres, Part 30.2: Electrical resistance trace heating—Application guide for design, installation and maintenance (IEC 60079-30-2, Ed. 1.0 (2007) MOD)*.

The objective of this Standard is to provide guidance for the application of electrical resistance trace heating systems in areas where explosive gas atmospheres may be present, with the exception of those classified as requiring EPL Ga/Da (traditional relationship to Zone 0 and Zone 20 respectively).

The objective of this revision is to adopt the current edition of IEC/IEEE 60079-30-2.

This Standard is identical with, and has been reproduced from, IEC/IEEE 60079-30-2, Ed. 1.0 (2015), *Explosive atmospheres, Part 30-2: Electrical resistance trace heating—Application guide for design, installation and maintenance*.

As this Standard is reproduced from an International Standard, the following applies:

- (a) In the source text ‘this part of IEC 60079’ should read ‘this Australian/New Zealand standard’.
- (b) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

<i>Reference to International Standard</i>		<i>Australian/New Zealand Standard</i>	
IEC		AS/NZS	
60079	Explosive atmospheres	60079	Explosive atmospheres
60079-0	Part 0: Equipment—General requirements	60079.0	Part 0: Equipment—General requirements
60079-15	Part 15: Equipment protection by type of protection “n”	60079.15	Part 15: Equipment protection by type of protection ‘n’
IEC/IEEE			
60079	Explosive atmospheres	60079	Explosive atmospheres
60079-30-1	Part 30-1: Electrical resistance trace heating—General and testing requirements	60079.30.1	Part 30.1: Electrical resistance trace heating—General and testing requirements

Only normative references that have been adopted as Australian or Australian/New Zealand Standards have been listed.

The term ‘informative’ has been used in this Standard to define the application of the annex to which it applies. An ‘informative’ annex is only for information and guidance.

CONTENTS

1	Scope.....	10
2	Normative references	10
3	Terms and definitions	10
4	Application considerations	10
4.1	General.....	10
4.2	Corrosive areas	11
4.3	Process temperature accuracy.....	11
4.3.1	Type I.....	11
4.3.2	Type II	11
4.3.3	Type III.....	11
4.4	Installation considerations.....	11
5	Thermal insulation	12
5.1	General.....	12
5.2	Selection of insulating material	12
5.3	Selection of weather barrier (cladding).....	13
5.4	Selection of economical thickness to provide optimum trace heating design.....	13
5.5	Double insulation	14
6	System design.....	17
6.1	General.....	17
6.2	Purpose of, and major requirement for, trace heating.....	17
6.3	Training	18
6.4	Selection of trace heater	18
6.4.1	General	18
6.4.2	Site-fabricated trace heaters.....	18
6.4.3	Specific types of trace heating	19
6.5	Maximum temperature determination	19
6.5.1	General	19
6.5.2	PTC characteristic	19
6.5.3	Stabilized design	20
6.5.4	Controlled design.....	20
6.6	Heat up and cool down considerations	20
6.7	Design information.....	20
6.7.1	Design information documentation	20
6.7.2	Isometric or trace heater configuration line lists and load charts	21
6.8	Power system	22
6.9	Earthing requirements.....	22
6.10	Earth-fault protection of equipment	23
6.11	Start-up at minimum ambient temperatures	23
6.12	Long trace heater runs	23
6.13	Flow pattern analysis	23
6.14	Dead-leg control technique	25
6.15	Chimney effect.....	25
6.16	Safety shower and eyewash station design requirements.....	26

7	Control and monitoring	26
7.1	General.....	26
7.2	Mechanical controllers	27
7.3	Electronic controllers	27
7.4	Application suitability	27
7.5	Location of controllers.....	27
7.6	Location of sensors.....	28
7.7	Alarm considerations	28
7.7.1	General	28
7.7.2	Trace heating circuit alarm	28
7.7.3	Temperature alarms	29
7.7.4	Other alarms.....	29
7.7.5	Integrated control	29
8	Recommendations for installation	29
8.1	General.....	29
8.2	Preparatory work	30
8.2.1	General	30
8.2.2	Scheduling and coordination.....	30
8.2.3	Confirmation of equipment.....	30
8.2.4	Receiving materials	30
8.2.5	Warehousing and handling	30
8.2.6	Personnel aspects	30
8.3	Installation of trace heating circuits	30
8.3.1	Coordination and equipment verification	30
8.3.2	Pre-installation testing and design verification	31
8.3.3	Visual examination	31
8.3.4	Insulation resistance test	31
8.3.5	Component substitution	31
8.3.6	Location of power supply	31
8.3.7	Installation of trace heaters	32
8.3.8	Connections and terminations.....	34
8.4	Installation of control and monitoring equipment	36
8.4.1	General	36
8.4.2	Verification of equipment suitability.....	36
8.4.3	Temperature controller and monitoring devices.....	36
8.4.4	Sensor considerations	36
8.4.5	Controller operation, calibration, and access	40
8.4.6	Necessary modifications	40
8.5	Installation of thermal insulation system (see also Clause 5).....	40
8.5.1	General	40
8.5.2	Preparatory work	40
8.5.3	Installation of the thermal insulation materials	40
8.5.4	Cladding	41
8.5.5	Field (site work) circuit insulation resistance test	41
8.5.6	Visual inspection	41
8.5.7	Documentation	42
8.6	Installation of distribution wiring and coordination with branch circuits	42
8.6.1	General	42
8.6.2	Earth-fault protective device	42

8.6.3	Circuit protective device	42
8.6.4	Tagging/Identification	42
8.7	Commissioning	42
8.7.1	Pre-commissioning check	42
8.7.2	Functional check and final documentation.....	43
9	Maintenance.....	44
9.1	General.....	44
9.2	Fault location	44
9.3	Fault rectification	44
10	Repairs.....	45
10.1	General.....	45
10.2	Practicability of repair to electric trace heaters.....	45
10.2.1	Mechanical damage.....	45
10.2.2	Damage due to corrosion.....	45
10.2.3	Damage due to overheating.....	45
10.3	Repair techniques for electrical trace heaters	45
10.3.1	General	45
10.3.2	In-line splice	46
10.3.3	Connection via junction box.....	46
10.4	Earthing.....	46
10.5	Testing	46
Annex A (informative)	Example of design data record	47
Annex B (informative)	Checklist for installation requirements	48
Annex C (informative)	Example of trace heater commissioning record	50
Annex D (informative)	Example of maintenance schedule and log record	52
Annex E (informative)	Pipe heat loss considerations – Heat loss formula and example calculations.....	54
Annex F (informative)	Vessel heat loss considerations.....	60
F.1	General.....	60
F.2	Insulation heat loss (Q_{ins}).....	60
F.3	Slab surface areas (Q_{slab}).....	61
F.4	Support heat loss (Q_{supt})	61
F.5	Manhole heat loss ($Q_{manhole}$).....	62
F.6	Convection coefficient formulae	62
F.6.1	General	62
F.6.2	Free convection, nonfluid surface, any orientation (h_i, h_{CO}, h_O)	62
F.6.3	Forced convection, any orientation (h_O)	63
F.6.4	Radiation component, all coefficients (h_f, h_i, h_{CO}, h_O).....	63
Annex G (informative)	Heat up and cool down considerations	65
G.1	Heat up.....	65
G.2	Cool down.....	66
Annex H (informative)	Method to determine equivalent thicknesses of insulating cements.....	68
Bibliography	69
Figure 1	– Thermal insulation – Weather-barrier installation.....	15
Figure 2	– Typical temperature profile.....	16

Figure 3 – Flow pattern analysis example	24
Figure 4 – Bypass example.....	25
Figure 5 – Typical installation of control sensor and sensor for temperature limiting control	38
Figure 6 – Limiting device sensor on sheath of trace heater.....	38
Figure 7 – Limiting device sensor as artificial hot spot	39
Figure E.1 – Assumed temperature gradients	55
Table 1 – Pre-installation checks	32
Table A.1 – Example of design data record.....	47
Table B.1 – Example of pre-commissioning check and trace heater installation record.....	48
Table C.1 – Example of trace heater commissioning record	50
Table D.1 – Example of maintenance schedule and log record.....	52

FOREWORD

This edition includes the following significant changes, apart from a general review and updating of the first edition of IEC 60079-30-2, harmonization with IEEE Std 515, with respect to the previous edition:

- the relocation of trace heater product design methodology and requirements to IEC/IEEE 60079-30-1;
- the relocation and/or duplication of information on installation, maintenance, and repair to the MTs under SC31J for their addition into IEC 60079-14, IEC 60079-17, and IEC 60079-19;
- the inclusion of more detailed information on safety showers and eyewash units;
- the introduction of Annexes from IEEE Std 515.

The significance of changes between IEC 60079-30-2, Edition 1.0 (2007) and IEC/IEEE 60079-30-2, Edition 1.0 (2014) is as listed below:

Changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Addition of clarification for the exclusion of areas coverage classifications of EPLs Ga and Da	1	X		
Addition of requirements for the Division method of area classification that may be applied by some users	1			C1
Relocation of heat loss design requirements to IEC/IEEE 60079-30-1	6.3	X		
Addition of safety shower and eyewash station design requirements	6.16			C2
Addition of Annex for an example of a design data record	Annex A	X		
Addition of Annex for a checklist of installation requirements	Annex B	X		
Addition of Annex for an example of a trace heater commissioning record	Annex C	X		
Addition of Annex for an example of a maintenance schedule and log record	Annex D	X		
Addition of Annex for pipe heat loss considerations	Annex E	X		
Addition of Annex for vessel heat loss considerations	Annex F	X		
Addition of Annex for heat up and cool down considerations	Annex G	X		
Addition of Annex for a method to determine the equivalent thickness of insulating cements	Annex H	X		

NOTE The technical changes referred to include the significance of technical changes in the revised IEC Standard, but they do not form an exhaustive list of all modifications from the previous version.

Explanations:**A) Definitions****Minor and editorial changes**

clarification
decrease of technical requirements
minor technical change
editorial corrections

These are changes which modify requirements in an editorial or a minor technical way. They include changes of the wording to clarify technical requirements without any technical change, or a reduction in level of existing requirement.

Extension

addition of technical options

These are changes which add new or modify existing technical requirements, in a way that new options are given, but without increasing requirements for equipment that was fully compliant with the previous standard. Therefore, these will not have to be considered for products in conformity with the preceding edition.

Major technical changes

addition of technical requirements
increase of technical requirements

These are changes to technical requirements (addition, increase of the level or removal) made in a way that a product in conformity with the preceding edition will not always be able to fulfil the requirements given in the later edition. These changes have to be considered for products in conformity with the preceding edition. For these changes additional information is provided in clause B) below.

NOTE These changes represent current technological knowledge. However, these changes should not normally have an influence on equipment already placed on the market.

B) Information about the background of 'Major Technical Changes'

C1 – The requirements for the Division method of area classification are applicable only for users of this standard intending qualification for these areas.

C2 – The design requirements for safety showers and eyewash units have been included for harmonization and for added safety.

NOTES

AUSTRALIAN/NEW ZEALAND STANDARD

Explosive atmospheres

Part 30.2:

Electrical resistance trace heating—Application guide for design, installation and maintenance

1 Scope

This part of IEC 60079 provides guidance for the application of electrical resistance trace heating systems in areas where explosive atmospheres may be present, with the exclusion of those classified as requiring EPL Ga/Da (traditional relationship to Zone 0 and Zone 20 respectively). This standard also provides guidance for explosive atmospheres incorporating the Division method of area classification that may be applied by some users of this standard.

NOTE Information on the Division method is given in NFPA 70 and CSA C22.1.

It provides recommendations for the design, installation, maintenance and repair of trace heating systems including associated control and monitoring equipment. It does not cover devices that operate by induction heating, skin effect heating or direct pipeline heating, nor those intended for stress relieving.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-426, *International Electrotechnical Vocabulary – Part 426: Equipment for explosive atmospheres*

IEC 60079-0, *Explosive atmospheres – Part 0: Equipment – General requirements*

IEC 60079-15, *Explosive atmospheres – Part 15: Equipment protection by type of protection “n”*

IEC/IEEE 60079-30-1, *Explosive atmospheres – Part 30-1: Electrical resistance trace heating – General and testing requirements*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-426, IEC 60079-0 and IEC/IEEE 60079-30-1 apply.

4 Application considerations**4.1 General**

This part of IEC 60079 supplements the requirements specified in IEC 60079-14, IEC 60079-17 and IEC/IEEE 60079-30-1.

Where trace heating systems are to be installed in explosive atmospheres, full details of the area classifications shall be specified. The specification shall state, as applicable, the