

Australian/New Zealand Standard™

**Double-capped fluorescent lamps—  
Performance specifications**

**Part 3: Procedure for quantitative  
analysis of mercury present in  
fluorescent lamps**



## **AS/NZS 4782.3:2014**

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-041, Lamps and Related Equipment. It was approved on behalf of the Council of Standards Australia on 26 March 2014 and on behalf of the Council of Standards New Zealand on 24 January 2014.  
This Standard was published on 10 July 2014.

---

The following are represented on Committee EL-041:

Australasian Fire and Emergency Service Authorities Council  
Australian Industry Group  
Consumers Federation of Australia  
Department of Industry  
Electrical Compliance Testing Association  
Electrical Regulatory Authorities Council  
Energy Efficiency and Conservation Authority of New Zealand  
Fair Trading NSW  
IES: The Lighting Society  
Institution of Professional Engineers New Zealand  
International Accreditation New Zealand  
Lighting Council Australia  
Lighting Council New Zealand  
Ministry of Business, Innovation and Employment, New Zealand  
New Zealand Lighting Manufacturers and Suppliers

---

### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at [www.saiglobal.com.au](http://www.saiglobal.com.au) or Standards New Zealand web site at [www.standards.co.nz](http://www.standards.co.nz) and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

---

Australian/New Zealand Standard™

**Double-capped fluorescent lamps—  
Performance specifications**

**Part 3: Procedure for quantitative  
analysis of mercury present in  
fluorescent lamps**

Originated as AS/NZS 4782.3(Int):2006.  
Jointly revised and designated as AS/NZS 4782.3:2014.

**COPYRIGHT**

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140.

## PREFACE

This Standard was prepared by the members of the Joint Standards Australia/Standards New Zealand Committee EL-041, Lamps and Related Equipment to supersede AS/NZS 4782.3(Int):2006.

The objective of this Standard is to specify procedures for quantitative analysis of mercury present in general purpose fluorescent lamps that are intended to be sold in Australia and New Zealand.

The series consists of the following parts:

### AS/NZS

- 4782 Double-capped fluorescent lamps—Performance specifications
- 4782.1 Part 1: General (IEC 60081:2000, MOD)
- 4782.2 Part 2: Minimum Energy Performance Standard (MEPS)
- 4782.3 Part 3: Procedure for quantitative analysis of mercury present in fluorescent lamps (this Standard)

This Standard is published with the approval of the combined state and territory regulatory authorities and is structured to be suitable for reference in Minimum Energy Performance Standards legislation.

Statements expressed in mandatory terms in notes to figures, are deemed to be requirements of this Standard. 'Shall' indicates a requirement is mandatory, while 'should' indicates a recommendation and good practice.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

## CONTENTS

|  | <i>Page</i> |
|--|-------------|
| FOREWORD.....                                    | 4           |
| 1 SCOPE AND GENERAL .....                        | 5           |
| 2 TEST PREPARATION, EQUIPMENT AND REAGENTS ..... | 7           |
| 3 TEST SET-UP.....                               | 9           |
| 4 PROCEDURES .....                               | 11          |
| 5 MEASUREMENT .....                              | 15          |
| 6 REPORTING .....                                | 16          |
| APPENDIX A BIBLIOGRAPHY.....                     | 18          |

## FOREWORD

This Standard describes a general procedure for quantitative analysis of mercury present in a fluorescent lamp. It encompasses all methods of determination of mercury by wet chemical analysis process such as by dissolving the mercury and/or amalgam in suitable solvents. The method described is based on both the Japanese and European methodology. It is suitable for all types of fluorescent lamps with or without amalgams and is not limited by the type or size of the fluorescent lamp.

The method is based on recent practical experiments with contemporary fluorescent lamps and modified to suit modern instrument and measurement techniques.

The procedures stated are based on the fact that mercury in fluorescent lamps exists in one or more combination(s) of the possible states namely vapour, liquid metal or oxidized liquid or as an amalgam of mercury. The total amount of mercury present in a fluorescent lamp is determined by adding the measured values of metal mercury, oxidized mercury and amalgam. The latter is used in order to introduce mercury in a lamp more accurately. There are also many fluorescent lamps devoid of amalgam.

Metal mercury and oxidized mercury easily dissolve in nitric acid, however some amalgams (e.g. titanium/mercury, bismuth/lead/tin/mercury) do not dissolve in nitric acid entirely, so other acids in combination must be used. It is important to identify the type of amalgam used in the fluorescent lamp under test.

The procedure in this Standard includes methods to dissolve metal mercury, oxidized mercury, and some types of amalgams. Mercury in vapour form is not considered for determination as the vapour portion is relatively insignificant.

## STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

**Australian/New Zealand Standard****Double-capped fluorescent lamps—Performance specifications****Part 3: Procedure for quantitative analysis of mercury present in fluorescent lamps****1 SCOPE AND GENERAL****1.1 Scope**

This Standard outlines a procedure for quantitative analysis of mercury present in fluorescent lamps that are used in general lighting service and which are covered within the scope of AS/NZS 4782.1 and AS/NZS 60901.

This Standard applies to fluorescent lamps that contain mercury in the form of vapour, liquid, oxidized liquid or in combination with amalgams.

The testing method specifies the procedures that can be used to determine accurately the mercury content in a fluorescent lamp in which mercury is introduced as the medium for discharge between the electrodes.

The method involves the chemical digestion of the mercury contained within a lamp and the determination of that mercury content on a per unit basis. This is achieved using a method of solubilization of the entire mercury content contained within the tube using acidic digestion methods and the accurate determination of that mercury content using standard mercury solutions. This will allow comparisons between lamps in batches and comparisons with other internationally accepted standards for mercury content in fluorescent lamps.

This Standard covers methods of determination of mercury by wet chemical analysis.

**1.2 Application**

This Standard is intended to be read in conjunction with AS/NZS 4782.1 and AS/NZS 4782.2.

The methods contained in the following IEC standards can be used as alternatives to the methods outlined in this Standard:

- (a) Sample preparation: IEC 62554.
- (b) Determination of mercury content: IEC 62321-4.

**1.3 Referenced documents**

The following documents are referred to in this Standard:

NOTE: Documents that may be referred to for additional information are listed in the Bibliography.

|      |   |
|------|---|
| AS   |   |
| 2164 | Laboratory glassware—One-mark volumetric flasks |
| 2165 | Laboratory glassware—Burettes                   |
| 2166 | Laboratory glassware—One-mark pipettes          |
| 2234 | Laboratory glassware—Beakers                    |
| 2245 | Laboratory glassware—Filter funnels             |