

Australian/New Zealand Standard™

**Safety of household and similar  
electrical appliances**

**Part 2.84: Particular requirements for  
toilets  
(IEC 60335-2-84:1998, MOD)**



## **AS/NZS 3350.2.84:2000**

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-002, Safety of Household and Similar Electrical Appliances and Small Power Transformers. It was approved on behalf of the Council of Standards Australia on 17 July 2000 and on behalf of the Council of Standards New Zealand on 31 July 2000.

This Standard was published on 15 September 2000.

---

The following are represented on Committee EL-002:

Association of Certification Bodies  
Australian Chamber of Commerce and Industry  
Australian Electrical and Electronic Manufacturers Association  
Canterbury Manufacturers Association New Zealand  
Consumer Electronic Suppliers Association, Australia  
Electrical regulatory authorities, Australia  
Electrical test laboratories  
Electrical consultants  
Electricity Supply Association of Australia  
Institution of Engineers Australia  
Metal Trades Industries Association of Australia  
Ministry of Consumer Affairs, New Zealand

---

### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at [www.standards.com.au](http://www.standards.com.au) or Standards New Zealand web site at [www.standards.co.nz](http://www.standards.co.nz) and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

---

*This Standard was issued in draft form for comment as DR 99229.*

---

# Australian/New Zealand Standard™

## **Safety of household and similar electrical appliances**

### **Part 2.84: Particular requirements for toilets (IEC 60335-2-84:1998, MOD)**

Originated as AS/NZS 3350.2.84:2000.  
Reissued incorporating Amendment No. 1 (November 2001).  
Reissued incorporating Amendment No. 2 (May 2007).

#### **COPYRIGHT**

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia, GPO Box 476, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope .....	7
2 Definitions.....	7
3 General requirement.....	8
4 General conditions for the tests .....	8
5 Void .....	8
6 Classification.....	8
7 Marking and instructions .....	9
8 Protection against access to live parts .....	9
9 Starting of motor-operated appliances.....	9
10 Power input and current.....	9
11 Heating .....	9
12 Void .....	10
13 Leakage current and electric strength at operating temperature .....	10
14 Void .....	10
15 Moisture resistance .....	10
16 Leakage current and electric strength .....	10
17 Overload protection of transformers and associated circuits .....	11
18 Endurance.....	11
19 Abnormal operation .....	11
20 Stability and mechanical hazards.....	11
21 Mechanical strength .....	12
22 Construction.....	12
23 Internal wiring.....	13
24 Components .....	13
25 Supply connection and external flexible cords .....	13
26 Terminals for external conductors .....	13
27 Provision for earthing.....	14
28 Screws and connections .....	14
29 Creepage distances, clearances and distances through insulation .....	14
30 Resistance to heat, fire and tracking .....	14
31 Resistance to rusting .....	14
32 Radiation, toxicity and similar hazards .....	14

Annexes ..... 16

Annex A (normative) Normative references..... 16

Annex ZZ (informative) Variations to IEC 60335-2-84:1998 for application in Australia  
and New Zealand..... 17

Figure 101 – Small test finger ..... 15

## AUSTRALIA/NEW ZEALAND STANDARD

---

### SAFETY OF HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –

#### Part 2.84: Particular requirements for toilets

#### FOREWORD

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-002 - Safety of Household and Similar Electrical Appliances and Small Power Transformers.

This Standard incorporates Amendment No. 1 (November 2001) and Amendment No. 2 (May 2007). The changes required by the amendments are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected. Where an application date other than immediate is applicable to an amendment the date of application (DOA) is indicated by the marginal bar against the part affected or by a footnote relating to the part affected.

The objective of this Standard is to provide manufacturers, designers, regulatory authorities, testing laboratories and similar organizations with safety requirements designed to give the user protection against hazards that might occur during normal operation and abnormal operation of the appliance and which may be used as the basis for approval for sale or for connection to the electricity supply mains in Australia and New Zealand

This Standard forms the first edition of AS/NZS 3350.2.84, *Safety of household and similar electrical appliances, Part 2.84: Particular requirements for toilets*.

This Standard is an adoption with national modifications and contains the full text of the first edition of IEC 60335-2-84:1998, *Safety of Household and Similar Electrical Appliances – Part 2-84: Particular requirements for toilets* and Corrigendum, and has been varied as indicated to take account of Australian and New Zealand conditions. It is to be used in conjunction with the latest edition of AS/NZS 3350.1, *Safety of household and similar electrical appliances - Part 1: General requirements* and its Amendments. It was established on the basis of AS/NZS 3350.1:2002.

This part 2 supplements or modifies the corresponding clauses of AS/NZS 3350.1 (referred to as part 1 in this part 2) so as to convert it into the Australian/New Zealand Standard: Safety of toilets.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to AS/NZS 3350.1.

When a particular subclause of Part 1 is not mentioned in this Part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification", or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The numbering of clauses, subclauses, notes, tables, figures and annexes follows that of IEC 60335-2-84:1998. To allow for the introduction of additional material by the IEC, the numbers 101 to 200 have been reserved. To allow for additional material to be introduced by Australia and New Zealand, the numbers 201 to 300 are used to number further clauses, subclauses, notes, tables and figures in part 1. The numbers 301 to 400 are used to number further clauses, subclauses, notes, tables and figures in this part 2. Additional annexes are lettered ZA, ZB and so on.

This scheme has been introduced to reduce the likelihood of the IEC and Australia and New Zealand using the same identifier for different purposes.

The use of the word VOID indicates that the IEC text is not used in Australia or New Zealand. The use of this word also avoids the need to renumber, clauses, notes, tables and figure if an earlier clause, note, table or figure is not used.

Annex A has been reformatted to indicate the Australia/New Zealand standard that is equivalent to the IEC standard or ISO standard to which normative reference is made.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown on the cover and title page only.
- (b) In the source text "this International Standard" should read "this Australian/New Zealand Standard".

A full point substitutes for a comma when referring to a decimal marker.

Variations to IEC 60335-2-84:1998 are indicated at the appropriate places throughout this standard. Strikethrough (~~example~~) identifies IEC tables, figures and passages of text which, for the purposes of this Australian/New Zealand standard are deleted. Where Australian/New Zealand tables, figures or passages of text are added, each is set in its proper place and identified by shading (~~example~~). Added figures are not themselves shaded, but are identified by a shaded border.

Variations made to IEC 60335-2-84:1998 form the Australian variations for the purposes of the IECEE scheme for recognition of testing to standards for safety of electrical equipment (the CB scheme). These variations have been incorporated in the body of the standard. They are listed in Annex ZZ for easy reference.

## INTRODUCTION

It has been assumed in the drafting of this standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice.

This standard takes into account the requirements of AS/NZS 3000 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of AS/NZS 3350, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

The essential safety requirements in AS/NZS 3820 that could be applicable to toilets are covered by this standard.

-----

# SAFETY OF HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES

## Part 2.84: Particular requirements for toilets

### 1 Scope

This clause of part 1 is replaced by:

This standard deals with the safety of electric toilets in which excrement is stored, dried or destructed, their **rated voltage** being not more than 250 V.

NOTE 1 – Electric toilets may be used to process garbage such as paper and food waste.

This standard also applies to electric equipment for use with conventional toilets.

NOTE 2 – Examples of such electric equipment are

- pumping units,
- chopping units,
- heated seats,
- automatic seat covering devices.

So far as is practicable, this standard deals with the common hazards presented by appliances which are encountered by all persons in and around the home.

This standard does not in general take into account playing with the appliance by young children.

NOTE 3 – Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary,
- ~~for appliances intended to be used in tropical countries, special requirements may be necessary,~~
- ~~for the purposes of this standard, Australia and New Zealand are not considered to be tropical;~~
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

NOTE 4 – This standard does not apply to

- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas),
- chemical toilets,
- toilets in which excrement is destructed by combustion.

### 2 Definitions

This clause of part 1 is applicable except as follows.

#### 2.2.9 Replacement:

##### **normal operation**

operation of the appliance under the following conditions:

Appliances are operated in cycles, each cycle being initiated every 10 min, bowl covers being open or closed whichever is more unfavourable. If the cycle is not automatically terminated, the appliance is operated for 15 s or for the period specified by the instructions for use, whichever is longer.